

<a href="#">Lithium Nickel Manganese Cobalt Oxide</a>	<a href="#">Pricing &gt;</a>
<a href="#">Lithium Nickel Manganese Cobalt Oxide Electrode Sheet</a>	<a href="#">Pricing &gt;</a>
<a href="#">Lithium Nickel Manganese Cobalt Oxide Sputtering Target</a>	<a href="#">Pricing &gt;</a>
<b>Linear Formula</b>	LiNi <sub>x</sub> Mn <sub>y</sub> Co <sub>z</sub> O <sub>2</sub>
<b>MDL Number</b>	N/A
<b>EC No.</b>	620-032-4
<b>Signal Word</b>	Warning
<b>Hazard Statements</b>	H317-H351
<b>Hazard Codes</b>	Xn
<b>Risk Codes</b>	40-43
<b>Safety Statements</b>	36/37
<b>RTECS Number</b>	N/A
<b>Transport Information</b>	N/A
<b>WGK Germany</b>	3

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 05/14/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #346417-97-8

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture  
GHS Classification in accordance with 29 CFR 1910  
(OSHA HCS)  
Skin sensitisation(Category 1), H317  
Carcinogenicity(Category 2), H351  
GHS Label elements, including precautionary  
statements  
Pictogram



Signal word  
Warning  
Hazard statement(s)  
H317  
May cause an allergic skin reaction.  
H351  
Suspected of causing cancer.  
Precautionary statement(s)  
P201  
Obtain special instructions before use.  
P202  
Do not handle until all safety precautions have been  
read and understood.  
P261  
Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.  
P272  
Contaminated work clothing should not be allowed out  
of the workplace.  
P280  
Wear protective gloves.  
P302 + P352  
IF ON SKIN: Wash with plenty of soap and water.  
P308 + P313  
IF exposed or concerned: Get medical advice/  
attention.  
P321  
Specific treatment (see supplemental first aid  
instructions on this label).  
P333 + P313  
If skin irritation or rash occurs: Get medical advice/  
attention.  
P363  
Wash contaminated clothing before reuse.  
P405  
Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Lithium nickel manganese cobalt oxide

CAS-No.: 346417-97-8

Synonyms: NMC

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture  
Nickel/nickel oxides, Lithium oxides, Cobalt/cobalt oxides, Manganese/manganese oxides

Advice for firefighters  
Wear self-contained breathing apparatus for firefighting if necessary.  
Further information  
No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures  
Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.  
For personal protection see section 8.  
Environmental precautions  
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.  
Methods and materials for containment and cleaning up  
Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.  
Reference to other sections  
For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling  
Avoid contact with skin and eyes. Avoid formation of dust and aerosols.  
Provide appropriate exhaust ventilation at places where dust is formed.  
For precautions see section 2.  
Conditions for safe storage, including any incompatibilities  
Keep container tightly closed in a dry and well-ventilated place.  
Keep in a dry place.  
Specific end use(s)  
Apart from the uses mentioned in section 1 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure controls  
Appropriate engineering controls  
Handle in accordance with good industrial hygiene

and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance

Form: powder

Color: black

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/freezing point

Melting point/range: > 290 °C (> 554 °F)-lit.

Initial boiling point and boiling range

No data available

Flash point

No data available  
Evaporation rate  
No data available  
Flammability (solid, gas)  
No data available  
Upper/lower flammability or explosive limits  
No data available  
Vapor pressure  
No data available  
Vapor density  
No data available  
Relative density  
No data available  
Water solubility  
No data available  
Partition coefficient: n-octanol/water  
No data available  
Auto-ignition temperature  
No data available  
Decomposition temperature  
No data available  
Viscosity  
No data available  
Explosive properties  
No data available  
Oxidizing properties  
No data available  
Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
No data available  
Incompatible materials  
Strong oxidizing agents  
Hazardous decomposition products  
Other decomposition products-No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity

No data available  
Inhalation: No data available  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
Limited evidence of a carcinogenic effect.  
IARC:  
No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP:  
No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA:  
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Reproductive toxicity  
No data available  
No data available  
Specific target organ toxicity -single exposure  
No data available  
Specific target organ toxicity -repeated exposure  
No data available  
Aspiration hazard  
No data available  
Additional Information  
RTECS: Not available  
Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
No data available

Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Results of PBT and vPvB assessment  
PBT/vPvB assessment not available as chemical  
safety assessment not required/not conducted  
Other adverse effects  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Product  
Offer surplus and non-recyclable solutions to a  
licensed disposal company.  
Contact a licensed professional waste disposal  
service to dispose of this material.  
Dissolve or mix the material with a combustible  
solvent and burn in a chemical incinerator equipped  
with an afterburner and scrubber.  
Contaminated packaging  
Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)  
Not dangerous goods  
IMDG  
Not dangerous goods  
IATA  
Not dangerous goods

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components  
No chemicals in this material are subject to the  
reporting requirements of SARA Title III, Section 302.  
SARA 313 Components  
This material does not contain any chemical  
components with known CAS numbers that exceed  
the threshold (De Minimis) reporting levels  
established by SARA Title III, Section 313.  
SARA 311/312 Hazards  
Acute Health Hazard, Chronic Health Hazard  
Massachusetts Right To Know Components



No components are subject to the Massachusetts  
Right to Know Act.  
Pennsylvania Right To Know Components  
Lithium nickel manganese cobalt oxide  
CAS-No.  
346417-97-8  
Revision Date  
2007-07-01  
New Jersey Right To Know Components  
Lithium nickel manganese cobalt oxide  
CAS-No.  
346417-97-8  
Revision Date  
2007-07-01  
California Prop. 65 Components  
This product does not contain any chemicals known to  
State of California to cause cancer, birth defects, or  
any other reproductive harm.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No.  
1907/2006 (REACH). The above information is  
believed to be correct but does not purport to be all  
inclusive and shall be used only as a guide. The  
information in this document is based on the present  
state of our knowledge and is applicable to the  
product with regard to appropriate safety precautions.  
It does not represent any guarantee of the properties  
of the product. American Elements shall not be held  
liable for any damage resulting from handling or from  
contact with the above product. See reverse side of  
invoice or packing slip for additional terms and  
conditions of sale. COPYRIGHT 1997-2022  
AMERICAN ELEMENTS. LICENSED GRANTED TO  
MAKE UNLIMITED PAPER COPIES FOR INTERNAL  
USE ONLY.

---

## Research

- A bi-functional lithium difluoro(oxalato)borate additive for lithium cobalt oxide/lithium nickel manganese cobalt oxide cathodes and silicon/graphite anodes in lithium-ion batteries at elevated temperatures. Sung Jun Lee, Jung-Gu Han, Yongwon Lee, Myung-Hwan Jeong, Nam-Soon Choi. *Electrochimica Acta*, Volume 137, 10 August 2014, Pages 1-8.
- A comparative study of structural changes in lithium nickel cobalt manganese oxide as a function of Ni content during delithiation

process. Kyoungmin Min, Kihong Kim, Changhoon Jung, Seung-Woo Seo, Eunseog Cho. *Journal of Power Sources*, Volume 315, 31 May 2016, Pages 111-119.

- Atmospheric plasma spray pyrolysis of lithiated nickel-manganese-cobalt oxides for cathodes in lithium ion batteries. Babajide Patrick Ajayi, Arjun Kumar Thapa, Uroš Cvelbar, Jacek B. Jasinski, Mahendra K. Sunkara. *Chemical Engineering Science*, Volume 174, 31 December 2017, Pages 302-310.
- Beneficial effect of propane sultone and tris(trimethylsilyl) borate as electrolyte additives on the cycling stability of the lithium rich nickel manganese cobalt (NMC) oxide. Agnese Birrozzi, Nina Laszczynski, Maral Hekmatfar, Jan von Zamory, Stefano Passerini. *Journal of Power Sources*, Volume 325, 1 September 2016, Pages 525-533.
- Cycle aging studies of lithium nickel manganese cobalt oxide-based batteries using electrochemical impedance spectroscopy. Arpit Maheshwari, Michael Heck, Massimo Santarelli. *Electrochimica Acta*, Volume 273, 20 May 2018, Pages 335-348.
- Domain formation in lithium-rich manganese-nickel-cobalt-oxide epitaxial thin films and implications for interpretation of electrochemical behavior. Aaron C. Johnston-Peck, Saya Takeuchi, K. Kamala Bharathi, Andrew A. Herzing, Leonid A. Bendersky. *Thin Solid Films*, Volume 647, 1 February 2018, Pages 40-49.
- Effect of pristine nanostructure on first cycle electrochemical characteristics of lithium-rich lithium–nickel–cobalt–manganese-oxide cathode ceramics for lithium ion batteries. Lars Riekehr, Jinlong Liu, Björn Schwarz, Florian Sigel, Helmut Ehrenberg. *Journal of Power Sources*, Volume 306, 29 February 2016, Pages 135-147.
- Effect of additives on electrochemical performance of lithium nickel cobalt manganese oxide at high temperature. Kyoung Seok Kang, Suneui Choi, JunHo Song, Sang-Gil Woo, Young-Jun Kim. *Journal of Power Sources*, Volume 253, 1 May 2014, Pages 48-54.
- Enhanced high voltage performances of layered lithium nickel cobalt manganese oxide cathode by using trimethylboroxine as electrolyte additive. Qipeng Yu, Zhiting Chen, Lidan Xing, Dongrui Chen, Weishan Li. *Electrochimica Acta*, Volume 176, 10 September 2015, Pages 919-925.
- Facile preparation of praseodymium oxide coated peanut-like lithium nickel cobalt manganese oxide microspheres for lithium ion batteries with high voltage capabilities. Zhaoting Meng, Yudai Huang, Yingchun Fang, Xingchao Wang, Lei Wang. *Journal of Alloys and Compounds*, Volume 784, 5 May 2019, Pages 620-627.