

Cyclopentadienylthallium		Pricing >
Linear Formula	C <sub>5</sub> H <sub>5</sub> TI	
Pubchem CID	97304	
MDL Number	MFCD00134141	
EC No.	252-229-2	
IUPAC Name	cyclopenta-2,4-dien-1-ylthallium	
SMILES	C1=CC(C=C1)[TI]	
Inchl Identifier	InChI=1S/C5H5.Tl/c1-2-4-5-3-1;/h1-5H;	
Inchl Key	RKLJDPOVAWGBSD-UHFFFAOYSA-N	

Signal Word	Danger	
<b>Hazard Statements</b>	H300+H330-H373	
<b>Hazard Codes</b>	T+	
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	UN1707 6.1/PG II	
GHS Pictograms	GHS08 Health Hazard  GHS06 Skull and Crossbones	

Create Printable PDF

### **SAFETY DATA SHEET**

**Date Accessed:** 04/23/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

**Product Identifiers:** All applicable American Elements product codes for CAS #34822-90-7

#### Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture GHS06 Skull and crossbones
Acute Tox. 2 H300 Fatal if swallowed.
Acute Tox. 2 H330 Fatal if inhaled.
GHS08 Health hazard
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS label elements
The substance is classified and labeled according to the Globally Harmonized System (GHS).





Hazard pictograms **GHS06 GHS08** Signal word Danger Hazard-determining components of labeling: cyclopentadienylthallium Hazard statements H300+H330 Fatal if swallowed or if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. Precautionary statements P231 Handle under inert gas. P235 Keep cool. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

4

0

Health = 4

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

**HEALTH** 

**FIRE** 

REACTIVITY

3

0

0

Health = 3

Fire = 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS # / Substance Name

34822-90-7 cyclopentadienylthallium

Identification number(s) EC number: 252-229-2 Index number: 081-002-00-9

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours

after the accident.

Remove breathing apparatus only after contaminated

clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed: Do not induce vomiting; immediately call for medical help.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Inform respective authorities in case of seepage into water courses, or sewage systems.

Methods and materials for containment and cleanup: Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7. HANDLING AND STORAGE**

Handling: Handle under inert gas.

Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any

incompatibilities:

Keep cool.

Store contents under inert gas.

Requirements to be met by storerooms and

receptacles: No special requirements.

Information about storage in one common storage

facility: Not required.

Further information about storage conditions: Keep

receptacle tightly sealed.

Recommended storage temperature: Store at

temperatures not exceeding -18 °C. Specific end use(s) No data available

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use

respiratory filter device. In case of intensive or longer exposure use

respiratory protective device that is independent of circulating air.

Protection of hands:

SProtective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and

varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed.

Eye protection:

RTightly sealed goggles

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: Form: Crystalline Color: Light brown Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: subl. 75/0.1mm °C (subl.

167/32mm °F)

Boiling point/Boiling range: no data °C

Flash point: N/A

Flammability (solid, gas): Product is not flammable.

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: Product does not present an

explosion hazard. Explosion limits:

Lower: No data available. Upper: No data available. Vapor pressure: no data hPa Density: No data available.

Relative density No data available.

Vapor density N/A Evaporation rate N/A Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): No data

available. Viscosity: Dynamic: N/A Kinematic: N/A Solvent content:

Organic solvents: 0.0 %

VOC content: 0.0 g/l / 0.00 lb/gl

Solids content: 100.0 %

Other information No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No data available

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No data available Incompatible materials: No data available

Hazardous decomposition products: No dangerous

decomposition products known.

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritant effect. on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health

Administration)

Substance is not listed.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Aquatic toxicity: No data available

Persistence and degradability No data available

Behavior in environmental systems:

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information: Not known to be

hazardous to water.

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

Other adverse effects No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

### **SECTION 14. TRANSPORT INFORMATION**

**UN-Number** 

DOT, IMDG, IATA UN1707

UN proper shipping name

DOT, IATA Thallium compounds, n.o.s.

IMDG THALLIUM COMPOUND, N.O.S.

Transport hazard class(es)

DOT

Class 6.1 Toxic substances

Label 6.1

IMDG, IATA

Class 6.1 Toxic substances

Label 6.1

Packing group

DOT, IMDG, IATA II

Environmental hazards:

Marine pollutant: No

Special precautions for user N/A

Danger code (Kemler): 60 EMS Number: F-A,S-A Stowage Category A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: 25 kg

On cargo aircraft only: 100 kg

**IMDG** 

Limited quantities (LQ) .5kg

Excepted quantities (EQ) Code: E4

Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 1707 THALLIUM

COMPOUNDS, N.O.S., 6.1, II

# SECTION 15. REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

**Proposition 65** 

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

**GHS06 GHS08** 

Signal word Danger

Hazard-determining components of labeling:

cyclopentadienylthallium

Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

H373 May cause damage to organs through

prolonged or repeated exposure.

Precautionary statements

P231 Handle under inert gas.

P235 Keep cool.
P260 Do not breathe
dust/fume/gas/mist/vapors/spray.
P301+P310 IF SWALLOWED: Immediately call a
POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.