

<a href="#">Lithium-6 Deuterioxide Deuterate</a>		<a href="#">Pricing &gt;</a>
Linear Formula	${}^6\text{LiOD} \cdot \text{D}_2\text{O}$	
Pubchem CID	N/A	
MDL Number	N/A	
EC No.	N/A	
IUPAC Name	N/A	
SMILES	N/A	
Inchl Identifier	N/A	
Inchl Key	N/A	
Signal Word	Danger	
Hazard Statements	H314	
Hazard Codes	C	
Precautionary Statements	P280-P305 + P351 + P338- P310	
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	UN 3262 8 / PGII	
WGK Germany	3	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/25/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #51250-95-4

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.

Los Angeles, CA 90024

Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300

International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

### 2.2 GHS Label elements, including precautionary statements



Pictogram

Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Precautionary statement(s)

P260 Do not breathe dust or mist.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not

covered by GHS  
Reacts violently with water.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Chemical characterization : Isotopically labeled

Formula : D6LiO D2O

Molecular weight : 44.06 g/mol

CAS-No. : 51250-95-4

Hazardous components

Component Classification Concentration

Lithium-6Li deuterioxide deuterate

Skin Corr. 1B; Eye Dam. 1;

H314, H318

90 - 100 %

---

### **SECTION 4. FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

Suitable extinguishing media

Dry powder

### **5.2 Special hazards arising from the substance or mixture**

Lithium oxides

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **5.4 Further information**

No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.

Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust.

Sweep up and shovel. Do not flush with water. Keep in suitable,

closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible

dusts. The potential for combustible dust formation should be taken into consideration before additional processing

occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any**

incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

Never allow product to get in contact with water during storage.

Storage class (TRGS 510): Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the

sole means of protection, use a full-face supplied air

respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).  
Control of environmental exposure  
Do not let product enter drains.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: solid
  - b) Odor No data available
  - c) Odor Threshold No data available
  - d) pH No data available
  - e) Melting point/freezing point  
No data available
  - f) Initial boiling point and boiling range  
No data available
  - g) Flash point N/A
  - h) Evaporation rate No data available
  - i) Flammability (solid, gas) No data available
  - j) Upper/lower flammability or explosive limits  
No data available
  - k) Vapor pressure No data available
  - l) Vapor density No data available
  - m) Relative density No data available
  - n) Water solubility No data available
  - o) Partition coefficient: octanol/water  
No data available
  - p) Auto-ignition temperature  
No data available
  - q) Decomposition temperature  
No data available
  - r) Viscosity No data available
  - s) Explosive properties No data available
  - t) Oxidizing properties No data available
- 9.2 Other safety information  
No data available
- 

## **SECTION 10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No data available  
10.2 Chemical stability  
Stable under recommended storage conditions.  
10.3 Possibility of hazardous reactions  
Reacts violently with water.  
10.4 Conditions to avoid  
Exposure to moisture  
10.5 Incompatible materials  
Strong oxidizing agents, acids, Alcohols, Reacts violently with water.  
10.6 Hazardous decomposition products  
Other decomposition products - No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects  
Acute toxicity  
No data available  
Inhalation: No data available  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
No data available  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Reproductive toxicity  
No data available  
No data available  
Specific target organ toxicity - single exposure  
No data available  
Specific target organ toxicity - repeated exposure  
No data available  
Aspiration hazard

No data available

Additional Information

RTECS: Not available

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is

limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported.

Central nervous

system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea,

vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of

repeated exposure to lithium ion., Material is extremely destructive to tissue of the mucous membranes and upper

respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Other adverse effects**

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)



UN number: 3262 Class: 8 Packing group: II  
Proper shipping name: Corrosive solid, basic,  
inorganic, n.o.s. (Lithium-6Li deuterioxide deuterate)  
Reportable Quantity (RQ):  
Marine pollutant: No  
Poison Inhalation Hazard: No  
IMDG  
UN number: 3262 Class: 8 Packing group: II EMS-No:  
F-A, S-B  
Proper shipping name: CORROSIVE SOLID, BASIC,  
INORGANIC, N.O.S. (Lithium-6Li deuterioxide  
deuterate)  
Marine pollutant: No  
IATA  
UN number: 3262 Class: 8 Packing group: II  
Proper shipping name: Corrosive solid, basic,  
inorganic, n.o.s. (Lithium-6Li deuterioxide deuterate)

---

## **SECTION 15. REGULATORY INFORMATION**

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### **Pennsylvania Right To Know Components**

Lithium-6Li deuterioxide deuterate

CAS-No.

51250-95-4

### **Revision Date**

### **New Jersey Right To Know Components**

CAS-No. Revision Date

Lithium-6Li deuterioxide deuterate 51250-95-4

### **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is

believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---