

<a href="#">Lanthanum Trifluoromethanesulfonate</a>		<a href="#">Pricing &gt;</a>
Linear Formula	C <sub>3</sub> F <sub>9</sub> LaO <sub>6</sub> S <sub>3</sub>	
Pubchem CID	2733938	
MDL Number	MFCD00077560	
EC No.	N/A	
IUPAC Name	lanthanum(3+); trifluoromethanesulfonate	
Beilstein/Reaxys No.	9009103	
SMILES	[La+3].FC(F)(F)S([O-])(=O)=O.FC(F)(F)S([O-])(=O)=O.FC(F)(F)S([O-])(=O)=O	
Inchl Identifier	InChI=1S/3CHF3O3S.La/c3*2-1(3,4)8(5,6)7;/h3*(H,5,6,7);/q;;;+3/p-3	
Inchl Key	WGJJZRVGLPOKQT-UHFFFAOYSA-K	
Signal Word	Warning	
Hazard Statements	H315-H319-H335	
Hazard Codes	Xi	
Risk Codes	36/37/38	
Safety Statements	26-36	
RTECS Number	N/A	
Transport Information	N/A	
WGK Germany	3	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/19/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #52093-26-2

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Eye  
Damage/Irritation [Category 1]  
Skin Corrosion/Irritation [Category 1C]  
Signal word: Danger!  
Hazard Statement(s): Causes serious eye damage  
Causes severe skin burns and eye damage



Pictogram(s) or Symbol(s):  
Precautionary Statement(s):  
[Prevention] Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield).  
[Response] If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
[Storage] Store locked up.  
[Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Substance  
Components: Lanthanum(III)  
Trifluoromethanesulfonate  
Percent: >98.0%(T)  
CAS Number: 52093-26-2  
Molecular Weight: 586.10  
Chemical Formula: C<sub>3</sub>F<sub>9</sub>LaO<sub>9</sub>S<sub>3</sub>  
Synonyms: Lanthanum(III) Triflate ,

## SECTION 4. FIRST AID MEASURES

Inhalation: Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed.

Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is

difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical

personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin contact: For severe burns, immediate medical attention is required. Immediately call a poison center or doctor.

Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves. Eye contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open.

Eye contact

with vapors or substance may cause severe injury, burns, or death. Call emergency medical service.

Move

victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Ingestion: Do not induce vomiting without medical advice. Call a physician or Poison Control Center immediately. Do

not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and

take precautions to protect themselves.

Symptoms/effects:

Acute: Pain. Redness.

Delayed: No data available  
Immediate medical attention: WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

---

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media: Dry chemical, CO<sub>2</sub> or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Carbon oxides Halogenated compounds Silicates

Other specific hazards: WARNING: Highly toxic HF gas is produced during combustion.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams.

Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing (Section 8).

Warn

unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

Emergency procedures: Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and exercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling: Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection.

When using do not eat, drink, or smoke. Keep away from sources of ignition.

Conditions for safe storage: Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Hygroscopic material, store in a tightly sealed container. Store in refrigerator.

Storage incompatibilities: Bases, Store away from oxidizing agents

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection: Nitrile gloves.

Eye protection: Safety glasses.

Skin and body protection: Wear protective clothing (lab coat and chemical resistant boots).

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state (20°C): Solid

Form: Crystal - Powder

Color: White - Almost white

Odor: No data available

Odor threshold: No data available

Melting point/freezing point: No data available

Boiling point/range: No data available

Decomposition temperature: No data available

Relative density: No data available

Kinematic Viscosity: No data available

Partition coefficient: No data available

n-octanol/water (log Pow)

Flash point: No data available

Flammability (solid, gas): No data available

pH: No data available

Vapor pressure: No data available

Vapor density: No data available

Dynamic Viscosity: No data available

Evaporation rate: No data available

(Butyl Acetate = 1)

Autoignition temperature: No data available

Flammability or explosive limits: No data available

Lower: No data available

Upper: No data available

Solubility(ies):

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity: Not Available.

Chemical Stability: Heat sensitive.

Possibility of Hazardous Reactions: No hazardous reactivity has been reported.

Conditions to avoid: Heat sensitive.

Incompatible materials: Acids, Strong oxidizing agents

Hazardous Decomposition Products: No data available

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute Toxicity:

No data available

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity:

No data available

IARC: No data available NTP: No data available

OSHA: No data available

Reproductive toxicity:

No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Skin contact may produce burns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact can result in corneal damage or blindness.

Potential Health Effects:

No specific information available; skin and eye contact may result in irritation. May be harmful if inhaled or ingested.

Target organ(s): No data available

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity

Fish: No data available

Crustacea: No data available

Algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential (BCF): No data available  
Mobility in soil: No data available  
Partition coefficient:  
n-octanol/water (log Pow)  
No data available  
Soil adsorption (Koc): No data available  
Henry's Law:  
constant (PaM<sup>3</sup>/mol)  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.  
Disposal of container: Dispose of as unused product. Do not re-use empty containers.  
Other considerations: Observe all federal, state and local regulations when disposing of the substance.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)  
UN number:  
UN3261  
Proper Shipping Name:  
Corrosive solid, acidic, organic, n.o.s.  
Class or Division:  
8 Corrosive material  
Packing Group:  
III  
IATA  
UN number:  
UN3261  
Proper Shipping Name:  
Corrosive solid, acidic, organic, n.o.s.  
Class or Division:  
8 Corrosive material



Packing Group:  
III  
IMDG  
UN number:  
UN3261  
Proper Shipping Name:  
Corrosive solid, acidic, organic, n.o.s.  
Class or Division:  
8 Corrosive material  
Packing Group:  
III

---

## **SECTION 15. REGULATORY INFORMATION**

Toxic Substance Control Act (TSCA 8b.):  
This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in

40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable

Quantity:

SARA 313: Not Listed

SARA 302: Not Listed

State Regulations

State Right-to-Know

Massachusetts Not Listed

New Jersey Not Listed

Pennsylvania Not Listed

California Proposition 65: Not Listed

NFPA Rating:

Health: 2

Flammability: 0

Instability: 0

HMIS Classification:

Health: 2

Flammability: 0

Physical: 0

International Inventories

International Inventories

WHMIS hazard class: E: Corrosive material

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---

## Research

- Apparent molar volumes and compressibilities of lanthanum, gadolinium, lutetium and sodium trifluoromethanesulfonates in N,N-dimethylformamide and N,N-dimethylacetamide. The Journal of Chemical Thermodynamics, Volume 58, March 2013, Pages 46-54. Dorota Warmińska, Anna Fuchs, Daniel Lundberg.
- Diastereoselective Mukaiyama aldol reaction of (N-alkyl) isatins with 2-(trimethylsilyloxy)furan by using lanthanum triflate. Tetrahedron, Volume 67, Issue 17, 29 April 2011, Pages 3150-3155. Harshadas Mitaram Meshram, Palakuri Ramesh, Bandi Chennakesava Reddy, Balasubramanian Sridhar, Jhillu Singh Yadav.
- Effectiveness of lanthanum triflate activated silica nanoparticles as fillers in silane films for corrosion protection of low carbon steel. Progress in Organic Coatings, Volume 90, January 2016, Pages 222-234. Poovarasi Balan, R. K. Singh Raman, Eng-Seng Chan, M. K. Harun, Varghese Swamy.
- New thermosets obtained from DGEBA and Meldrum acid with lanthanum and ytterbium triflates as cationic initiators. European Polymer Journal, Volume 44, Issue 5, May 2008, Pages 1535-1547. Lidia González, Xavier Ramis, Josep Maria Salla, Angels Serra, Ana Mantecón.
- Lanthanum (III) triflate catalyzed direct amidation of esters. Morimoto H, Fujiwara R, Shimizu Y, Morisaki K, Ohshima T. Organic letters. 2014 Mar 24;16(7):2018-21.
- Lanthanum (III) Triflate-Catalyzed Cyclopropanation via Intramolecular Methylene Transfer. Hardee DJ, Lambert TH. Journal of the American Chemical Society. 2009 May 12;131(22):7536-7.
- Silica supported lanthanum triflate mediated synthesis of 5-substituted-1H tetrazoles. Meshram GA, Deshpande SS, Wagh PA, Vala VA. Tetrahedron letters. 2014 Jun 18;55(25):3557-60.

- Lanthanum Trifluoromethane-sulfonate Catalyzed Facile Synthesis of Per-O-acetylated Sugars and Their One-Pot Conversion to S-Aryl and O-Alkyl/Aryl Glycosides. Dasgupta S, Rajput VK, Roy B, Mukhopadhyay B. Journal of Carbohydrate Chemistry. 2007 Apr 30;26(2):91-106.
- Cationic copolymerization of cycloaliphatic epoxy resin with a spirobis lactone with lanthanum triflate as initiator: I. Characterization and shrinkage. Fernandez X, Salla JM, Serra A, Mantecón A, Ramis X. Journal of Polymer Science Part A: Polymer Chemistry. 2005 Aug 1;43(15):3421-32.
- Lanthanum(III) triflate supported on nanomagnetic  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub>: a new magnetically recyclable heterogeneous Lewis acid for the one-pot synthesis of  $\beta$ -phosphonomalonates. Sobhani S, Pakdin-Parizi Z. RSC Advances. 2014;4(25):13071-7.