

| Cesium Carbonate                            |  | Pricing > |
|---|--|-----------|
| Cesium Carbonate Nanoparticles / Nanopowder |  | Pricing > |
| Linear Formula                              | Cs <sub>2</sub> CO <sub>3</sub>                        |           |
| Pubchem CID                                 | 10796  |           |
| MDL Number                                  | MFCD00010957   |           |
| EC No.                                      | 208-591-9  |           |
| IUPAC Name                                  | Dicesium carbonate                                     |           |
| Beilstein/Reaxys<br>No.                     | 4546405  |           |
| SMILES                                      | [Cs+].[Cs+].[O-]C([O-])=O                              |           |
| Inchl Identifier                            | InChI=1S/CH2O3.2Cs/c2-1(3)4;;/h(H2,2,3,4);;/q;2*+1/p-2 |           |
| Inchl Key                                   | FJDQFPXHSGXQBY-UHFFFAOYSA-L                            |           |

| Signal Word              | Warning        |  |
|--------------------------|----------------|--|
| <b>Hazard Statements</b> | H315-H319-H335 |  |
| Hazard Codes             | Xi             |  |
| Risk Codes               | 36/37/38       |  |
| Safety Statements        | 26             |  |
| RTECS Number             | FK9400000      |  |
| Transport Information    | N/A            |  |
| WGK Germany              | 2              |  |

Create Printable PDF

### **SAFETY DATA SHEET**

**Date Accessed:** 04/26/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

**Product Identifiers:** All applicable American Elements product codes for CAS #534-17-8

#### Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Caus

es skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and label ed according to the CLP regulation.

Hazard pictograms

GHS07

Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious

eve irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse c

autiously with water for several minutes. Remove contact lenses, if present and easy to do. Co ntinue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/

national/internati

onal regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH
FIRE
REACTIVITY
1
1
1
Health (acute effects) = 1
Flammability = 1
Physical Hazard = 1
Other hazards
Results of PBT and vPvB assessment
PBT:
N/A
vPvB:
N/A

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 534-17-8 Cesium carbonate Identification number(s): EC number: 208-591-9

#### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply patient with fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No further relevant information available

#### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing pow

der or water spray. Fight larger fires wi

th water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Cesium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the

environment without official permits.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in

tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Do not store together with acids.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions

in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No data available

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantit ies of materials with critical values that have to be monitored at the workpla

2

Additional information:

No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures fo

r handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when hi

gh concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges

as a backup to engineering cont

rols. Risk assessment should be performed to

determine if air-

purifying respirators are appropriate. Only use equipm ent tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Check protective gloves prior to

each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to

manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance:

Form:

Powder or granules

Color:

White

Odor:

Odorless

Odor threshold:

No data available.

pH (50 g/l) at 20 °C (68 °F):

10-12

Melting point/Melting range:

610 °C (1130 °F) (dec)

Boiling point/Boiling range:

No data available

Sublimation temperature / start:

No data available

Flammability (solid, gas)

No data available.

Ignition temperature:

No data available

Decomposition temperature:

No data available

Autoignition:

No data available.

Danger of explosion:

No data available.

**Explosion limits:** 

Lower:

No data available

Upper:

No data available

Vapor pressure:

N/A

Density at 20 °C (68 °F):

4.072 g/cm<sup>3</sup> (33.981 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in / Miscibility with

Water at 15 °C (59 °F):

2615 g/l

Partition coefficient (n-octanol/water):

No data available.

Viscosity:

Dynamic:

N/A

Kinematic:

N/A

Other information

No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and

stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents

Conditions to avoid

No data available

Incompatible materials:

Acids

Water/moisture

Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Cesium oxide

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chem

ical Substances (RTECS)

contains acute toxicity

data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 2333 mg/kg (rat)

Skin irritation or corrosion:

Causes skin irritation.

Eye irritation or corrosion:

Causes serious eye irritation.

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

The Registry of Toxic Effects of Chemical Substanc

es (RTECS) contains mutati

on data for this substance.

Carcinogenicity:

No classification data on carcinogenic properti

es of this material is available fr

om the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated

exposure:

No effects known.

Specific target organ system toxicity - single

exposure:

May cause respiratory irritation.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic to

xicity of this subst

ance is not fully known.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health

Administration)

Substance is not listed.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow material to be released to the

environment without official permits.

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

## SECTION 14. EXPOSURE CONTROLS/PERSONAL PROTECTION

**UN-Number** 

DOT, ADN, IMDG, IATA

N/A

UN proper shipping name

DOT, ADN, IMDG, IATA

N/A

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class

N/A

Packing group

DOT, IMDG, IATA

N/A

Environmental hazards:

N/A

Special precautions for user

N/A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

# SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legi slation specific for the substance or mixture National regulations

All components of this product are listed in the U.S.

Environmental

Protection Agency Toxic Substanc

es Control Act Chemical sub

stance Inventory.

All components of this product are listed on t

he Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technica

Ily qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and A

nnex XVII of the Regulation (EC) No 1907/2006

(REACH) for the manuf

acturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring

Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried

### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.