

<a href="#">Cerium Carbonate</a>		<a href="#">Pricing &gt;</a>
Linear Formula	Ce <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> · xH <sub>2</sub> O	
Pubchem CID	160516	
MDL Number	MFCD00149635	
EC No.	208-655-6	
IUPAC Name	cerium(3+) tricarbonat	
Beilstein/Reaxys No.	N/A	
SMILES	[Ce+3].[Ce+3].O=C([O-])[O-].[O-]C([O-])=O.[O-]C([O-])=O	
InchI Identifier	InChI=1S/3CH2O3.2Ce/c3*2-1(3)4;/h3*(H2,2,3,4);/q;;;2*+3/p-6	
InchI Key	GHLITDDQOMIBFS-UHFFFAOYSA-H	
<b>Signal Word</b>	Warning	
<b>Hazard Statements</b>	H315-H319-H335	
<b>Hazard Codes</b>	Xi	
<b>Risk Codes</b>	36/37/38	
<b>Safety Statements</b>	26-37/39	
<b>RTECS Number</b>	N/A	
<b>Transport Information</b>	N/A	
<b>WGK Germany</b>	3	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 09/21/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #54451-25-1

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture  
Classification according to Regulation (EC) No  
1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or  
Directive 1999/45/EC

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and  
skin.

Information concerning particular hazards for human  
and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to  
the CLP regulation.

Hazard pictograms



GHS07

Signal word

Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye  
protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with  
water for several minutes. Remove contact lenses, if  
present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air  
and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance  
with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

Classification system  
HMIS ratings (scale 0-4)  
(Hazardous Materials Identification System)  
HEALTH  
FIRE  
REACTIVITY  
1  
0  
1  
Health (acute effects) = 1  
Flammability = 0  
Physical Hazard = 1  
Other hazards  
Results of PBT and vPvB assessment  
PBT: N/A  
vPvB: N/A

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances  
CAS No. / Substance Name:  
54451-25-1 Cerium(III) carbonate hydrate

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures  
If inhaled:  
Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
In case of skin contact:  
Immediately wash with soap and water; rinse thoroughly.  
Seek immediate medical advice.  
In case of eye contact:  
Rinse opened eye for several minutes under running water. Consult a physician.  
If swallowed:  
Seek medical treatment.  
Information for doctor  
Most important symptoms and effects, both acute and delayed  
No data available  
Indication of any immediate medical attention and special treatment needed  
No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Use carbon dioxide, extinguishing powder or foam.

Water may be ineffective but may be used for cooling exposed containers.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any

incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Further information about storage conditions:

This product is hygroscopic.

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Not required.

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flash point: N/A

Flammability (solid, gas): No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density: No data available.

Vapor density: N/A

Evaporation rate: N/A

Solubility in Water (H<sub>2</sub>O): Insoluble

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

No dangerous reactions known

Conditions to avoid

No data available

Incompatible materials:

Water/moisture  
Hazardous decomposition products:  
Carbon monoxide and carbon dioxide  
Metal oxide fume

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity: No effects known.  
LD/LC50 values that are relevant for classification: No data  
Skin irritation or corrosion: Causes skin irritation.  
Eye irritation or corrosion: Causes serious eye damage.  
Sensitization: No sensitizing effects known.  
Germ cell mutagenicity: No effects known.  
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
Reproductive toxicity: No effects known.  
Specific target organ system toxicity - repeated exposure: No effects known.  
Specific target organ system toxicity - single exposure: May cause respiratory irritation.  
Aspiration hazard: No effects known.  
Subacute to chronic toxicity: Cerium salts increase the blood coagulation rate. Exposure to cerium salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental animals have caused writhing, ataxia, labored respiration, sedation, hypotension and death by cardiovascular collapse.  
Subacute to chronic toxicity: No effects known.  
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Aquatic toxicity: No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Additional ecological information: Do not allow material to be released to the environment without official permits.  
Avoid transfer into the environment.

Results of PBT and vPvB assessment  
PBT: N/A  
vPvB: N/A  
Other adverse effects  
No data available

---

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation  
Consult official regulations to ensure proper disposal.  
Uncleaned packagings:  
Recommendation: Disposal must be made according  
to official regulations.

---

### **SECTION 14. TRANSPORT INFORMATION**

Not a hazardous material for transportation.  
UN-Number  
DOT, IMDG, IATA  
None  
UN proper shipping name  
DOT, IMDG, IATA  
None  
Transport hazard class(es)  
DOT, ADR, IMDG, IATA  
Class  
None  
Packing group  
DOT, IMDG, IATA  
None  
Environmental hazards:  
N/A  
Special precautions for user  
N/A  
Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code  
N/A  
Transport/Additional information:  
Not dangerous according to the above specifications.  
DOT  
Marine Pollutant (DOT):  
No

---

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental  
regulations/legislation specific for the substance or



mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022

## Research

- From cerium oxycarbonate to nanostructured ceria: Relations between synthesis, thermal process and morphologies. Bahcine Bakiz, Frédéric Guinneton, Jean-Pierre Dallas, Sylvie Villain, Jean-Raymond Gavarri. *Journal of Crystal Growth*, Volume 310, Issue 12, 1 June 2008, Pages 3055-3061.
- Acoustic influence on aggregation and agglomeration of crystals in reaction crystallization of cerium carbonate. Jong-Min Kim, Sang-Mok Chang, Kyo-Seon Kim, Min-Kyu Chung, Woo-Sik Kim. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Volume 375, Issues 1–3, 5 February 2011, Pages 193-199.
- Growth of nano hexagon-like flake arrays cerium carbonate created with PAH as the substrate. M. Li, Y. H. Hu, Z. G. Liu, X. F. Wang, M. T. Wang. *Journal of Solid State Chemistry*, Volume 221, January 2015, Pages 263-271.
- Effective use of cerium anomalies as a redox proxy in carbonate-dominated marine settings. Rosalie Tostevin, Graham A. Shields, Gary M. Tarbuck, Tianchen He, Rachel A. Wood. *Chemical Geology*, Volume 438, 2 November 2016, Pages 146-162.
- Effect of cerium addition to Ni–Cr anode electrode for molten carbonate fuel cells: Surface fractal dimensions, wettability and cell performance. Jung-Ho Wee. *Materials Chemistry and Physics*, Volume 101, Issues 2–3, 15 February 2007, Pages 322-328.
- Cerium carbonate hydroxide and ceria micro/nanostructures: Synthesis, characterization and electrochemical properties of CeCO<sub>3</sub>OH. Fatma Hrizi, Hassouna Dhaouadi, Fathi Touati. *Ceramics International*, Volume 40, Issue 1, Part A, January 2014, Pages 25-30.
- Formation of cerium carbonate hydroxide and cerium oxide nanostructures by self-assembly of nanoparticles using surfactant template and their catalytic oxidation. Keizo Nakagawa, Yoshiki Tezuka, Takuya Ohshima, Megumi Katayama, Sigeru Sugiyama. *Advanced Powder Technology*, Volume 27, Issue 5, September 2016, Pages 2128-2135.
- Morphology and size control of cerium carbonate hydroxide and ceria micro/nanostructures by hydrothermal technology. M. Y. Cui, J. X. He, N. P. Lu, Y. Y. Zheng, C. R. Li. *Materials Chemistry and Physics*, Volume 121, Issues 1–2, 15 May 2010, Pages 314-319.
- Facile synthesis and structural analysis of graphene oxide decorated with iron-cerium carbonate for visible-light driven rapid degradation of organic dyes. Aniruddha Molla, Yuanyuan Li, Mahima Khandelwal, Bikash Mandal, Jin Suk Chung. *Journal of Environmental Chemical Engineering*, Volume 6, Issue 2, April 2018, Pages 2616-2626.