

Thallium Ac	etate Solutio	<u>n</u>	Pricing >
Thallium(I) Acetate			Pricing >
Linear Formula	TIOOCCH <sub>3</sub>		
Pubchem CID	16211288		
MDL Number	MFCD00013045		
EC No.	209-257-5		
IUPAC Name	Thallium(1+) acetate		
Beilstein/Reaxys No.	3693914		
SMILES	[TI+].[O-]C(=O)C		
Inchl Identifier	InChI=1S/C2H4O2.Tl/c1-2(3)4;/h1H3,(H,3,4);/q;+1/p-1		
Inchl Key	HQOJMTATBXYHNR-UHFFFAOYSA-M		
Signal Word		Danger	
Hazard Statements		H300-H330-H373-H411	

Hazard Statements	H300-H330-H373-H411
Hazard Codes	T+,N
Risk Codes	26/28-33-51/53
Safety Statements	13-28-45-61
<b>RTECS Number</b>	N/A
Transport Information	UN 1707 6.1/PG 2
WGK Germany	3

Create Printable PDF

### SAFETY DATA SHEET

Date Accessed: 09/26/2024 Date Revised: 01/15/2022

### **SECTION 1. IDENTIFICATION**

**Product Identifiers:** All applicable American Elements product codes for CAS #563-68-8

**Relevant identified uses of the substance:** Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

### **SECTION 2. HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Acute toxicity, Oral (Category 2), H300
Acute toxicity, Inhalation (Category 1), H330
Acute aquatic toxicity (Category 3), H402
Chronic aquatic toxicity (Category 3), H412

2.2 GHS Label elements, including precautionary statements



Pictogram Signal word Danger Hazard statement(s) H300 + H330 Fatal if swallowed or if inhaled H412 Harmful to aquatic life with long lasting effects. Precautionary statement(s) P260 Do not breathe dust/ fume/ gas/ mist/ Vapors/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P284 Wear respiratory protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/ physician. P320 Specific treatment is urgent (see supplemental first aid instructions on this label). P330 Rinse mouth. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Synonyms : Acetic acidthallium(I) salt Formula : C2H3O2TI Molecular weight : 263.43 g/mol CAS-No. : 563-68-8 EC-No. : 209-257-5 Index-No. : 081-002-00-9 Hazardous components Component Classification Concentration Thallium acetate Acute Tox. 2; Acute Tox. 1; Aquatic Acute 3; Aquatic Chronic 3; H300 + H330, H412 <= 100 %

### **SECTION 4. FIRST AID MEASURES**

4.1 Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. In case of eye contact Flush eyes with water as a precaution. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5. FIREFIGHTING MEASURES**

5.1 Extinguishing media
Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
5.2 Special hazards arising from the substance or mixture
Carbon oxides, thallium oxides
5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.
5.4 Further information
No data available

# SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
Wear respiratory protection. Avoid dust formation.
Avoid breathing Vapors, mist or gas. Ensure adequate

Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment

must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for

disposal.

6.4 Reference to other sections For disposal see section 13.

### **SECTION 7. HANDLING AND STORAGE**

7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid formation of dust and aerosols.
Provide appropriate exhaust ventilation at places where dust is formed.
For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Keep container tightly closed in a dry and wellventilated place. hygroscopic 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Components with workplace control parameters Component CAS-No. Value Control parameters Basis Thallium acetate 563-68-8 TWA 0.100000 mg/m3 **USA.** Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants **Remarks Skin designation** TWA 0.020000 ma/m3 USA. ACGIH Threshold Limit Values (TLV) Peripheral neuropathy Gastrointestinal damage Danger of cutaneous absorption varies TWA 0.100000 ma/m3 **USA. NIOSH Recommended** Exposure Limits Potential for dermal absorption TWA 0.1 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation TWA 0.02 mg/m3 USA. ACGIH Threshold Limit Values (TLV) Peripheral neuropathy Gastrointestinal damage Danger of cutaneous absorption varies TWA 0.1 mg/m3 USA. NIOSH Recommended Exposure Limits Potential for dermal absorption 8.2 Exposure controls Appropriate engineering controls Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Personal protective equipment Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. lt should not be construed as offering an approval for any specific use scenario. **Body Protection** Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties a) Appearance Form: solid Colour: beige b) Odor No data available c) Odor Threshold No data available d) pH No data available e) Melting point/freezing point Melting point/range: 126 °C (259 °F) f) Initial boiling point and boiling range No data available g) Flash point No data available h) Evaporation rate No data available i) Flammability (solid, gas) No data available i) Upper/lower flammability or explosive limits No data available k) Vapor pressure No data available I) Vapor density No data available m) Relative density 3.680 g/cm3 n) Water solubility soluble o) Partition coefficient: noctanol/ water No data available p) Auto-ignition temperature No data available q) Decomposition temperature No data available r) Viscosity No data available s) Explosive properties No data available t) Oxidizing properties No data available 9.2 Other safety information No data available

### SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity No data available 10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
Heat
10.5 Incompatible materials
Strong oxidizing agents, Strong acids
10.6 Hazardous decomposition products
Other decomposition products - No data available
In the event of fire: see section 5

# SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity LD50 Oral - Rat - 41.3 mg/kg Remarks: Behavioral:Convulsions or effect on seizure threshold. Gastrointestinal:Other changes. Blood: Hemorrhage. Dermal: No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity Laboratory experiments have shown mutagenic effects. Hamster Embrvo Morphological transformation. Carcinogenicity This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity No data available No data available

Developmental Toxicity - Rat - Oral Specific Developmental Abnormalities: Musculoskeletal system. Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information **RTECS:** Not available The most characteristic symptom of thallium exposure is alopecia (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth often resulting in the appearance of crescent-shaped strips across fingernails and toenails (Mees' line). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes, and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the legs, angina-like pains, nephritis, wasting and weakness, and lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist including ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss, and psychoses may develop., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
Toxicity to fish LC50 - Menidia beryllina - 31 mg/l - 96 h
12.2 Persistence and degradability
No data available
12.3 Bioaccumulative potential
No data available
12.4 Mobility in soil
No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted 12.6 Other adverse effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. No data available

#### SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Product
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste
disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a
chemical incinerator equipped with an afterburner and scrubber.
Contaminated packaging
Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

DOT (US) UN number: 1707 Class: 6.1 Packing group: II Proper shipping name: Thallium compounds, n.o.s. (Thallium acetate) Reportable Quantity (RQ): 100 lbs Marine pollutant:yes Poison Inhalation Hazard: No IMDG UN number: 1707 Class: 6.1 Packing group: II EMS-No: F-A, S-A Proper shipping name: THALLIUM COMPOUND, N.O.S. (Thallium acetate) Marine pollutant: yes Marine pollutant: yes IATA UN number: 1707 Class: 6.1 Packing group: II Proper shipping name: Thallium compound, n.o.s. (Thallium acetate)

## SECTION 15. REGULATORY INFORMATION

SARA 302 Components No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302. SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: Thallium acetate CAS-No. 563-68-8 **Revision Date** 1993-04-24 SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard Massachusetts Right To Know Components Thallium acetate CAS-No. 563-68-8 **Revision Date** 1993-04-24 Pennsylvania Right To Know Components Thallium acetate CAS-No. 563-68-8 **Revision Date** 1993-04-24 New Jersey Right To Know Components Thallium acetate CAS-No. 563-68-8 **Revision Date** 1993-04-24 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

AMERICAN ELEMENTS | 10884 WEYBURN AVE. | LOS ANGELES, CALIFORNIA 90024 TEL. 310-208-0551 | FAX 310-208-0351 | customerservice@americanelements.com