



Trimethylarsine		Pricing >
Linear Formula	As(CH ₃) ₃	
Pubchem CID	68978	
MDL Number	MFCD00014838	
EC No.	209-815-8	
IUPAC Name	trimethylarsane	
Beilstein/Reaxys No.	1730780	
SMILES	[As](C)(C)C	
Inchl Identifier	InChI=1S/C3H9As/c1-4(2)3/h1-3H3	
Inchl Key	HTDIUWINAKAPER-UHFFFAOYSA-N	
Signal Word	Danger	
Hazard Statements	H301-H331-H410	
Hazard Codes	F,T,N	
Risk Codes	11-14/15-23/25-50/53	
Safety Statements	1/2-20/21-2-45-60-61	
RTECS Number	CH8800000	
Transport Information	UN 3130 4.3/PG 2	
WGK Germany	3	
GHS Pictograms	<p>GHS02 Flame</p>  <p>GHS06 Skull and Crossbones</p>  <p>GHS08 Health Hazard</p> 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/18/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #593-88-4

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

GHS08 Health hazard

Muta. 1A H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

Label elements

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02 GHS06 GHS08

Signal word: Danger

Hazard-determining components of labeling:

Trimethylarsine, 99%

Hazard statements

H226 Flammable liquid and vapor.

H301+H311+H331 Toxic if swallowed, in contact with

skin or if inhaled.
H340 May cause genetic defects.
H350 May cause cancer.
Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P231 Handle under inert gas.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 2
Fire = 2
Reactivity = 0
HMIS-ratings (scale 0 - 4)
Health = *2
Fire = 2
Reactivity = 0
Other hazards
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS # / Substance Name: 593-88-4 Trimethylarsine, 99%
Identification number(s)
EC number: 209-815-8

SECTION 4. FIRST AID MEASURES

Description of first aid measures
General information:
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
In case of skin contact:
Immediately wash with soap and water; rinse thoroughly.
In case of eye contact:
Rinse opened eye for several minutes under running water. Consult a physician.
If swallowed:
Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed
No data available
Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media
Suitable extinguishing agents:
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitable extinguishing agents:
Water with full jet
Special hazards arising from the substance or mixture
No data available
Advice for firefighters
Protective equipment:
Mouth respiratory protective device.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Keep unprotected persons away.
Environmental precautions:
Inform respective authorities in case of seepage into water courses, or sewage systems.
Methods and materials for containment and cleanup:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Handling:
Handle under inert gas.
Information about protection against explosions and fires:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
Conditions for safe storage, including any incompatibilities
Storage: Keep cool.
Store contents under inert gas.
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Not required.
Further information about storage conditions: Keep receptacle tightly sealed.
Recommended storage temperature: Store at temperatures not exceeding 4 °C.
Specific end use(s)
No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:
No further data; see item 7.
Control parameters
Components with limit values that require monitoring at the workplace:
Not required.
Additional information:
The lists that were valid during the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Protection of hands: Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies by manufacturer.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection: Tightly sealed goggles

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties
Appearance:
Form: Liquid
Color: Colorless
Odor: Pungent
Odor threshold: Not determined.
pH: Not determined.
Melting point/Melting range: -87.3 °C (-125 °F)
Boiling point/Boiling range: 51 °C (124 °F)
Flash point: 38 °C (100 °F)
Flammability (solid, gas): N/A
Ignition temperature:
Decomposition temperature: Not determined.
Autoignition: Not determined.
Danger of explosion:
Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:
Lower: Not determined.
Upper: Not determined.
Vapor pressure: 320mm (25 hPa (240mm (19 mm Hg)
Density at 20 °C (68 °F): 1.124 g/cm³ (9.38 lbs/gal)

Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.
Solubility in Water (H₂O): Not miscible or difficult to mix.
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
Dynamic: Not determined.
Kinematic: Not determined.
Organic solvents: 0.0 %
Other information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
Chemical stability
Thermal decomposition / conditions to be avoided:
No decomposition if used according to specifications.
Possibility of hazardous reactions
No dangerous reactions known.
Conditions to avoid
No data available
Incompatible materials:
No data available
Hazardous decomposition products:
No dangerous decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:
Primary irritant effect:
on the skin: No irritant effect.
on the eye: No irritating effect.
Sensitization: No sensitizing effects known.
Additional toxicological information:
Carcinogenic categories
IARC (International Agency for Research on Cancer)
Substance is not listed.
NTP (National Toxicology Program)
Substance is not listed.
OSHA-Ca (Occupational Safety & Health Administration)
Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity
Aquatic toxicity:
No data available
Persistence and degradability
No data available
Bioaccumulative potential
No data available
Mobility in soil
No data available
Ecotoxicological effects:
Remark: Very toxic for fish
Additional ecological information:
General notes:
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: N/A
vPvB: N/A
Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation:
Must not be disposed of together with household
garbage. Do not allow product to enter drains, sewage
systems, or other water courses.
Uncleaned packagings:
Recommendation:
Disposal must be made according to official
regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA
UN1992
UN proper shipping name
DOT
Flammable liquids, toxic, n.o.s.
IMDG, IATA
FLAMMABLE LIQUID, TOXIC, N.O.S.
Transport hazard class(es)
DOT
Class
3 Flammable liquids
Label
3+6.1
IMDG, IATA

Class
3 Flammable liquids
Label
3+6.1
Packing group
DOT, IMDG, IATA
III
Environmental hazards:
Marine pollutant: No
Special precautions for user
Warning: Flammable liquids
EMS Number: F-E,S-D
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code
N/A
Transport/Additional information:
DOT
Quantity limitations
On passenger aircraft/rail: 60 L
On cargo aircraft only: 220 L
IMDG
Limited quantities (LQ)
5L
Excepted quantities (EQ)
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":
UN1992, Flammable liquids, toxic, n.o.s., 3 (6.1), III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for
females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for
males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.
Carcinogenic categories
EPA (Environmental Protection Agency)
Substance is not listed.
TLV (Threshold Limit Value established by ACGIH)
Substance is not listed.
NIOSH-Ca (National Institute for Occupational Safety
and Health)
Substance is not listed.
GHS label elements
The substance is classified and labeled according to
the Globally Harmonized System (GHS).

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
