

Barium Naphthenate		Pricing >
Linear Formula	2(C ₁₁ H ₈ O ₂)Ba	
Pubchem CID	20025692	
MDL Number	MFCD00163022	
EC No.	263-077-1	
IUPAC Name	barium(2+); naphthalene-1-carboxylate	
SMILES	C1=CC=C2C(=C1)C=CC=C2C(=O)[O-].C1=CC=C2C(=C1)C=CC=C2C(=O)[O-].[Ba+2]	
Inchl Identifier	InChI=1S/2C11H8O2.Ba/c2*12-11(13)10-7-3-5-8-4-1-2-6-9(8)10;/h2*1-7H,(H,12,13)/q;;+2/p-2	
Inchl Key	CBXLQVFLPVYSJW-UHFFFAOYSA-L	
Signal Word	Warning	
Hazard Statements	H226-H302-H312-H315-H319-H332-H335-H401	
Hazard Codes	F, Xi, N	
Precautionary Statements	P210-P261-P273-P280-P301+P312-P302+P352-P305+P351+P338-P304+P340-P332+P313-P403+P235	
Flash Point	40 °C	
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	UN1993 3/PG III	
GHS Pictograms	GHS07 Exclamation Point  GHS02 Flame 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/17/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #61789-67-1

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Statement of Hazard:

Environmentally hazardous, Flammable liquid, Irritant,
Respiratory irritant

Acute Health Hazard:

Irritant to eyes, skin, mucous membranes and
respiratory system.

May be harmful by ingestion, skin absorption and
inhalation.

Chronic Health Hazard:

Not Available

HMIS Rating:

NFPA Rating:

To the best of our knowledge, the toxicological
properties of this chemical have not been
thoroughly investigated. Use appropriate procedures
and precautions to prevent or minimize
exposure.

HMIS Rating:

H:1

F:2

P:0

NFPA Rating:

H:1

F:2

R:0

Pictogram



Signal Word:

Warning

Hazard Statement(s):

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Precautionary Statement(s):

P210 Keep away from heat/sparks/open flames/hot
surfaces. — No smoking.

P261 Avoid breathing
dust/fume/gas/mist/vapors/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye
protection/face protection.

P301+P312 IF SWALLOWED: call a POISON
CENTER or doctor/physician

IF you feel unwell.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name: Barium naphthenate

Synonyms: Bariumnaphthenate; Naphthenic acid; Barium salt; Naphthenic acids; Barium salt

CAS Number: 61789-67-1

EINECS Number: 263-077-1

SECTION 4. FIRST AID MEASURES

Eye Contact:

Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.

Skin Contact:

Wash skin with soap and water. If irritation persists, seek medical attention.

Ingestion:

Do not induce vomiting. Seek medical attention.

Inhalation:

Move to a fresh air environment. Contact a physician if breathing becomes difficult.

SECTION 5. FIREFIGHTING MEASURES

Flash Point (°C): 40

Explosion Limits:

Lower, % by volume:

0.8

Upper, % by volume:

6.0

Autoignition (°C): 230

Extinguishing Media:

Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray

Protective Equipment:

Wear self-contained respirator and fully protective impervious suit.

Specific Hazards:

May emit hazardous fumes under fire conditions.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection:

Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed.

Keep unprotected persons away.

Environmental Protection:

Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

SECTION 7. HANDLING AND STORAGE

Handling and Storage:

Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away.

Store in a tightly closed container in a dry, well-ventilated place.

Sensitivities:

Not Available

Storage Temperature (°C):

15 to 30

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.

Eye Protection:

Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.

Skin Protection:

Wear impervious gloves and protective clothing.

Respiratory Protection:

Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless to light yellow liquid

Odor: N/A

Flash point: 40°C

Autoignition: 230°C

Melting point: N/A

Boiling point: 149°C

Vapor density(Air=1): 4.8

SECTION 10. STABILITY AND REACTIVITY

Stability:

Stable under normal temperatures and pressures.

Incompatibility:

Strong oxidizing agents

Reactivity:

Product may react with incompatible materials to release other hazardous substances.

Conditions to Avoid:

Heat, flame, sparks, other ignition sources.

Hazardous Decomposition Products:

Barium oxides, Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

RTECS Reference:

Not Available

Target Organs:

Not Available

Toxicity Data:

Oral Rat LD mg/kg:

5,000.00

Dermal Rabbit LD mg/kg:

3,000.00

Carcinogenicity:

National Toxicology Program (NTP) listed:

Not Available

International Agency for Research on Cancer (IARC) listed:

Not Available

Potential Symptoms:
Not Available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity:

Water flea LC:
100.00 mg/l - 48.00 hrs.

Green Algae LC:
450.00 mg/l - 96.00 hrs.

SECTION 13. DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT/IMDG/IATA Shipping Name:
Flammable Liquids, N.O.S
DOT UN Number:
UN1993
DOT Hazard Class:
Class 3
DOT Packing Group:
PGIII

SECTION 15. REGULATORY INFORMATION

United States
Toxic Substance Control Act (TSCA) listed:
Yes
Superfund Amendments and Reauthorization Act
(SARA 302) listed:
No
Superfund Amendments and Reauthorization Act
(SARA 311/312) listed:
No
Superfund Amendments and Reauthorization Act
(SARA 313) listed:
No
European Union
European Inventory of Existing Chemical Substances

(EINECS):
263-077-1
Canada
Canadian Domestic Substances List (DSL) listed:
Yes
Canadian Non-Domestic Substances List (NDSL)
listed:
No

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
