



<a href="#">Tungsten(VI) Ethoxide</a>		<a href="#">Pricing &gt;</a>
<a href="#">Tungsten(VI) Ethoxide Solution</a>		<a href="#">Pricing &gt;</a>
<b>Linear Formula</b>	W(OC <sub>2</sub> H <sub>5</sub> ) <sub>6</sub>	
<b>Pubchem CID</b>	13828235	
<b>MDL Number</b>	MFCD00156526	
<b>EC No.</b>	N/A	
<b>IUPAC Name</b>	ethanolate; tungsten	
<b>Beilstein/Reaxys No.</b>	N/A	
<b>SMILES</b>	CC[O-].CC[O-].CC[O-].CC[O-].CC[O-].CC[O-].[W]	
<b>Inchl Identifier</b>	InChI=1S/6C2H5O.W/c6*1-2-3;/h6*2H2,1H3;/q6*-1;	
<b>Inchl Key</b>	YJBCFLKOYPGFTR-UHFFFAOYSA-N	
<b>Signal Word</b>	Danger	
<b>Hazard Statements</b>	H228-H315-H319-H335	
<b>Hazard Codes</b>	Xi, F	
<b>Precautionary Statements</b>	P210-P261-P280a-P305+P351+P338-P405-P501	
<b>Risk Codes</b>	36/37/38	
<b>Safety Statements</b>	26-36	
<b>RTECS Number</b>	N/A	
<b>Transport Information</b>	UN 3274 3/PG II	
<b>GHS Pictograms</b>	<a href="#">GHS02 Flame</a>  <a href="#">GHS07 Exclamation Point</a> 	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/28/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #62571-53-3

**Relevant identified uses of the substance:**

Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids: Category 2

Skin Corrosion/irritation: Category 2

Serious Eye Damage/Eye Irritation: Category 2

Specific target organ toxicity (single exposure):  
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word: Warning

Hazard Statements

Flammable solid

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation



Precautionary Statements

Prevention

Ground/bond container and receiving equipment

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Use explosion-proof

electrical/ventilating/lighting/equipment

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you

feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component: Tungsten(VI) ethoxide

CAS-No: 62571-53-3

Weight %: <=100

---

### **SECTION 4. FIRST AID MEASURES**

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>).

Dry powder. Foam. Water may be ineffective.

Unsuitable Extinguishing Media No information available

Flash Point No information available

Method - No information available

Autoignition Temperature No information available

Explosion Limits

Upper No data available

Lower No data available

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Tungsten oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health: 2

Flammability: 2

Instability: 0

Physical hazards: -

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation.

Use personal protective equipment. Avoid dust formation.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection:** Long sleeved clothing.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State** Solid

**Appearance** Off-white - Brown

**Odor** No information available

**Odor Threshold** No information available

**pH** No information available

**Melting Point/Range** 150 °C / 302 °F

**Boiling Point/Range** No information available

**Flash Point** No information available

**Evaporation Rate** Not applicable

**Flammability (solid,gas)** No information available

**Flammability or explosive limits**

**Upper** No data available

**Lower** No data available

Vapor Pressure No information available  
Vapor Density Not applicable  
Specific Gravity No information available  
Solubility No information available  
Partition coefficient; n-octanol/water No data available  
Autoignition Temperature No information available  
Decomposition Temperature No information available  
Viscosity Not applicable  
Molecular Formula C12 H30 O6 W  
Molecular Weight 454.21

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactive Hazard None known, based on information available  
Stability Moisture sensitive.  
Conditions to Avoid Incompatible products.  
Incompatible Materials Oxidizing agents  
Hazardous Decomposition Products Tungsten oxides  
Hazardous Polymerization Hazardous polymerization does not occur.  
Hazardous Reactions None under normal processing.

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute Toxicity  
Product Information  
Component Information  
Toxicologically Synergistic  
Products  
No information available  
Delayed and immediate effects as well as chronic effects from short and long-term exposure  
Irritation No information available  
Sensitization No information available  
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.  
Mutagenic Effects No information available  
Reproductive Effects No information available.  
Developmental Effects No information available.  
Teratogenicity No information available.  
STOT - single exposure Respiratory system  
STOT - repeated exposure None known  
Aspiration hazard No information available  
Symptoms / effects, both acute and delayed  
No information available  
Endocrine Disruptor Information No information available  
Other Adverse Effects The toxicological properties

have not been fully investigated.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability May persist

Bioaccumulation/ Accumulation No information available.

Mobility No information available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT

UN-No UN3181

Proper Shipping Name METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.

Proper technical name (Tungsten(VI) ethoxide)

Hazard Class 4.1

Packing Group III

TDG

UN-No UN3181

Proper Shipping Name METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.

Hazard Class 4.1

Packing Group III

IATA

UN-No UN3181

Proper Shipping Name METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.\*

Hazard Class 4.1

Packing Group III

IMDG/IMO

UN-No UN3181

Proper Shipping Name METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.

Hazard Class 4.1

## **SECTION 15. REGULATORY INFORMATION**

U.S. Federal Regulations  
TSCA 12(b) Not applicable  
SARA 313 Not applicable  
SARA 311/312 Hazard Categories See section 2 for more information  
CWA (Clean Water Act) Not applicable  
Clean Air Act Not applicable  
OSHA Occupational Safety and Health Administration  
Not applicable  
CERCLA Not applicable  
California Proposition 65 This product does not contain any Proposition 65 chemicals  
U.S. State Right-to-Know  
Regulations  
Not applicable  
U.S. Department of Transportation  
Reportable Quantity (RQ): N  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N  
U.S. Department of Homeland Security  
This product does not contain any DHS chemicals.  
Other International Regulations  
Mexico - Grade No information available

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.



---