

<a href="#">Manganese Black Ferrite Spinel</a>		<a href="#">Pricing &gt;</a>
Linear Formula	(Fe,Mn)(Fe,Mn) <sub>2</sub> O <sub>4</sub>	
MDL Number	N/A	
EC No.	269-056-3	
Signal Word	N/A	
Hazard Statements	N/A	
Hazard Codes	N/A	
Risk Codes	N/A	
Safety Statements	N/A	
Transport Information	N/A	

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/29/2024

Date Revised: 01/15/2022

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #68186-94-7

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

### SECTION 2. HAZARDS IDENTIFICATION

Emergency overview Health injuries are not known or expected under normal use.

Potential health effects

Routes of exposure Inhalation. Ingestion.

Eyes This product may cause slight irritation to the eyes.

Skin This product may cause irritation to the skin.

Inhalation Inhalation of dusts may cause respiratory irritation.

Ingestion Health injuries are not known or expected under normal use.

Signs and symptoms Product dust may be irritating to eyes, skin and respiratory system.

Potential environmental effects Ecological injuries are not known or expected under normal use.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Components CAS # Percent

MANGANESE FERRITE BLACK SPINEL 68186-94-7  
100

Composition comments This product is the result of high temperature calcination of the component substances. Due to its

unique crystalline structure the properties of this finished pigment do not necessarily reflect the properties of the component metals or oxides.

---

### **SECTION 4. FIRST AID MEASURES**

First aid procedures

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention

if irritation develops or persists.

Skin contact Wash the skin immediately with soap and water. Get medical attention if irritation develops or persists.

Inhalation Remove to fresh air. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician if symptoms develop or persist.

Ingestion Never give anything by mouth to an unconscious person. If swallowed, do NOT induce vomiting.

Give several glasses of water to dilute contents of stomach and call a physician.

General advice If you feel unwell, seek medical advice (show the label where possible). Show this safety data

sheet to the doctor in attendance. Where there is a

potential for eye exposure to this substance, an eye wash fountain should be provided within the immediate work area for emergency use.

---

## **SECTION 5. FIREFIGHTING MEASURES**

Flammable properties The product is not flammable.

Extinguishing media

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media

N/A

Protection of firefighters

Specific hazards arising from the chemical

None known.

Protective equipment and precautions for firefighters

Use protective equipment appropriate for surrounding materials.

Fire fighting

equipment/instructions

Not a fire hazard.

Specific methods Not established.

General fire hazards This product is not flammable.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material.

Environmental precautions Do not discharge into drains, water courses or onto the ground.

Methods for containment Collect material into appropriate containers for reuse or disposal. Material may also be flushed with water to a wastewater treatment system.

Methods for cleaning up Avoid dust formation. Clean up promptly by scoop or vacuum. Flush the area with water.

Other information Clean up in accordance with all applicable regulations.

---

## SECTION 7. HANDLING AND STORAGE

Handling Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Keep formation of airborne dusts to a minimum. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Storage Room temperature - normal conditions. Use care in handling/storage. Store in closed original container in a dry place. Keep in properly labelled containers.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

ACGIH

Components Type Value % Metal Form

COPPER DUSTS AND MISTS TLV 1 mg/m<sup>3</sup> 25 - 35% (as Cu)

MANGANESE COMPOUNDS TLV 0.2 mg/m<sup>3</sup> 32 - 42% (as Mn)

MANGANESE FERRITE BLACK SPINEL (68186-94-7) TWA 0.1 mg/m<sup>3</sup> 100% Inhalable fraction.

0.02 mg/m<sup>3</sup> 100% Respirable fraction.

U.S. - OSHA

Components Type Value % Metal Form

COPPER DUSTS AND MISTS PEL 1 mg/m<sup>3</sup> 25 - 35% (as Cu)

MANGANESE COMPOUNDS PEL 5 mg/m<sup>3</sup> 32 - 42% (as Mn) Ceiling

MANGANESE FERRITE BLACK SPINEL (68186-94-7) Ceiling 5 mg/m<sup>3</sup> 100%

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value % Metal Form

MANGANESE FERRITE BLACK SPINEL (68186-94-7) TWA 1 mg/m<sup>3</sup> 100% Fume.

Engineering controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits.

Personal protective equipment

Eye / face protection Safety glasses with side-shields.

Skin protection Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Use a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI

Z88.2 requirements must be followed whenever work

place conditions warrant a respirator's use. If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. MSHA/NIOSH respirators approved for dusts TC-21C or NIOSH approved cartridges for Non-oil aerosols, N95, N99, N100 (42 CFR 84). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygiene considerations

Use personal protective equipment as required.

Handle in accordance with good industrial hygiene and safety practice.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Powder.

Physical state Solid.

Form Powder.

Color black

Odor None.

Odor threshold Not available.

pH 6.1

Vapor pressure N/A

Vapor density N/A

Boiling point N/A

Melting point/Freezing point N/A

Solubility (water) Negligible

Specific gravity 5.3

Relative density Not available.

Flash point N/A

Flammability limits in air,

upper, % by volume

N/A

Flammability limits in air,

lower, % by volume

N/A

Auto-ignition temperature N/A

Evaporation rate N/A

Other data

Decomposition

temperature

N/A

Flammability (solid, gas) N/A

Loose Packing Density 6.9 lb/gal Shepherd Color Test

Method 194

---

## SECTION 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal temperature conditions and recommended use.

Conditions to avoid None known.

Incompatible materials None known.

Hazardous decomposition products

No hazardous decomposition products are known.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological data

Product Species

BLACK 20F944

LD50 Rat

Inhalation

Acute

Not Tested

LD50 Rat

Oral

Not Tested

Components Species Test Results

MANGANESE FERRITE BLACK SPINEL (CAS 68186-94-7)

LD50 Rat

Inhalation

Acute

Not Tested

LD50 Rat

Oral

Not Tested

Sensitization No data available.

Acute effects May be slightly irritating to skin and eyes. May cause respiratory irritation.

Component analysis - LD50 Refer to LD 50 information above.

Local effects Product dust may be irritating to eyes, skin and respiratory system.

Chronic effects No data available.

Subchronic effects No data available.

Skin corrosion/irritation Contact with skin may cause irritation.

Epidemiology No epidemiological data is available for this product.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.  
Reproductive effects No data available.  
Teratogenicity No data available.  
Symptoms and target organs Product dust may be irritating to eyes, skin and respiratory system.  
Human experience Product dust may be irritating to eyes, skin and respiratory system.  
Further information This product is the result of high temperature calcination of the component substances. Due to its unique crystalline structure the properties of this finished material do not necessarily reflect the properties of the component metals or oxides. Repeated overexposure to this compound may cause eye, skin and respiratory tract irritation. Some compounds of the metals used in the manufacturing of this material have demonstrated various toxic properties. However, there is no evidence that this material has these toxic characteristics.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity Not expected to be harmful to aquatic organisms.  
Environmental effects Not classified as an environmental hazard.  
Aquatic toxicity This material is not expected to be harmful to aquatic life.  
Persistence and degradability The product is not expected to be biodegradable.  
Bioaccumulation / Accumulation  
The product does not contain any substances expected to be bioaccumulating.  
Mobility in environmental media  
The product is insoluble in water.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal instructions All wastes must be handled in accordance with local, state and federal regulations.  
Waste from residues / unused products  
Dispose of in accordance with local regulations.  
Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is emptied.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

---

## **SECTION 15. REGULATORY INFORMATION**

US federal regulations This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

THIS PRODUCT CONTAINS A CHEMICAL OR CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372. THIS INFORMATION MUST BE INCLUDED IN ALL MSDS THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

100% MANGANESE COMPOUND

100% COPPER COMPOUND

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical

Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2

Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No



Section 302 extremely  
hazardous substance  
No  
SARA 311/312 Hazardous  
chemical  
Yes  
Inventory status  
Country(s) or region Inventory name On inventory  
(yes/no)\*  
Australia Australian Inventory of Chemical  
Substances (AICS) Yes  
Canada Domestic Substances List (DSL) Yes  
Canada Non-Domestic Substances List (NDSL) No  
China Inventory of Existing Chemical Substances in  
China (IECSC) Yes  
Country(s) or region Inventory name On inventory  
(yes/no)\*  
Europe European Inventory of Existing Commercial  
Chemical Yes  
Substances (EINECS)  
Europe European List of Notified Chemical  
Substances (ELINCS) No  
Japan Inventory of Existing and New Chemical  
Substances (ENCS) Yes  
Korea Existing Chemicals List (ECL) Yes  
New Zealand New Zealand Inventory Yes  
Philippines Philippine Inventory of Chemicals and  
Chemical Substances Yes  
(PICCS)  
United States & Puerto Rico Toxic Substances  
Control Act (TSCA) Inventory Yes  
\*A "Yes" indicates that all components of this product  
comply with the inventory requirements administered  
by the governing country(s)  
A "No" indicates that one or more components of the  
product are not listed or exempt from listing on the  
inventory administered by the governing  
country(s).  
US state regulations  
US - New Jersey RTK - Substances: Listed substance  
MANGANESE FERRITE BLACK SPINEL (CAS  
68186-94-7)  
Listed.  
US. Massachusetts RTK - Substance List  
Not regulated.  
US. Pennsylvania RTK - Hazardous Substances  
Not regulated.  
US. Rhode Island RTK  
MANGANESE FERRITE BLACK SPINEL (CAS  
68186-94-7)

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---