


<a href="#">Barium Balls</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Band</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Bars</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Beads</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Chunk</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Coil</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Concentrate</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Cubes</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Cylinder</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Dendritic Pieces</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Disc</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Flake</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Flange</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Foil</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Granules</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Ingot</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Lump</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Mesh</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Metal</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Microfoil</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Microleaf</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Nanoprisms</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Particles</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Parts</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Pellets</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Pieces</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Plate</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Powder</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Puck</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Ribbon</a>	<a href="#">Pricing &gt;</a>

<a href="#">Barium Ring</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Rod</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Rotatable Sputtering Target</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Samples</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Shavings</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Sheet</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Shot</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Single Crystal</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Sleeves</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Slugs</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Specimen</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Spheres</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Spring</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Sputtering Target</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Strip</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Tape</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Tube</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Wafer</a>	<a href="#">Pricing &gt;</a>
<a href="#">Barium Wire</a>	<a href="#">Pricing &gt;</a>

<b>Linear Formula</b>	Ba
<b>Pubchem CID</b>	5355457
<b>MDL Number</b>	MFCD00134031
<b>EC No.</b>	231-149-1
<b>Beilstein/Reaxys No.</b>	N/A
<b>SMILES</b>	[Ba]
<b>InchI Identifier</b>	InChI=1S/Ba
<b>InchI Key</b>	DSAJWYNOEDNPEQ-UHFFFAOYSA-N

<b>Signal Word</b>	Danger
<b>Hazard Statements</b>	H228-H261
<b>Hazard Codes</b>	N/A
<b>Precautionary Statements</b>	P231 + P232-P305 + P351 + P338-P335 + P334-P370 + P378-P402 + P404
<b>Flash Point</b>	Not applicable
<b>Risk Codes</b>	N/A

<b>Safety Statements</b>	N/A
<b>RTECS Number</b>	CQ8370000
<b>Transport Information</b>	UN 1400 4.3 / PGII
<b>WGK Germany</b>	3
<b>GHS Pictograms</b>	<b><u>GHS02</u></b> <b><u>Flame</u></b> 

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 09/20/2024

Date Revised: 01/15/2022

---

### SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #7440-39-3

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture  
Classification according to Regulation (EC) No 1272/2008  
GHS02 Flame  
Flam. Sol. 1 H228 Flammable solid.  
Water-react. 2 H261 In contact with water releases flammable gas.  
Classification according to Directive 67/548/EEC or Directive 1999/45/EC  
F; Highly flammable  
R11-14/15: Highly flammable. Reacts violently with water, liberating extremely flammable gases.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS02

Signal word

Danger

Hazard statements

H228 Flammable solid.

H261 In contact with water releases flammable gas.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B6 - Reactive flammable material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

1

3

2

Health (acute effects) = 1

Flammability = 3

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

CAS No. / Substance Name:

7440-39-3 Barium

Identification number(s):

EC number:

231-149-1

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

---

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

For safety reasons unsuitable extinguishing agents

Water

Special hazards arising from the substance or mixture

Reacts violently with water

If this product is involved in a fire, the following can be released:

Barium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Reacts violently with water

Information about protection against explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from air.

Further information about storage conditions:

Store under dry inert gas.

Protect from humidity and water.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.  
Specific end use(s)  
No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7440-39-3 Barium (100.0%)

PEL (USA) Long-term value: 0.5 mg/m<sup>3</sup>  
as Ba

REL (USA) Long-term value: 0.5 mg/m<sup>3</sup>  
and soluble compounds, as Ba

TLV (USA) Long-term value: 0.5 mg/m<sup>3</sup>  
as Ba

EL (Canada) Long-term value: 0.5 mg/m<sup>3</sup>  
as Ba

EV (Canada) Long-term value: 0.5 mg/m<sup>3</sup>  
as Ba

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection:

Safety glasses

Full face protection

Body protection:

Protective work clothing.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Solid in various forms

Color: Silver grey

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 727 °C (1341 °F)

Boiling point/Boiling range: 1640 °C (2984 °F)

Sublimation temperature / start: No data available

Flammability (solid, gas)

Highly flammable.

Contact with water liberates extremely flammable gases.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure at 547 °C (1017 °F): 0.0013 hPa

Density at 20 °C (68 °F): 3.62 g/cm<sup>3</sup> (30.209 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H<sub>2</sub>O): Reacts violently

Contact with water releases flammable gases

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A



Kinematic: N/A  
Other information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

### Reactivity

Reacts violently with water.

In contact with water releases flammable gases which may ignite spontaneously.

### Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

### Possibility of hazardous reactions

Contact with water releases flammable gases

Reacts violently with water

### Conditions to avoid

No data available

### Incompatible materials:

Air

Water/moisture

### Hazardous decomposition products:

Barium oxide

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

#### Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

#### LD/LC50 values that are relevant for classification:

No data

#### Skin irritation or corrosion:

May cause irritation

#### Eye irritation or corrosion:

May cause irritation

#### Sensitization:

No sensitizing effects known.

#### Germ cell mutagenicity:

No effects known.

#### Carcinogenicity:

EPA-CBD: Carcinogenic potential cannot be determined.

#### ACGIH A4: Not classifiable as a human carcinogen:

Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

#### Reproductive toxicity:

No effects known.  
Specific target organ system toxicity - repeated exposure:  
No effects known.  
Specific target organ system toxicity - single exposure:  
No effects known.  
Aspiration hazard:  
No effects known.  
Subacute to chronic toxicity:  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.  
Additional toxicological information:  
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.  
Carcinogenic categories  
OSHA-Ca (Occupational Safety & Health Administration)  
Substance is not listed.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Aquatic toxicity:  
No data available  
Persistence and degradability  
No data available  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Additional ecological information:  
Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.  
Avoid transfer into the environment.  
Results of PBT and vPvB assessment  
PBT:  
N/A  
vPvB:  
N/A  
Other adverse effects  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Recommendation  
Consult official regulations to ensure proper disposal.

Uncleaned packagings:  
Recommendation:  
Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number  
DOT, IMDG, IATA  
UN1400  
UN proper shipping name  
DOT  
Barium  
IMDG, IATA  
BARIUM  
Transport hazard class(es)  
DOT  
Class  
4.3 Substances which, in contact with water, emit flammable gases.  
Label  
4.3  
Class  
4.3 (W2) Substances which, in contact with water, emit flammable gases  
Label  
4.3  
IMDG, IATA  
Class  
4.3 Substances which, in contact with water, emit flammable gases.  
Label  
4.3  
Packing group  
DOT, IMDG, IATA  
II  
Environmental hazards: N/A  
Special precautions for user  
Warning: Substances which, in contact with water, emit flammable gases  
EMS Number: F-G,S-O  
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
N/A  
Transport/Additional information: DOT  
Marine Pollutant (DOT): No  
UN "Model Regulation": UN1400, Barium, 4.3, II

---

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

7440-39-3 Barium

California Proposition 65

Prop 65 - Chemicals known to cause cancer  
Substance is not listed.

Prop 65 - Developmental toxicity  
Substance is not listed.

Prop 65 - Developmental toxicity, female  
Substance is not listed.

Prop 65 - Developmental toxicity, male  
Substance is not listed.

Information about limitation of use:  
For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.  
Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)  
Substance is not listed.

REACH - Pre-registered substances  
Substance is listed.

Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from

contact with the above product. See reverse side of  
invoice or packing slip for additional terms and  
conditions of sale. COPYRIGHT 1997-2022  
AMERICAN ELEMENTS. LICENSED GRANTED TO  
MAKE UNLIMITED PAPER COPIES FOR INTERNAL  
USE ONLY.

---