

Cerium Balls	Pricing >
Cerium Band	Pricing >
Cerium Bars	Pricing >
Cerium Block	Pricing >
Cerium Chips	Pricing >
Cerium Chunk	Pricing >
Cerium Coil	Pricing >
Cerium Concentrate	Pricing >
Cerium Cube	Pricing >
Cerium Cylinder	Pricing >
Cerium Disc	Pricing >
Cerium Flake	Pricing >
Cerium Flange	Pricing >
Cerium Foil	Pricing >
Cerium Granules	Pricing >
Cerium Ingot	Pricing >
Cerium Lump	Pricing >
Cerium Mesh	Pricing >
Cerium Metal	Pricing >
Cerium Microfoil	Pricing >
Cerium Microleaf	Pricing >
Cerium Nanoparticle Dispersion	Pricing >
Cerium Nanoparticles	Pricing >
Cerium Particles	Pricing >
Cerium Parts	Pricing >
Cerium Pellets	Pricing >
Cerium Pieces	Pricing >
Cerium Plate	Pricing >
Cerium Powder	Pricing >
Cerium Puck	Pricing >

Cerium Ribbon	Pricing >
Cerium Ring	Pricing >
Cerium Rod	Pricing >
Cerium Rotatable Sputtering Target	Pricing >
Cerium Samples	Pricing >
Cerium Shavings	Pricing >
Cerium Sheet	Pricing >
Cerium Shot	Pricing >
Cerium Single Crystal	Pricing >
Cerium Sleeve	Pricing >
Cerium Slugs	Pricing >
Cerium Specimen	Pricing >
Cerium Spheres	Pricing >
Cerium Spring	Pricing >
Cerium Sputtering Target	Pricing >
Cerium Strip	Pricing >
Cerium Tape	Pricing >
Cerium Tube	Pricing >
Cerium Wafer	Pricing >
Cerium Wire	Pricing >
Ultra Thin Cerium Nanoscale Foil	Pricing >
Linear Formula Co	

Ollia Thin Conditi Nanoodalo Foli			
Linear F	ormula	Се	
Pubcher	n CID	23974	
MDL Nu	mber	MFCD00010924	
EC No.		231-154-9	
Beilstein No.	/Reaxys	N/A	
SMILES		[Ce]	
Inchi ide	ntifier	InChI=1S/Ce	
Inchi Ke	hl Key GWXLDORMOJMVQZ-UHFFFAOYSA		FFAOYSA-N
Signal Word	Danger		
Hazard	H228-H302-H312-H315-H319-H332-H335		
Statements	H228-H302-H31	2-H315-H319-H332-H335	
	H228-H302-H31	2-H315-H319-H332-H335	
Statements	F, Xn	12-H315-H319-H332-H335 32-P280-P240-P241-P233-P370+P378c-P335+P	334-P402+P404-P501a
Statements Hazard Codes Precautionary	F, Xn		334-P402+P404-P501a
Statements Hazard Codes Precautionary Statements	F, Xn P210-P231+P23	32-P280-P240-P241-P233-P370+P378c-P335+P	334-P402+P404-P501a
Statements Hazard Codes Precautionary Statements Flash Point	F, Xn P210-P231+P23 Not applicable	32-P280-P240-P241-P233-P370+P378c-P335+P	334-P402+P404-P501a
Statements Hazard Codes Precautionary Statements Flash Point Risk Codes Safety	F, Xn P210-P231+P23 Not applicable 11-20/21/22-36/	32-P280-P240-P241-P233-P370+P378c-P335+P	334-P402+P404-P501a



SAFETY DATA SHEET

Date Accessed: 03/28/2024 **Date Revised:** 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #7440-45-1

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously. Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F; Highly flammable

R11-15: Highly flammable. Contact with water liberates extremely flammable gases.

Information concerning particular hazards for human and environment: N/A

Hazards not otherwise classified: No data available Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS02

Signal word: Danger Hazard statements H228 Flammable solid.

H260 In contact with water releases flammable gases which may ignite spontaneously.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B4 - Flammable solid

B6 - Reactive flammable material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

3

2

Health (acute effects) = 1

Flammability = 3

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7440-45-1 Cerium

Identification number(s):

EC number: 231-154-9

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents Water

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Cerium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any

incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Store away from water/moisture.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands: Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection:

Safety glasses

Full face protection

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance:

Form: Solid in various forms

Color: Dark grey Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 798 °C (1468 °F) Boiling point/Boiling range: 3433 °C (6211 °F) Sublimation temperature / start: No data available

Flammability (solid, gas): Highly flammable.

Contact with water liberates extremely flammable

gases.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available Upper: No data available

Vapor pressure at 20 °C (68 °F): 0 hPa

Density at 20 °C (68 °F): 6.77 g/cm³ (56.496 lbs/gal)

Relative density: No data available.

Vapor density: N/A Evaporation rate: N/A Solubility in Water (H₂O):

Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data

available.
Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

In contact with water releases flammable gases which may ignite spontaneously.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Contact with water releases flammable gases

Conditions to avoid

No data available

Incompatible materials:

Water/moisture

Hazardous decomposition products:

Cerium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No

data

Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated

exposure: No effects known.

Specific target organ system toxicity - single

exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic

toxicity of this substance is not fully known.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health

Administration)

Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN1333

UN proper shipping name

DOT

Cerium

IMDG, IATA

CERIUM

Transport hazard class(es)

DOT

Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives.

Label

4.1

Class

4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives

Label

4.1

IMDG, IATA

Class

4.1 Flammable solids, self-reactive substances and solid desensitised explosives.

Label

4.1

Packing group

DOT, IMDG, IATA

п

Environmental hazards:

N/A

Special precautions for user

Warning: Flammable solids, self-reactive substances and solid desensitised explosives

EMS Number:

F-G,S-P

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN1333, Cerium, 4.1, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances

Control Act Chemical substance Inventory.

All components of this product are listed on the

Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring

Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from

contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.