

<a href="#">Sodium Chloride</a>	<a href="#">Pricing &gt;</a>
<a href="#">Sodium Chloride Solution</a>	<a href="#">Pricing &gt;</a>
<a href="#">Sodium Chloride Sputtering Target</a>	<a href="#">Pricing &gt;</a>
<a href="#">Sodium Chloride Windows</a>	<a href="#">Pricing &gt;</a>
<a href="#">Ultra Dry Sodium Chloride</a>	<a href="#">Pricing &gt;</a>

<b>Linear Formula</b>	NaCl
<b>Pubchem CID</b>	5234
<b>MDL Number</b>	MFCD00003477
<b>EC No.</b>	231-598-3
<b>IUPAC Name</b>	Sodium Chloride
<b>Beilstein/Reaxys No.</b>	3534976
<b>SMILES</b>	[Na+].[Cl-]
<b>Inchl Identifier</b>	InChI=1S/ClH.Na/h1H;/q;+1/p-1
<b>Inchl Key</b>	FAPWRFPIFSIZLT-UHFFFAOYSA-M
<b>Signal Word</b>	N/A
<b>Hazard Statements</b>	N/A
<b>Hazard Codes</b>	N/A
<b>Precautionary Statements</b>	N/A
<b>Flash Point</b>	Not applicable
<b>Risk Codes</b>	N/A
<b>Safety Statements</b>	N/A
<b>RTECS Number</b>	VZ4725000
<b>Transport Information</b>	NONH for all modes of transport
<b>WGK Germany</b>	1

[Create Printable PDF](#)

## SAFETY DATA SHEET

Date Accessed: 04/23/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifiers:** All applicable American Elements product codes for CAS #7647-14-5

**Relevant identified uses of the substance:**  
Scientific research and development

Supplier details:  
American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

Emergency telephone number:  
Domestic, North America +1 800-424-9300  
International +1 703-527-3887

---

## SECTION 2. HAZARDS IDENTIFICATION

Not classified as dangerous according to EC directives.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT NAME	CAS No.	% CLASS	HEALTH RISK	UN No.
Sodium Chloride	7647-14-5	100%	N.R.	N.R.

None -

---

## SECTION 4. FIRST AID MEASURES

GENERAL: Consult a Physician for specific advice  
EYES: Irrigate thoroughly with water, if discomfort persists obtain medical attention.  
SKIN: Wash off thoroughly with soap and water.  
INHALATION: Remove from exposure, rest and keep warm. In severe cases seek medical attention.  
INGESTION: Wash out mouth thoroughly with water. Induce vomiting if conscious. Obtain medical attention.

---

## SECTION 5. FIREFIGHTING MEASURES

FLASH POINT: Not Ignitable. Not Applicable  
AUTO IGNITION TEMP: Not Applicable  
EXTINGUISHING MEDIA: Not Applicable

UNUSUAL FIRE HAZARDS: May evolve toxic fumes in a fire.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

CONTAMINATION CLEANUP: Wear suitable protective clothing & equipment as listed under Exposure / Personal protection. Mix with sand, transfer carefully to container and arrange removal by disposal company. Wash site of spillage thoroughly with water and detergent. For large spillages liquids should be contained with sand or earth and both liquids and solids transferred to salvage containers. Any residues should be treated as for small spillages.

---

## **SECTION 7. HANDLING AND STORAGE**

USAGE PRECAUTIONS: No special precautions  
STORAGE PRECAUTIONS: Store at room temperature (15 to 25°C recommended). Keep well closed and protected from moisture.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Protective gloves made of polyvinyl alcohol (PVA) are required. Use of a laboratory coat is suggested. Safety goggles or safety glasses with side shields are required if there is any possibility of chipping or dust creation. Respirators must be worn when the threshold limit is exceeded. Provide adequate general mechanical ventilation, and local exhaust ventilation. When handling quantities of this material, be sure to wear appropriate protective equipment as described. Eye wash should be readily available. Wash thoroughly after handling. Do not take internally. Avoid breathing dust when generated. For persons with sensitive existing medical conditions, medical advice should be sought before employing on tasks involving exposure to this material.  
EXPOSURE LIMITS OES, not assigned (Long term, 8 hour TWA)

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE : Clear transparent crystalline pieces  
pH IN AQUEOUS SOLUTION: No data available  
BOILING POINT (760mm Hg) 1461°C  
MELTING POINT: 800°C  
FLASH POINT: Not Applicable  
FLAMMABILITY: Not Applicable  
EXPLOSIVE PROPERTIES: Not Applicable  
SPECIFIC GRAVITY: 2.17  
Vapor PRESSURE: Not Applicable  
SOLUBILITY IN WATER: Very soluble (35.7g/100g water at 0°C)

---

## **SECTION 10. STABILITY AND REACTIVITY**

STABILITY: Stable under normal conditions of storage or use.  
HAZARDOUS DECOMPOSITION: No data.  
MATERIALS TO AVOID: Strong Acids

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

TOXIC DOSE - LD50 3000mg/kg oral, rat.  
CARCINOGENICITY No evidence of carcinogenic properties.  
MUTAGENICITY/TERATOGENICITY No evidence of mutagenic effects.  
TOXICOLOGICAL FINDINGS No evaluation of toxicological data is available.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

No environmental hazard is anticipated provided that the material is handled and disposed of with due care and attention.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS: Non hazardous and non-regulated solid waste. Contact your local waste disposal authority for advice, or pass to a chemical disposal

company.

---

## **SECTION 14. TRANSPORT INFORMATION**

CLASSIFICATION: Not classified as dangerous  
according to EC directives EC-No.:231-598-3

LABEL FOR SUPPLY: None

RISK PHRASES: None

SAFETY PHRASES: None

---

## **SECTION 15. REGULATORY INFORMATION**

N/A

---

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---