

Mercury(II) Iodide	Pricing >
Mercury(II) Iodide Red	Pricing >
Mercury(II) Iodide Solution	Pricing >
Ultra Dry Mercury(II) Iodide	Pricing >

Linear Formula	HgI ₂
Pubchem CID	24485
MDL Number	MFCD00011044
EC No.	231-873-8
IUPAC Name	diiodomercury
Beilstein/Reaxys No.	N/A
SMILES	I[Hg]I
Inchl Identifier	InChI=1S/Hg.2HI/h;2*1H/q+2;;/p-2
Inchl Key	YFDLHELOZYVNJE-UHFFFAOYSA-L
Signal Word	Danger
Hazard Statements	H300-H310-H330-H373-H410
Hazard Codes	T+,N
Risk Codes	26/27/28-33-50/53
Safety Statements	13-28-45-60-61
RTECS Number	OW5250000
Transport Information	UN 1638 6.1/PG 2
WGK Germany	3

GHS
Pictograms

[GHS08 Health
Hazard](#)



[GHS06 Skull and
Crossbones](#)



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/06/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #7774-29-0

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



Signal word Danger

Hazard-determining components of labeling:

mercury diiodide

Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P262 Do not get in eyes, on skin, or on clothing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

4

0

0

Health = 4

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH

FIRE

REACTIVITY

3

0

0

Health = 3

Fire = 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS # / Substance Name

7774-29-0 Mercury diiodide

Identification number(s)

EC number: 231-873-8

Index number: 080-002-00-6

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed: Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Inform respective authorities in case of seepage into water courses, or sewage systems.

Methods and materials for containment and cleanup: Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

7774-29-0 mercury diiodide

PEL Long-term value: 0.1 mg/m³

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³

Ceiling limit value: 0.1 mg/m³

as Hg; *Vapor; Skin

TLV Long-term value: 0.025 mg/m³
as Hg; Skin; BEI
Ingredients with biological limit values:
7774-29-0 mercury diiodide
BEI 35 µg/L
Medium: urine
Time: prior to shift
Parameter: Total inorganic mercury (background)
15 µg/L
Medium: blood
Time: end of shift at end of workweek
Parameter: Total inorganic mercury (background)
Additional information: The lists that were valid during
the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated
clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Breathing equipment:
In case of brief exposure or low pollution use
respiratory filter device. In case of intensive or longer
exposure use
respiratory protective device that is independent of
circulating air.
Protection of hands:
Protective gloves
The glove material has to be impermeable and
resistant to the product/ the substance/ the
preparation.
Due to missing tests no recommendation to the glove
material can be given for the product/ the preparation/
the
chemical mixture.
Selection of the glove material on consideration of the
penetration times, rates of diffusion and the
degradation
Material of gloves
The selection of the suitable gloves does not only
depend on the material, but also on further marks of
quality and
varies from manufacturer to manufacturer.
Penetration time of glove material
The exact break through time has to be found out by
the manufacturer of the protective gloves and has to
be
observed.
Eye protection: Safety glasses

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder

Color: Orange

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 259 °C (498 °F)

Boiling point/Boiling range: 354 °C (669 °F)

Flash point: N/A

Flammability (solid, gas): Product is not flammable.

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: no data hPa

Density at 20 °C (68 °F): 6.271 g/cm³ (52.331 lbs/gal)

Bulk density at 20 °C (68 °F): 1350 kg/m³

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Organic solvents: 0.0 %

Solids content: 100.0 %

Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No data available

Incompatible materials: No data available

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

Oral LD50 18 mg/kg (rat)

7774-29-0 mercury diiodide

Oral LD50 18 mg/kg (rat)

Dermal LD50 75 mg/kg (rat)

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information: Danger through skin absorption.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

7774-29-0 mercury diiodide 3

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Ecotoxicological effects:

Remark: Very toxic for fish

Additional ecological information:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA UN1638
UN proper shipping name
DOT Mercury iodide
IMDG, IATA MERCURY IODIDE
Transport hazard class(es)
DOT
Class 6.1 Toxic substances
Label 6.1
IMDG, IATA
Class 6.1 Toxic substances
Label 6.1
Packing group
DOT, IMDG, IATA II
Environmental hazards:
Marine pollutant: No
Special precautions for user N/A
Danger code (Kemler): 60
Segregation groups Heavy metals and their salts
(including their organometallic
compounds), mercury and mercury compounds
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code N/A
Transport/Additional information:
DOT
Quantity limitations On passenger aircraft/rail: 25 kg
On cargo aircraft only: 100 kg
IMDG
Limited quantities (LQ) .5kg
Excepted quantities (EQ) Code: E4
Maximum net quantity per inner packaging: 1 g
Maximum net quantity per outer packaging: 500 g
UN "Model Regulation": UN1638, Mercury iodide, 6.1,
II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture
Sara
Section 355 (extremely hazardous substances):
Substance is not listed.
Section 313 (Specific toxic chemical listings):

Substance is listed.
TSCA (Toxic Substances Control Act):
Substance is listed.
Proposition 65
Chemicals known to cause cancer:
Substance is not listed.
Chemicals known to cause reproductive toxicity for females:
Substance is not listed.
Chemicals known to cause reproductive toxicity for males:
Substance is not listed.
Chemicals known to cause developmental toxicity:
Substance is listed.
Carcinogenic categories
EPA (Environmental Protection Agency)
7774-29-0 mercury diiodide D
TLV (Threshold Limit Value established by ACGIH)
7774-29-0 mercury diiodide A4
NIOSH-Ca (National Institute for Occupational Safety and Health)
Substance is not listed.
GHS label elements
The substance is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms
Signal word Danger
Hazard-determining components of labeling:
mercury diiodide
Hazard statements
H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P262 Do not get in eyes, on skin, or on clothing.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
