

Mercury(I) Sulfate Prici		Pricing >
Signal Word	Danger	
Hazard Statements	H300-H310-H330-H373-H410	
Hazard Codes	T+, N	
Precautionary Statements	P262-P273-P280-P302+P352+P310-P304+P340+P310-P314	
Risk Codes	26/27/28-33-50/53	
Safety Statements	13-28-45-60-61	
RTECS Number	OX0480000	
Transport Information	UN 1645 6.1/PG II	
WGK Germany	3	
GHS Pictograms	GHS06 Skull and Crossbones GHS08 Health Hazard GHS09 Environment	

Create Printable PDF

SAFETY DATA SHEET

Date Accessed: 05/18/2024 **Date Revised:** 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #7783-36-0

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements

10884 Weyburn Ave. Los Angeles, CA 90024

Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number:

Domestic, North America +1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 1), H310

Specific target organ toxicity - repeated exposure (Category 2), H373

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

GHS Label elements, including precautionary statements
Pictogram







Signal word Danger

Hazard statement(s)

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P284 Wear respiratory protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P302 + P350 + P310 IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Mercurous sulfate

Formula: Hg2O4S

Molecular weight: 497.24 g/mol

CAS-No.: 7783-36-0 EC-No.: 231-993-0 Index-No.: 080-002-00-6

SECTION 4. FIRST AID MEASURES

Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as

quickly as possible.

Most important symptoms and effects, both acute and

The most important known symptoms and effects are described in the labelling (see section

2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to

local circumstances and the

surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of

extinguishing agents are given.

Special hazards arising from the substance or mixture

Sulfur oxides

Mercury/mercury oxides.

Not combustible.

Ambient fire may liberate hazardous vapours.

Advice for firefighters

Stay in danger area only with self-contained breathing

apparatus. Prevent skin contact by

keeping a safe distance or by wearing suitable

protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a

water spray jet. Prevent fire

extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all

circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the

danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions

(see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area.

Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands

and face after working with substance.

For precautions see section 2.

Conditions for safe storage, including any

incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place.

Keep locked up or in an area accessible

only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute

toxic Cat. 1 and 2 / very toxic

hazardous materials

Specific end use(s)

Apart from the uses mentioned in section 1 no other

specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash

hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and

approved under appropriate

government standards such as NIOSH (US) or EN

166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to

use. Use proper glove

removal technique (without touching glove's outer

surface) to avoid skin contact

with this product. Dispose of contaminated gloves

after use in accordance with

applicable laws and good laboratory practices. Wash

and dry hands.

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Control of environmental exposure Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

a) Appearance Form: powder

Color: beige

- b) Odor No data available
- c) Odor Threshold No data available
- d) pH No data available
- e) Melting point/freezing point

No data available

f) Initial boiling point and boiling range

No data available

- g) Flash point ()Not applicable
- h) Evaporation rate No data available
- i) Flammability (solid, gas)

No data available

j) Upper/lower flammability or explosive limits

No data available

- k) Vapor pressure No data available
- I) Vapor density No data available
- m) Density 7.56 g/cm3 at 25 °C (77 °F) lit.

Relative density No data available

- n) Water solubility No data available
- o) Partition coefficient: n-octanol/water

No data available

p) Autoignition temperature

No data available

q) Decomposition temperature

No data available

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

Other safety information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions
No data available
Conditions to avoid
no information available
Incompatible materials
Strong acids, Strong oxidizing agents
Hazardous decomposition products
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD50 Oral - 5.1 mg/kg

Acute toxicity estimate Inhalation - 4 h - 0.051 mg/l

(Expert judgment)

LD50 Dermal - 5 mg/kg

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels

greater than or equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or

repeated exposure. Aspiration hazard

No data available

Additional Information

RTECS: OX0480000

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Fundulus heteroclitus - 0.3 mg/l - 96.0 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical

safety assessment not required/not

conducted

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations.

Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the

return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1645 Class: 6.1 Packing group: II Proper shipping name: Mercury sulfates

Reportable Quantity (RQ):

Marine pollutant: yesPoison Inhalation Hazard: No

IMDG

UN number: 1645 Class: 6.1 Packing group: II EMS-

No: F-A, S-A

Proper shipping name: MERCURY SULPHATE

Marine pollutant : yes Marine pollutant : yes

IATA

UN number: 1645 Class: 6.1 Packing group: II Proper shipping name: Mercury sulphate

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III,

Section 313:

Dimercury sulphate

CAS-No.

7783-36-0

Revision Date

1994-07-31

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.