

Magnesium Fluoride	Pricing >
Magnesium Fluoride Foil	Pricing >
Magnesium Fluoride Granules	Pricing >
Magnesium Fluoride Pieces	Pricing >
Magnesium Fluoride Sputtering Target	Pricing >
Magnesium Fluoride Window	Pricing >

Linear Formula	MgF ₂
Pubchem CID	24546
MDL Number	MFCD00011108
EC No.	231-995-1
IUPAC Name	magnesium difluoride
Beilstein/Reaxys No.	N/A
SMILES	[Mg+2].[F-].[F-]
Inchl Identifier	InChI=1S/2FH.Mg/h2*1H;/q;;+2/p-2
Inchl Key	ORUIBWPALBXDOA-UHFFFAOYSA-L

Signal Word	Warning
Hazard Statements	H315-H319-H335
Hazard Codes	Xi
Precautionary Statements	N/A
Flash Point	Not applicable
Risk Codes	36/37/38
Safety Statements	26-36
RTECS Number	OM3325000
Transport Information	NONH for all modes of transport
WGK Germany	3

Create Printable PDF

SAFETY DATA SHEET

Date Accessed: 04/25/2024 **Date Revised:** 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #7783-40-6

Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word: Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing

dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to

fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

2

0

0

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7783-40-6 Magnesium fluoride

Identification number(s): EC number: 231-995-1

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water spray.

Fight larger fires with water spray.

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any

incompatibilities

Requirements to be met by storerooms and

receptacles:

No special requirements.

Information about storage in one common storage

facility:

No data available

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and

having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Fluorides (as F)

mg/m3

ACGIH TLV 2.5

Austria MAK 2.5

Belgium TWA 2.5

Finland TWA 2.5

France TWA 2.5

Germany MAK 2.5

Hungary TWA 1; 2-STEL

Netherlands MAC-K 3.5

Norway TWA 0.6

Poland TWA 1; 3-STEL

Sweden NGV 2

Switzerland MAK-W 1.5; 3-KZG-W

United Kingdom TWA 2.5

Russia TWA 2

Denmark TWA 2.5

USA PEL 2.5

7783-40-6 Magnesium fluoride (100.0%)

PEL (USA) Long-term value: 2.5 mg/m³ as F

REL (USA) Long-term value: 2.5 mg/m³ as F

TLV (USA) Long-term value: 2.5 mg/m³ as F, BE

EL (Canada) Long-term value: 2.5 mg/m³ as F

Ingredients with biological limit values: 7783-40-6 Magnesium fluoride (100.0%)

BEI (USA) 2 mg/L Medium: urine Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L

Medium: urine Time: end of shift

Parameter: Fluoride (background, nonspecific)

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for

handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working

environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Solid in various forms

Color: Off-white

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 1261 °C (2302 °F) Boiling point/Boiling range: 2239 °C (4062 °F) Sublimation temperature / start: No data available

Flash point: N/A

Flammability (solid, gas): No data available. Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Product does not present an

explosion hazard. Explosion limits:

Lower: No data available Upper: No data available Vapor pressure: N/A Density: No data available

Relative density: No data available.

Vapor density: N/A Evaporation rate: N/A

Solubility in / Miscibility with Water at 18 °C (64 °F):

0.076 g/l

Partition coefficient (n-octanol/water): No data

available.
Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored

according to specifications.

Possibility of hazardous reactions

No dangerous reactions known

Conditions to avoid

No data available

Incompatible materials:

Oxidizing agents

No data available

Hazardous decomposition products:

Hydrogen fluoride

Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification:

Oral LD50 2330 mg/kg (rat) Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye

irritation.

Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on

carcinogenic properties of this material is available

from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated

exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. Maycause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects. Inhalation of magnesium compounds may cause metal fume fever.

Metallic magnesium which perforates the skin may cause local lesions. Some magnesium salts have produced muscle weakness, cardiac arrhythmias, respiratory effects and changes in blood chemistry following ingestion.

Subacute to chronic toxicity: No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil

No data available

Additional ecological information:

Do not allow material to be released to the

environment without official permits.

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

Not a hazardous material for transportation.

UN-Number

DOT, IMDG, IATA

None

UN proper shipping name

DOT, IMDG, IATA

None

Transport hazard class(es)

DOT, ADR, IMDG, IATA

Class

None

Packing group

DOT, IMDG, IATA

None

Environmental hazards:

N/A

Special precautions for user

N/A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

Not dangerous according to the above specifications.

DOT

Marine Pollutant (DOT):

No

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical sub

stance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring

Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present

state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022

AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.