



Bismuth(V) Fluoride		Pricing >
Signal Word	Danger	
Hazard Statements	H272-H314	
Hazard Codes	F, C	
Precautionary Statements	P210-P220-P260-P280-P305 + P351 + P338-P370 + P378	
Flash Point	Not applicable	
Risk Codes	8-34	
Safety Statements	17-26-27-36/37/39	
RTECS Number	N/A	
Transport Information	UN 3084 5.1(8) / PGI	
WGK Germany	3	
GHS Pictograms	GHS03 Oxidizer  GHS05 Corrosive 	

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 04/27/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #7787-62-4

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements

10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Oxidizing solids (Category 2), H272
Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318
For the full text of the H-Statements mentioned in this Section, see Section 16.
GHS Label elements, including precautionary statements



Signal word Danger
Hazard statement(s)
H272 May intensify fire; oxidizer.
H314 Causes severe skin burns and eye damage.
Precautionary statement(s)
P210 Keep away from heat.
P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P260 Do not breathe dusts or mists.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310
IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.
Continue
rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry
chemical or alcohol-resistant
foam to extinguish.
P405 Store locked up.
P501 Dispose of contents/ container to an approved
waste disposal
plant.
Hazards not otherwise classified (HNOC) or not
covered by GHS
Strong hydrogen fluoride-releaser

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
Formula : BiF₅
Molecular weight : 303.97 g/mol
CAS-No. : 7787-62-4
EC-No. : 232-125-3
Component
Bismuth pentafluoride
Classification
Ox. Sol. 2; Skin Corr. 1B;
Eye Dam. 1; H272, H314,
H318
Concentration
≤ 100 %
For the full text of the H-Statements mentioned in this
Section, see Section 16.

SECTION 4. FIRST AID MEASURES

Description of first-aid measures
General advice
Consult a physician. Show this material safety data
sheet to the doctor in attendance. Move
out of dangerous area. Hydrofluoric (HF) acid burns
require immediate and specialized first
aid and medical treatment. Symptoms may be
delayed up to 24 hours depending on the
concentration of HF. After decontamination with
water, further damage can occur due to
penetration/absorption of the fluoride ion. Treatment
should be directed toward binding the
fluoride ion as well as the effects of exposure. Skin
exposures can be treated with a 2.5%
calcium gluconate gel repeated until burning ceases.

More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician. First treatment with calcium gluconate paste.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Hydrogen fluoride

Bismuth oxides

Advice for firefighters

Wear self-contained breathing apparatus for

firefighting if necessary.
Further information
Use water spray to cool unopened containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
For personal protection see section 8.
Environmental precautions
Do not let product enter drains.
Methods and materials for containment and cleaning up
Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.
Reference to other sections
For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling
Advice on safe handling
Avoid formation of dust and aerosols.
Advice on protection against fire and explosion
Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. Normal measures for preventive fire protection.
Hygiene measures
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities
Storage conditions
Keep container tightly closed in a dry and well-ventilated place.
Do not store in glass
Storage class
Storage class (TRGS 510): 5.1A: Strongly oxidizing

hazardous materials
Specific end use(s)
Apart from the uses mentioned in section 1.2 no other
specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters
Ingredients with workplace control parameters
Component
Bismuth pentafluoride
CAS-No.
7787-62-4
Value
TWA
Control
parameters
2.5 mg/m³
Basis
USA. Occupational Exposure
Limits (OSHA) - Table Z-1
Limits for Air Contaminants
USA. ACGIH Threshold Limit
Values (TLV)
Remarks
Not classifiable as a human carcinogen
PEL
2.5 mg/m³
California permissible exposure
limits for chemical
contaminants (Title 8, Article
107)
Biological occupational exposure limits
Bismuth pentafluoride
CAS-No.
7787-62-4
Parameters
Fluoride
Value
2 mg/l
3 mg/l
Biological specimen
Urine
Basis
ACGIH -Biological Exposure Indices (BEI)
End of shift (As soon as possible after exposure
ceases)
Remarks
Prior to shift (16 hours after exposure ceases)
Exposure controls
Appropriate engineering controls
Handle in accordance with good industrial hygiene

and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

- a) Appearance Form: crystalline
- Color: white
- b) Odor No data available
- c) Odor Threshold No data available
- d) pH No data available
- e) Melting point/freezing point
- Melting point/range: 550 °C (1022 °F)
- f) Initial boiling point and boiling range

550 °C 1022 °F at 1013 hPa
g) Flash point ()Not applicable
h) Evaporation rate No data available
i) Flammability (solid,
gas)
No data available
j) Upper/lower
flammability or
explosive limits
No data available
k) Vapor pressure No data available
l) Vapor density No data available
m) Density No data available
Relative density No data available
n) Water solubility No data available
o) Partition coefficient:
n-octanol/water
No data available
p) Autoignition
temperature
No data available
q) Decomposition
temperature
No data available
r) Viscosity No data available
s) Explosive properties No data available
t) Oxidizing properties The substance or mixture is
classified as oxidizing with the
category 2.
Other safety information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available
Chemical stability
Stable under recommended storage conditions.
Possibility of hazardous reactions
No data available
Conditions to avoid
Reacts dangerously with glass.
Incompatible materials
Strong oxidizing agents, Strong acids, Reacts
violently with water.glass
Hazardous decomposition products
In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

Additional Information

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

Cough, Shortness of breath, Headache, Nausea, Vomiting

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted
Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3084 Class: 8 (5.1) Packing group: I

Proper shipping name: Corrosive solids, oxidizing, n.o.s. (Bismuth pentafluoride)

Poison Inhalation Hazard: No

IMDG

UN number: 3084 Class: 8 (5.1) Packing group: I

EMS-No: F-A, S-Q

Proper shipping name: CORROSIVE SOLID, OXIDIZING, N.O.S. (Bismuth pentafluoride)

IATA

UN number: 3084 Class: 8 (5.1) Packing group: I

Proper shipping name: Corrosive solid, oxidizing, n.o.s. (Bismuth pentafluoride)

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section
313.
SARA 311/312 Hazards
Reactivity Hazard, Acute Health Hazard
Massachusetts Right To Know Components
No components are subject to the Massachusetts
Right to Know Act.
Pennsylvania Right To Know Components
Bismuth pentafluoride CAS-No.
7787-62-4
Revision Date
2008-06-01

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
