

Lithium Fluoride	Pricing >
Lithium Fluoride Foil	Pricing >
Lithium Fluoride Granules	Pricing >
Lithium Fluoride Lump	Pricing >
Lithium Fluoride Pieces	Pricing >
Lithium Fluoride Powder	Pricing >
Lithium Fluoride Sputtering Target	Pricing >
Lithium Fluoride Window	Pricing >
Ultra Dry Lithium Fluoride	Pricing >

Linear Formula	LiF
Pubchem CID	224478
MDL Number	MFCD00011090
EC No.	232-152-0
IUPAC Name	lithium fluoride
Beilstein/Reaxys No.	N/A
SMILES	[Li+].[F-]
Inchl Identifier	InChI=1S/FH.Li/h1H;/q;+1/p-1
Inchl Key	PQXKHXYIUOZZFA-UHFFFAOYSA-M
Signal Word	Danger
Hazard Statements	H301-H315-H319-H335
Hazard Codes	T
Precautionary Statements	P305 + P351 + P338
Flash Point	Not applicable
Risk Codes	25-32-36/37/38
Safety Statements	22-26-36/37/39-45
RTECS Number	N/A
Transport Information	UN 3288 6.1 / PGIII
WGK Germany	2

GHS Pictograms

[GHS06 Skull and Crossbones](#)



[GHS07 Exclamation Point](#)



[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 09/21/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #7789-24-4

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS06 Skull and crossbones
Acute Tox. 3 H301 Toxic if swallowed.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Hazards not otherwise classified No data available
GHS label elements, including precautionary statements

Hazard pictograms



Signal word Danger

Hazard statements

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing
dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye
protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a
POISON CENTER/ doctor

P305+P351+P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance
with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and
serious toxic effects

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

2

0

1

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7789-24-4 Lithium fluoride

Identification number(s):

EC number: 232-152-0

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed:

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Lithium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7789-24-4 Lithium fluoride (100.0%)

PEL (USA) Long-term value: 2.5 mg/m³

as F

REL (USA) Long-term value: 2.5 mg/m³
as F

TLV (USA) Long-term value: 2.5 mg/m³
as F, BEI

EL (Canada) Long-term value: 2.5 mg/m³
as F

Ingredients with biological limit values:

7789-24-4 Lithium fluoride (100.0%)

BEI (USA) 2 mg/L

Medium: urine

Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L

Medium: urine

Time: end of shift

Parameter: Fluoride (background, nonspecific)

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) No data available

Eye protection: Safety glasses

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Various forms (powder/flake/crystalline/beads, etc.)

Color: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A
Melting point/Melting range: 845 °C (1553 °F)
Boiling point/Boiling range: 1680 °C (3056 °F)
Sublimation temperature / start: No data available
Flammability (solid, gas) No data available.
Ignition temperature: No data available
Decomposition temperature: No data available
Autoignition: No data available.
Danger of explosion: No data available.
Explosion limits:
Lower: No data available
Upper: No data available
Vapor pressure: N/A

Density at 20 °C (68 °F): 2.635 g/cm³ (21.989 lbs/gal)
Relative density No data available.
Vapor density N/A
Evaporation rate N/A
Solubility in / Miscibility with
Water at 20 °C (68 °F): 1.3 g/l
Partition coefficient (n-octanol/water): No data available.
Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No data available
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Hydrogen fluoride
Lithium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:
Toxic if swallowed.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:
Oral LD50 143 mg/kg (rat)
Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:
ACGIH A4: Not classifiable as a human carcinogen:
Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information:

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA UN3288
UN proper shipping name
DOT Toxic solid, inorganic, n.o.s. (Lithium fluoride)
IMDG, IATA TOXIC SOLID, INORGANIC, N.O.S.
(Lithium fluoride)
Transport hazard class(es)
DOT
Class 6.1 Toxic substances.
Label 6.1
Class 6.1 (T5) Toxic substances
Label 6.1
IMDG, IATA
Class 6.1 Toxic substances.
Label 6.1
Packing group
DOT, IMDG, IATA III
Environmental hazards: N/A
Special precautions for user Warning: Toxic
substances
Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT): No
UN "Model Regulation": UN3288, Toxic solid,
inorganic, n.o.s. (Lithium fluoride), 6.1, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental
regulations/legislation specific for the substance or
mixture
GHS label elements, including precautionary
statements
Hazard pictograms
GHS06
Signal word Danger
Hazard statements
H301 Toxic if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261 Avoid breathing
dust/fume/gas/mist/vapors/spray.
P280 Wear protective gloves/protective clothing/eye
protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held

liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.
