

Tantalum(V) Methoxide		Pricing >
Linear Formula	Ta(OCH <sub>3</sub> ) <sub>5</sub>	
Pubchem CID	16212443	
MDL Number	MFCD00058817	
EC No.	N/A	
IUPAC Name	methanol; tantalum	
Beilstein/Reaxys No.	3675458	
SMILES	CO[Ta](OC)(OC)(OC)OC	
Inchl Identifier	InChI=1S/5CH3O.Ta/c5*1-2;/h5*1H3;/q5*-1;+5	
Inchl Key	QASMZJKUEABJNR-UHFFFAOYSA-N	

Signal Word	Danger
Hazard Statements	H228-H315-H319-H335
<b>Hazard Codes</b>	F,Xi
Risk Codes	11-36/37/38
Safety Statements	16-26-36
RTECS Number	N/A
Transport Information	UN 1325 4.1/PG 2
WGK Germany	3
GHS Pictograms	GHS07 Exclamation Point  CHS02 Flame

Create Printable PDF

### **SAFETY DATA SHEET**

**Date Accessed:** 04/19/2024 **Date Revised:** 01/15/2022

#### **SECTION 1. IDENTIFICATION**

**Product Identifiers:** All applicable American Elements product codes for CAS #865-35-0

#### Relevant identified uses of the substance:

Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number: Domestic, North America +1 800-424-9300 International +1 703-527-3887

#### **SECTION 2. HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 1), H228 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

2.2 GHS Label elements, including precautionary statements



Pictogram

Signal word Danger

Hazard statement(s)

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/lighting/ equipment.

P261 Avoid breathing dust/ fume/ gas/ mist/ Vapors/

spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula: C5H15O5Ta

Molecular Weight: 336.12 g/mol

CAS-No.: 865-35-0 Hazardous components

Component Classification Concentration

Tantalum(V) methoxide

Flam. Sol. 1; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H228,

H315, H319, H335

-

#### **SECTION 4. FIRST AID MEASURES**

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

#### **SECTION 5. FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Tantalum Oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas.

Ensure adequate

ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing

and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wetbrushing

and transfer to a container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7. HANDLING AND STORAGE**

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No

smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene

and safety practice. Wash hands before breaks and at the end of

workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved

under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection** 

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be

selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the

sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and

approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties
- a) Appearance Form: crystalline
- b) Odor no data available
- c) Odor Threshold no data available
- d) pH no data available
- e) Melting point/freezing point

no data available

f) Initial boiling point and boiling range

no data available

- g) Flash point no data available
- h) EVaporation rate no data available
- i) Flammability (solid, gas) The substance or mixture is a flammable solid with the category 1.
- j) Upper/lower

flammability or

explosive limits

no data available

- k) Vapor pressure no data available
- I) Vapor density no data available
- m) Relative density no data available
- n) Water solubility no data available
- o) Partition coefficient: noctanol/

water

no data available

p) Auto-ignition

temperature

no data available

q) Decomposition

temperature

no data available

- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidizing properties no data available
- 9.2 Other safety information

no data available

### **SECTION 10. STABILITY AND REACTIVITY**

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

## SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity no data available Dermal: no data available

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

no data available

Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12. ECOLOGICAL INFORMATION**

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical

safety assessment not required/not conducted

12.6 Other adverse effects

### SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this

material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a

licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 1325 Class: 4.1 Packing group: II Proper shipping name: Flammable solids, organic,

n.o.s. (Tantalum(V) methoxide)

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1325 Class: 4.1 Packing group: II EMS-

No: F-A, S-G

Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (Tantalum(V) methoxide)

Marine pollutant: No

IATA

UN number: 1325 Class: 4.1 Packing group: II Proper shipping name: Flammable solid, organic,

n.o.s. (Tantalum(V) methoxide)

# SECTION 15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the

threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Tantalum(V) methoxide

CAS-No.

865-35-0

**Revision Date** 

New Jersey Right To Know Components

Tantalum(V) methoxide

CAS-No.

865-35-0

**Revision Date** 

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

#### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.