

# SAFETY DATA SHEET

Date Accessed: 04/25/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Name:** Cerium Nitrate Solution

**Product Number:** All applicable American Elements product codes, e.g. CE-NAT-02-SOL , CE-NAT-03-SOL , CE-NAT-04-SOL , CE-NAT-05-SOL

**CAS #:** 10294-41-4

**Relevant identified uses of the substance:** Scientific research and development

**Supplier details:**

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

**Emergency telephone number:**

+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Sol. 2

H272 May intensify fire; oxidizer.

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No information known.

Label elements

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS03

GHS05

GHS07

Signal word: Danger

Hazard statements

H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P221

Take any precaution to avoid mixing with combustibles.

P210

Keep away from heat. - No smoking.

P220

Keep/Store away from clothing/combustible materials.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

C - Oxidizing materials

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 3

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances

CAS# Description:

10294-41-4 Cerium(III) nitrate hexahydrate

Concentration:  $\leq 100\%$

Identification number(s):

EC number: 233-297-2

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
After eye contact  
Rinse opened eye for several minutes under running water. Then consult a doctor.  
After swallowing  
Seek medical treatment.  
Information for doctor  
Most important symptoms and effects, both acute and delayed  
Causes skin irritation.  
Causes serious eye damage.  
Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media  
Suitable extinguishing agents  
Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
For safety reasons unsuitable extinguishing agents  
Halocarbon extinguisher  
Special hazards arising from the substance or mixture  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
If this product is involved in a fire, the following can be released:  
Nitrogen oxides (NO<sub>x</sub>)  
Cerium oxide  
Advice for firefighters  
Protective equipment:  
Wear self-contained respirator.  
Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Environmental precautions:  
Do not allow product to reach sewage system or any water course.  
Methods and material for containment and cleaning up:  
Ensure adequate ventilation.  
Prevention of secondary hazards:  
Acts as an oxidizing agent on organic materials such as wood, paper and fats  
Keep away from combustible material.  
Reference to other sections  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
Protective Action Criteria for Chemicals  
PAC-1: 13 mg/m<sup>3</sup>  
PAC-2: 140 mg/m<sup>3</sup>

## **SECTION 7. HANDLING AND STORAGE**

### Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

### Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

Specific end use(s)

No further relevant information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness:

0.11 mm

Eye protection:

Tightly sealed goggles

Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection:

Protective work clothing

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form: Solution

Odor: Odorless

Odor threshold: Not determined.

pH-value (200 g/l) at 20 °C (68 °F): 3

Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flammability (solid, gaseous)

Contact with combustible material may cause fire.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not applicable.

Density: Not determined

Bulk density at 20 °C (68 °F): 1050 kg/m<sup>3</sup>

Relative density: Not determined.

Vapor density: Not applicable.

Evaporation rate: Not applicable.

Solubility in / Miscibility with Water at 25 °C (77 °F): 1754 g/l

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

Other information

No further relevant information available.

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

May intensify fire; oxidizer.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid

No further relevant information available.

Incompatible materials:

Flammable substances

Reducing agents

Organic materials

Metal powders

Water/moisture

Hazardous decomposition products:

Nitrogen oxides

Cerium oxide

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 4200 mg/kg (rat)

Skin irritation or corrosion:

Causes skin irritation.

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

EPA-I: Data are inadequate for an assessment of human carcinogenic potential.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

May cause respiratory irritation.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity:

No further relevant information available.

Persistence and degradability

No further relevant information available.

Bioaccumulative potential

No further relevant information available.

Mobility in soil

No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects

No further relevant information available.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

---

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number

DOT, IMDG, IATA

UN1477

UN proper shipping name

DOT

Nitrates, inorganic, n.o.s. (Cerium(III) nitrate hexahydrate)

ADR

1477 Nitrates, inorganic, n.o.s.

IMDG, IATA

NITRATES, INORGANIC, N.O.S. (Cerium(III) nitrate hexahydrate)

Transport hazard class(es)

DOT

Class

5.1 Oxidizing substances

Label

5.1

ADR

Class

5.1 (O2) Oxidizing substances

Label

5.1

IMDG, IATA

Class

5.1 Oxidizing substances

Label

5.1

Packing group

DOT, ADR, IMDG, IATA

II

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Oxidizing substances

EMS Number:

F-A,S-Q

Stowage Category

A

Segregation Code

SG38 Stow "separated from" ammonium compounds.

SG49 Stow "separated from" cyanides

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

DOT

Quantity limitations

On passenger aircraft/rail: 5 kg

On cargo aircraft only: 25 kg

Marine Pollutant (DOT):

No

IMDG

Limited quantities (LQ)

1 kg

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

UN "Model Regulation":

UN 1477 NITRATES, INORGANIC, N.O.S., 5.1, II

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture  
GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms

GHS03

GHS05

GHS07

Signal word: Danger

Hazard statements

H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P221

Take any precaution to avoid mixing with combustibles.

P210

Keep away from heat. - No smoking.

P220

Keep/Store away from clothing/combustible materials.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

10294-41-4 Cerium(III) nitrate hexahydrate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

---

## **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.