

SAFETY DATA SHEET

Date Accessed: 04/24/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Name: cis-Diamminedichloroplatinum

Product Number: All applicable American Elements product codes, e.g. PT-MACL-01

CAS #: 15663-27-1

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: +1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS06 Skull and crossbones Acute Tox. 2 H300 Fatal if swallowed. GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 1B H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No data available GHS label elements, including precautionary statements



Hazard pictograms GHS06 GHS08 Signal word Danger Hazard statements H300 Fatal if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H350 May cause cancer. H335 May cause respiratory irritation. Precautionary statements P201 Obtain special instructions before use. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor P308+P313 IF exposed or concerned: Get medical advice/attention. WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH FIRE REACTIVITY 3 0 1 Health (acute effects) = 3Flammability = 0Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 15663-27-1 cis-Diamminedichloroplatinum(II) Identification number(s): EC number: 239-733-8

SECTION 4. FIRST AID MEASURES

Description of first aid measures General information Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: No data available Danger Platinum compounds, especially platinum halogen complexes, are sensitizers. Sensitized persons, on re-exposure to platinum salts, will show the clinical features of a Type 1 allergy: asthma and/or rhinitis and/or conjunctivitis and/or urticaria. A contact dermatitis may also occur. The symptoms of the allergic reaction to platinum salts may include any of the following: itchy red eyes, watering of the eyes, sneezing, runny nose, chest tightness, wheezing, breathlessness, cough, eczematous or urticarial (nettle rash type) skin lesions. Exposure to platinum salts in exceedingly small amounts, even below the level of physico-chemical detection, will produce symptoms in sensitized persons. Continued exposure will give symptoms of increasing severity and can eventually lead to chronic asthma. There is a risk of anaphylactic shock occuring in sensitized persons re-encountering platinum salts. Therefore, if sensitization has developed, further exposure to platinum compounds must not be permitted. Indication of any immediate medical attention and special treatment needed:

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

No data available

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen chloride (HCl)

Nitrogen oxides (NOx)

Ammonia

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Platinum metal and soluble salts (as Pt)

mg/m3

ACGIH TLV 1 (metal); 0.002 (soluble salts)

Austria MAK 1 (metal); 0.002 (soluble salts)

Belgium TWA 1 (metal); 0.002 (soluble salts)

Denmark TWA 0.002 (soluble salts)

Finland TWA 1 (metal); 0.002 (soluble salts)

France VME 1 (metal)

Germany MAK 0.002 (soluble salts)-Ceiling

Hungary TWA 0.001; 0.002-STEL (soluble salts)

Korea TLV 1 (metal); 0.002 (soluble salts)

Netherlands MAC-TTG 1 (metal); 0.002 (soluble salts)

Norway TWA 0.002

Switzerland MAK-W 0.002

United Kingdom TWA 5 (metal); 0.002 (soluble salts)

USA PEL 0.002

15663-27-1 cis-Diamminedichloroplatinum(II) (100.0%)

PEL (USA) Long-term value: 0.002 mg/m³ as Pt

REL (USA) Long-term value: 0.002 mg/m 3 as Pt

TLV (USA) Long-term value: 0.002 mg/m³

as Pt

EL (Canada) Long-term value: 0.002 mg/m³ as Pt: S Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Inspect gloves prior to use. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance: Form: Crystalline Color: Yellow Odor: Odorless Odor threshold: Not determined. pH: N/A Melting point/Melting range: 270 °C (518 °F) (dec) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: N/A Flammability (solid, gas) Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined Autoignition: Not determined. Danger of explosion: Product does not present an explosion hazard. **Explosion limits:** Lower: Not determined Upper: Not determined Vapor pressure: N/A Density: Not determined Relative density Not determined. Vapor density N/A Evaporation rate N/A Solubility in / Miscibility with Water at 20 °C (68 °F): 2.53 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: N/A

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No data available Incompatible materials: Oxidizing agents Hazardous decomposition products: Hydrogen chloride (HCI) Nitrogen oxides (NOx) Ammonia

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Fatal if swallowed.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization:

Platinum salts, especially ionic platinum halogeno complexes, may cause severe allergic reactions. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

May cause cancer.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

IARC-2A: Probably carcinogenic to humans: limited human evidence; sufficient evidence in experimental animals

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Other information (about experimental toxicology):

Tumorigenic effects have been observed on tests with laboratory animals.

Mutagenic effects have been observed on tests with bacteria.

Reproductive effects have been observed on tests with laboratory animals.

Subacute to chronic toxicity:

Exposure to platinum containing dusts or fumes may cause irritation, sensitization reactions and asthma. Effects include sneezing, coughing, tightness in the chest,

dyspnea and wheezing. Cyanosis is possible. Chronic exposure may result in pulmonary fibrosis. Subacute to chronic toxicity: No effects known.

Subacute to chronic toxicity:

Exposure to cis-diaminedichloroplatinum (II) causes damage to the kidneys, bone marrow, ears, liver, blood, peripheral nervous system, testes and female

reproductive system. RTECS cites reproductive, tumorigenic and carcinogenic effects in laboratory animals.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Additional ecological information: Do not allow material to be released to the environment without official permits. Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: N/A vPvB: N/A Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number DOT, IMDG, IATA UN3288 UN proper shipping name DOT Toxic solid, inorganic, n.o.s. (cis-Diamminedichloroplatinum(II)) IMDG, IATA TOXIC SOLID, INORGANIC, N.O.S. (cis-Diamminedichloroplatinum(II)) Transport hazard class(es) DOT Class 6.1 Toxic substances. Label 6.1 Class 6.1 (T5) Toxic substances Label 6.1 IMDG, IATA Class 6.1 Toxic substances. Label 6.1 Packing group DOT, IMDG, IATA II

Environmental hazards: N/A Special precautions for user Warning: Toxic substances EMS Number: F-A,S-A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3288, Toxic solid, inorganic, n.o.s. (cis-Diamminedichloroplatinum(II)), 6.1, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements, including precautionary statements Hazard pictograms GHS06 GHS08 Signal word Danger Hazard statements H300 Fatal if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H350 May cause cancer. H335 May cause respiratory irritation. Precautionary statements P201 Obtain special instructions before use. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor P308+P313 IF exposed or concerned: Get medical advice/attention. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer 15663-27-1 cis-Diamminedichloroplatinum(II) Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases. For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.