

# SAFETY DATA SHEET

Date Printed: 05/09/2021

Date Revised: 05/15/2015

## SECTION 1. IDENTIFICATION

**Product Name:** Lead Selenide Quantum Dots

**Product Number:** All applicable American Elements product codes, e.g. PB-SE-01-QD

**CAS #:** 12069-00-0

**Relevant identified uses of the substance:** Scientific research and development

**Supplier details:**

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

**Emergency telephone number:**

+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral(Category 3), H301

Acute toxicity, Inhalation(Category 3), H331

Carcinogenicity(Category 1B), H350

Reproductive toxicity(Category 1A), H360

Specific target organ toxicity -repeated exposure(Category 2), H373

Acute aquatic toxicity(Category 1), H400

Chronic aquatic toxicity(Category 1), H410

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H301 + H331

Toxic if swallowed or if inhaled

H350

May cause cancer.

H360

May damage fertility or the unborn child.

H373

May cause damage to organs through prolonged or repeated exposure.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P260

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P310 + P330

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.

P304 + P340 + P311

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P391

Collect spillage.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Formula: PbSe

Molecular weight: 286.16 g/mol

CAS-No.: 12069-00-0

EC-No.: 235-109-4

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Selenium/selenium oxides, Lead oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulate

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance

Form: powder

Color: gray

Odor

No data available

Odor Threshold

No data available

pH  
No data available  
Melting point/freezing point  
No data available  
Initial boiling point and boiling range  
No data available  
Flash point  
No data available  
Evaporation rate  
No data available  
Flammability (solid, gas)  
No data available  
Upper/lower flammability or explosive limits  
No data available  
Vapor pressure  
No data available  
Vapor density  
No data available  
Relative density  
8.1 g/cm<sup>3</sup> at 25 °C (77 °F)  
Water solubility  
No data available  
Partition coefficient: n-octanol/water  
No data available  
Auto-ignition temperature  
No data available  
Decomposition temperature  
No data available  
Viscosity  
No data available  
Explosive properties  
No data available  
Oxidizing properties  
No data available  
Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
No data available  
Incompatible materials  
Strong oxidizing agents  
Hazardous decomposition products  
Other decomposition products-No data available  
In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC:

3-Group 3: Not classifiable as to its carcinogenicity to humans(Lead(II) selenide)

2A-Group 2A: Probably carcinogenic to humans(Lead(II) selenide)

IARC:

3-Group 3: Not classifiable as to its carcinogenicity to humans(Lead(II) selenide)

2A-Group 2A: Probably carcinogenic to humans(Lead(II) selenide)

NTP:

Reasonably anticipated to be a human carcinogenThe reference note has been added by TD based on the background information of the NTP.(Lead(II) selenide)

OSHA:

OSHA specifically regulated carcinogen(Lead(II) selenide)

Reproductive toxicity

Known human reproductive toxicant

No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Lead salts have been reported to cross the placenta and to induce embryo-and feto-mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported.

Excessive exposure can affect blood, nervous, and digestive systems.

The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., Acute selenium poisoning produces central nervous system effects, which include nervousness, convulsions, and drowsiness. Other signs of intoxication can include skin eruptions, lassitude, gastrointestinal distress, teeth that are discolored or decayed, odorous ("garlic") breath, and partial

loss of hair and nails. Chronic exposure by inhalation can produce symptoms that include pallor, coating of the tongue, anemia, irritation of the mucosa, lumbar pain, liver and spleen damage, as well as any of the other previously mentioned symptoms. Chronic contact with selenium compounds may cause garlic odor of breath and sweat, dermatitis, and moderate emotional instability.

Stomach-Irregularities-Based on Human Evidence  
Stomach-Irregularities-Based on Human Evidence

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

No data available

Persistence and degradability:

No data available

Bioaccumulative potential:

No data available

Mobility in soil:

No data available

Results of PBT and vPvB assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 3283

Class: 6.1

Packing group: III

Proper shipping name: Selenium compound, solid, n.o.s.(Lead(II) selenide)

Reportable Quantity(RQ):

Marine pollutant: yes

Poison Inhalation Hazard: No

IMDG

UN number: 3283

Class: 6.1

Packing group: III

EMS-No: F-A, S-A

Proper shipping name: SELENIUM COMPOUND, SOLID, N.O.S.(Lead(II) selenide)

Marine pollutant: yes

IATA

UN number: 3283

Class: 6.1

Packing group: III

Proper shipping name: Selenium compound, solid, n.o.s.(Lead(II) selenide)

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Lead(II) selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Lead(II) selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

Pennsylvania Right To Know Components

Lead(II) selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

New Jersey Right To Know Components

Lead(II) selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Lead(II) selenide

CAS-No.

12069-00-0

Revision Date

2007-09-28

---

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

GHS

Classification in accordance with 29 CFR 1910 (OSHA HCS)



Flammable liquids (Category 2), H225  
Acute toxicity, Oral (Category 3), H301  
Acute toxicity, Inhalation (Category 3), H331  
Carcinogenicity (Category 1B), H350  
Carcinogenicity (Category 1A), H350  
Reproductive toxicity (Category 1A), H360  
Reproductive toxicity (Category 2), H361  
Specific target organ toxicity -single exposure (Category 3), Central nervous system, H336  
Specific target organ toxicity -repeated exposure (Category 2), H373  
Aspiration hazard (Category 1), H304  
Acute aquatic toxicity (Category 1), H400  
Acute aquatic toxicity (Category 2), H401  
Chronic aquatic toxicity (Category 1), H410  
Chronic aquatic toxicity (Category 2), H411  
GHS Label Elements:



Signal Word: Danger

Hazardous Statements

H225

Highly flammable liquid and vapor.

H304

May be fatal if swallowed and enters airways.

H361

Suspected of damaging fertility or the unborn child.

H373

May cause damage to organs (Gastro-intestinal system, Liver, Immune) through prolonged or repeated exposure.

Precautionary Statements

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242

Use only non-sparking tools.

P243

Take precautionary measures against static discharge.

P260

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P331

Do NOT induce vomiting.

P332 + P313

If skin irritation occurs: Get medical advice/ attention.

P362

Take off contaminated clothing and wash before reuse.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391

Collect spillage.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P403 + P235

Store in a well-ventilated place. Keep cool.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS--none

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name: Lead Selenide Nanocrystals

Chemical Formula: PbSe

Typical Solvents (CAS No):

Toluene (108-88-3), Hexanes (110-54-3), Chloroform (67-66-3), Dichloromethane (75-09-2), Methanol (67-56-1), Water

Substance Name

PbSe

CAS #12069-00-0

Toluene

108-88-3

Oleic Acid

112-80-1

---

### **SECTION 4. FIRST AID MEASURES**

Eye:

1. Flush immediately with warm water for at least 20 minutes
2. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids
3. If pain persists or recurs seek medical attention
4. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel

Skin:

1. Removing contaminated clothing, shoes and leathery wearings
2. Washing affected area thoroughly with soap and water for at least 20 minutes
3. Call a physician if irritation develops or persists

Ingestion:

1. If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomits
2. If victim is conscious and alert, give 2-4 cupfuls of milk/water to dilute the substance in the stomach
3. Never give anything by mouth to an unconscious person
4. Don't induce vomiting unless directed to by a medical person
5. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible, prior to initiating first aid procedures
6. Seek medical attention

Inhalation

1. Remove from further exposure and flush thoroughly with air
2. Lay patient down. Keep warm and rested
3. Prosthesis such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures
4. If respiratory irritation seek immediate medical assistance and call a physician

---

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing agents: Foam, CO<sub>2</sub>, dry chemical

Special Hazards:

1. Liquid and vapor are highly flammable
2. Severe fire hazard when exposed to heat, flame and/or oxidizers
3. Vapor may travel a considerable distance to source of ignition
4. Heating may cause expansion and or decomposition leading to violent rupture of containers

Protective equipment:

Wear self-contained respirator if necessary. Wear protective gloves.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

1. Remove all ignition sources
2. Clean up all spills immediately
3. Avoid breathing vapors and contact with skin and eyes
4. Control personal contact by using protective equipment
5. Contain and absorb small quantities with vermiculite or other absorbent material
6. Wipe up
7. Collect residues in a flammable waste container

---

## SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

1. Keep container tightly sealed. Store in refrigerator (2-8°C) under dark conditions.
2. Wash thoroughly after handling
3. Use only in well ventilated area
4. Ground and bond containers when transferring
5. Use spark free tools and explosion proof equipment

Conditions for safe storage, including any incompatibilities

1. Keep container tightly sealed. Store in refrigerator (2-8°C) under dark conditions.
  2. Do not store with acids or oxidizers
- 

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Lead Selenide:

TWA 0.2mg/mL air

Exposure for Toluene solvent

OSHA –Final PELs: 200ppm TWA

OSHA Ceiling: 300ppm

ACGIH: 50ppm, skin-potential for cutaneous absorption

NIOSH: 100ppm TWA; 375 mg/m<sup>3</sup> TWA; 550ppm IDLH

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages, and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves–check gloves using UV light after use to determine level of contamination.

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid form–black, dissolved in a solvent

Color: Black

Odor: Odor dependent upon solvent used. Crystalline powder is odorless

Melting point/Melting range: No data available

Boiling point/Boiling range: Determined by solvent used

Sublimation temperature / start: No data available

Flash point: Dependent upon solvent used

Ignition temperature: Dependent upon solvent used

Decomposition temperature: Not determined

Danger of explosion: Dependent upon solvent used.

Explosion limits: Currently unknown for nanocrystals

Vapor pressure: Dependent upon solvent used

Density: 8.0g/cm<sup>3</sup>

(crystal at 20 °C) for the nanocrystal powder if isolated

Solubility in / Miscibility with Polar Solvents: Soluble when hydrophilic ligands are present

Solubility in / Miscibility with Non-Polar Solvents: Soluble when hydrophobic ligands are present

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity: Vapor is explosive when exposed to heat or flame

Stability: Stable at room temperature in closed containers under normal storage and handling conditions

Incompatible materials: Strong oxidizers

Hazardous decomposition products: Lead oxides, selenium oxides under fire conditions

Thermal decomposition / conditions to be avoided:

Not determined, but temperature increases will affect the solvent used.

Be aware of the necessary warnings for the specific solvent used.

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Skin: Irritant to skin and mucous membranes.

Eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information: Danger through skin absorption.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Target Organs: Lungs, Liver, Kidneys

EPA-B1:

Probable human carcinogen, limited evidence of carcinogenicity from epidemiologic studies.

IARC-1:

Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-2:

Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals. Carcinogen as defined by OSHA.

ACGIH A2:

Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure.

Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans.

Reproductive toxicity: Damage to fetus possible Suspected human reproductive toxicant.

Reproductive toxicity -Rat -Inhalation Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count). Experiments have shown reproductive toxicity effects in male and female laboratory animals.

Developmental Toxicity:

Rat -Oral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus)

Additional Information:

Lead salts have been reported to cross the placenta and to induce embryo-and feto-mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported.

Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated,

neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., Acute selenium poisoning produces central nervous system effects, which include nervousness, convulsions, and drowsiness. Other signs of intoxication can include skin eruptions, lassitude, gastrointestinal distress, teeth that are discolored or decayed, odorous ("garlic") breath, and partial loss of hair and nails. Chronic exposure by inhalation can produce symptoms that include pallor, coating of the tongue, anemia, irritation of the mucosa, lumbar pain, liver and spleen damage, as well as any of the other previously mentioned symptoms. Chronic contact with selenium compounds may cause garlic odor of breath and sweat, dermatitis, and moderate emotional instability.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Do not allow material to be released to the environment without proper governmental permits.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Consult local or national regulations for proper disposal.

---

## **SECTION 14. TRANSPORT INFORMATION**

U.S. DOT 49 CFR 172.101

ID Number:

UN1294

Hazard class:

3

Packing Group:

II

Labeling Requirements:

Flammable Liquid

Canadian Transportation of Dangerous Goods:

UN1294, Class 3

Land Transport ADR/RID:

UN1294, Class 3, Class Code F1, Pack group II

Air Transport IATA/ICAO:

UN1294, Class or Division 3, Pack group II

Exceptions:

49 CFR 173.4

ID Number:

UN3283

Hazard class:

6

Packing Group:

III

Labeling Requirements:

Poison

Exceptions:

## **SECTION 15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA\Title III, Section 302.

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Toluene

CAS-No. 108-88-3

Revision Date 2007-07-01

Lead Selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

Massachusetts Right to Know Components

Toluene

CAS-No. 108-88-3

Revision Date

2007-07-01

Lead Selenide

CAS-No. 12069-00-0

Revision Date

1993-04-24

Pennsylvania Right to Know Components

Toluene

CAS-No. 108-88-3

Revision Date

2007-07-01

Lead Selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

New Jersey Right to Know Components

Toluene

CAS-No. 108-88-3

Revision Date

2007-07-01

Lead Selenide

CAS-No.

12069-00-0

Revision Date

1993-04-24

California Prop. 65 Components

**WARNING:**

This product contains a chemical known to the State of California to cause cancer.

Toluene

CAS-No. 108-88-3

Revision Date

2007-07-01

Lead Selenide

CAS-No.  
12069-00-0  
Revision Date  
1993-04-24

**WARNING:**

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm:

Toluene

CAS-No.  
108-88-3

Revision Date  
2007-07-01

Lead Selenide  
CAS-No.

12069-00-0  
Revision Date  
1993-04-24

---

## **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2021 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.