

# SAFETY DATA SHEET

Date Accessed: 04/20/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Name:** Manganese Chloride Solution

**Product Number:** All applicable American Elements product codes, e.g. MN2-CL-02-SOL , MN2-CL-03-SOL , MN2-CL-04-SOL , MN2-CL-05-SOL

**CAS #:** 7773-01-5

**Relevant identified uses of the substance:** Scientific research and development

**Supplier details:**

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

**Emergency telephone number:**

+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Brain, H373

Acute aquatic toxicity (Category 3), H402

Chronic aquatic toxicity (Category 3), H412

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H318 Causes serious eye damage.

H373 May cause damage to organs (Brain) through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P273 Avoid release to the environment.

P280 Wear eye protection/ face protection.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.2 Mixtures**

Hazardous components

Component Classification Concentration

Manganese dichloride

CAS-No.

EC-No.

7773-01-5

231-869-6

Acute Tox. 4; Eye Dam. 1;

STOT RE 2; Aquatic Acute 2;

Aquatic Chronic 2; H302,

H318, H373, H411

>= 10 - < 20 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## **SECTION 4. FIRST AID MEASURES**

### **4.1 Description of first aid measures**

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas, Manganese/manganese oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Evacuate

personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment

must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Non Combustible Liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

Components with workplace control parameters

Component CAS-No. Value Control parameters

Basis

Manganese dichloride

7773-01-5 C 5.000000 mg/m<sup>3</sup>

USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

Remarks Ceiling limit is to be determined from breathing-zone air samples.

TWA 0.200000

mg/m<sup>3</sup>

USA. ACGIH Threshold Limit Values

(TLV)

Central Nervous System impairment

Adopted values or notations enclosed are those for which changes  
are proposed in the NIC

See Notice of Intended Changes (NIC)

varies

TWA 1.000000

mg/m<sup>3</sup>

USA. NIOSH Recommended

Exposure Limits

ST 3.000000

mg/m<sup>3</sup>

USA. NIOSH Recommended

Exposure Limits

TWA 0.100000

mg/m<sup>3</sup>

USA. ACGIH Threshold Limit Values

(TLV)

Central Nervous System impairment

2015 Adoption

varies

TWA 0.020000

mg/m<sup>3</sup>

USA. ACGIH Threshold Limit Values

(TLV)

Central Nervous System impairment

2015 Adoption

varies

C 5 mg/m<sup>3</sup> USA. Occupational Exposure Limits

(OSHA) - Table Z-1 Limits for Air

Contaminants

Ceiling limit is to be determined from breathing-zone air samples.

TWA 0.1 mg/m<sup>3</sup> USA. ACGIH Threshold Limit Values

(TLV)

Central Nervous System impairment

Not classifiable as a human carcinogen

varies

TWA 0.02 mg/m<sup>3</sup> USA. ACGIH Threshold Limit Values

(TLV)

Central Nervous System impairment

Not classifiable as a human carcinogen

varies

TWA 1 mg/m<sup>3</sup> USA. NIOSH Recommended

Exposure Limits

ST 3 mg/m<sup>3</sup> USA. NIOSH Recommended

Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks

and at the end of  
workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested  
and

approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique  
(without

touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves  
after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected  
according to

the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with  
multipurpose

combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators  
and

components tested and approved under appropriate government standards such as NIOSH (US) or  
CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the  
environment must be avoided.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting point/freezing  
point

No data available

f) Initial boiling point and  
boiling range

No data available

g) Flash point No data available

h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower  
flammability or

explosive limits

No data available

k) Vapor pressure No data available

l) Vapor density No data available

m) Relative density No data available

n) Water solubility No data available

o) Partition coefficient: noctanol/  
water  
No data available  
p) Auto-ignition  
temperature  
No data available  
q) Decomposition  
temperature  
No data available  
r) Viscosity No data available  
s) Explosive properties No data available  
t) Oxidizing properties No data available  
9.2 Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

10.1 Reactivity  
No data available  
10.2 Chemical stability  
Stable under recommended storage conditions.  
10.3 Possibility of hazardous reactions  
No data available  
10.4 Conditions to avoid  
No data available  
10.5 Incompatible materials  
Zinc, Potassium, Strong acids, Sodium/sodium oxides, Hydrogen peroxide  
10.6 Hazardous decomposition products  
Other decomposition products - No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects  
Acute toxicity  
No data available  
Inhalation: No data available  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
No data available  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the

central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like

appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall

in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to

the dust or fume of some manganese compounds., To the best of our knowledge, the chemical, physical, and

toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Manganese dichloride)

---

## SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability:

No data available

12.3 Bioaccumulative potential:

No data available

12.4 Mobility in soil:

No data available

12.5 Results of PBT and vPvB assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste

disposal service to dispose of this material.

Contaminated packaging  
Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)  
Not dangerous goods  
IMDG  
Not dangerous goods  
IATA  
Not dangerous goods

---

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components  
No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.  
SARA 313 Components  
The following components are subject to reporting levels established by SARA Title III, Section 313:  
Manganese dichloride  
CAS-No.  
7773-01-5  
Revision Date  
2007-07-01  
SARA 311/312 Hazards  
Acute Health Hazard, Chronic Health Hazard  
Massachusetts Right To Know Components  
No components are subject to the Massachusetts Right to Know Act.  
Pennsylvania Right To Know Components  
Water  
CAS-No.  
7732-18-5  
Revision Date  
Manganese dichloride 7773-01-5 2007-07-01  
New Jersey Right To Know Components  
Water  
CAS-No.  
7732-18-5  
Revision Date  
Manganese dichloride 7773-01-5 2007-07-01  
California Prop. 65 Components  
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the



properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.