

# SAFETY DATA SHEET

**Date Printed:** 04/26/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

Product Identifier: (2N) 99% Silver Oxide Nanopowder

Product Code: AG-OX-02-NP

**CAS Number:** 20667-12-3

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS03 Flame over circle

Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer.

**GHS05 Corrosion** 

Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R41: Risk of serious damage to eyes.

O; Oxidizing

R9: Explosive when mixed with combustible material.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

### Hazard pictograms





**GHS03 GHS05** 

Signal word

Danger

Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H318 Causes serious eye damage.

Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P283 Wear fire/flame resistant/retardant clothing.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

C - Oxidizing materials

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

**REACTIVITY** 

2

0

3

Health (acute effects) = 2

Flammability = 0

Physical Hazard = 3

Other hazards

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

CAS No. / Substance Name: 20667-12-3 Silver(I) oxide Identification number(s):

EC number: 243-957-1

#### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents

Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Pick up mechanically.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Store in the dark.

Do not store with organic materials.

Store away from metal powders.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from exposure to light.

Specific end use(s)

No data available

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

20667-12-3 Silver(I) oxide (100.0%)

EL (Canada) Short-term value: 0.03 mg/m<sup>3</sup>

Long-term value: 0.01 mg/m<sup>3</sup> as Ag

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection: Tightly sealed goggles Body protection: Protective work clothing.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid in various forms

Color: Dark grey to black

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 230 °C (446 °F) (dec) Boiling point/Boiling range: No data available Sublimation temperature / start: No data available

Flammability (solid, gas)

Contact with combustible material may cause fire.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Explosive when mixed with combustible material.

**Explosion limits:** 

Lower: No data available Upper: No data available Vapor pressure: N/A

Density at 20 °C (68 °F): 7.2 g/cm<sup>3</sup> (60.084 lbs/gal)

Relative density: No data available.

Vapor density: N/A Evaporation rate: N/A

Solubility in / Miscibility with Water at 20 °C (68 °F): 0.013 g/l Partition coefficient (n-octanol/water): No data available.

Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information
No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

May intensify fire; oxidizer.

May cause fire or explosion; strong oxidizer.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid

No data available

Incompatible materials:

Reducing agents

Flammable substances

Organic materials

Metal powders

Light

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

Oral LD50 2820 mg/kg (rat)

Skin irritation or corrosion:

May cause irritation

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC,

NTP, OSHA or ACGIH.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

**Ecotoxical effects:** 

Remark:

Very toxic for aquatic organisms

Additional ecological information:

Do not allow product to reach groundwater, water courses, or sewage systems.

Do not allow material to be released to the environment without official permits.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A

Other adverse effects No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

### **SECTION 14. TRANSPORT INFORMATION**

**UN-Number** 

DOT, IMDG, IATA

UN1479

UN proper shipping name

DOT

Oxidizing solid, n.o.s. (Silver(I) oxide)

**IMDG** 

OXIDIZING SOLID, N.O.S. (Silver(I) oxide), MARINE POLLUTANT

IATA

OXIDIZING SOLID, N.O.S. (Silver(I) oxide)

Transport hazard class(es)

DOT

Class

5.1 Oxidising substances.

Label

5.1

Class

5.1 (O2) Oxidizing substances

Label

5.1

**IMDG** 

Class

5.1 Oxidising substances.

Label

5.1

IATA

Class

5.1 Oxidising substances.

Label

5.1

Packing group

DOT, IMDG, IATA

Ш

Environmental hazards:

Environmentally hazardous substance, solid; Marine Pollutant

Marine pollutant (IMDG):

Yes (P)

Symbol (fish and tree)

Special precautions for user

Warning: Oxidizing substances

EMS Number:

F-A,S-Q

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

Remarks:

Special marking with the symbol (fish and tree).

**UN "Model Regulation":** 

UN1479, Oxidizing solid, n.o.s. (Silver(I) oxide), 5.1, II

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

20667-12-3 Silver(I) oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

**REACH** - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.