

# SAFETY DATA SHEET

Date Printed: 09/22/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (4N) 99.99% Vanadium(V) Oxytriisopropoxide

**Product Code:** V5-OXTIPID-04

**CAS Number:** 5588-84-1

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Skin Corrosion/Irritation [Category 2]

Eye Damage/Irritation [Category 2A]

Flammable Liquids [Category 4]

Signal word: Warning!

Hazard Statement(s): Causes serious eye irritation

Causes skin irritation

Combustible liquid

Pictogram(s) or Symbol(s):



Precautionary Statement(s):

[Prevention] Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection.

Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Wear protective gloves,

eye protection and face protection.

[Response] If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several

minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice or attention. In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam to extinguish.

[Storage] Store in well-ventilated place. Keep cool.

[Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance/Mixture: Substance

Components: Triisopropoxyvanadium(V) Oxide

Percent: >97.0%(T)

CAS Number: 5588-84-1

Molecular Weight: 244.20

Chemical Formula: C<sub>9</sub>H<sub>21</sub>O<sub>4</sub>V

Synonyms: Vanadium(V) Oxytriisopropoxide , Vanadium(V) Triisopropoxide Oxide

---

### **SECTION 4. FIRST AID MEASURES**

Inhalation: Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin contact: Call a poison center or doctor if you feel unwell. Remove and wash contaminated clothing before re-use. In

case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and

take precautions to protect themselves.

Eye contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with

material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and

remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively.

Effects of

exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Ingestion: Do not induce vomiting with out medical advice. If swallowed, seek medical advice immediately and show

the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial

respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them

in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm

and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: Redness.

Delayed: No data available

Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the

injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

---

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media: Dry chemical, CO<sub>2</sub>, water spray, or alcohol-resistant foam. Consult with local fire authorities before

attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Carbon oxides

Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products

have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or

explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations

ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use sparkproof

tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor

respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

Emergency procedures: Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and exercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling: Do NOT breathe gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this

product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry.

Handle

and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

Conditions for safe storage: Keep only in the original container in a cool well-ventilated place. Keep away from sources of ignition.

Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Moisture sensitive.

Storage incompatibilities: Combustible substances, Store away from oxidizing agents

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash

fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial

engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection: Wear protective gloves.

Eye protection: Splash goggles.

Skin and body protection: Lab coat.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state (20°C): Liquid

Form: Clear

Color: Pale yellow - Deep yellow

Odor: Alcoholic  
Odor threshold: No data available  
Melting point/freezing point: -2°C (28°F)  
Boiling point/range: 102°C (216°F)/1.2kPa  
Decomposition temperature: No data available  
Relative density: 1.04  
Kinematic Viscosity: No data available  
Partition coefficient: No data available  
n-octanol/water (log Pow)  
Flash point: 70°C (158°F)  
Flammability (solid, gas): No data available

pH: No data available  
Vapor pressure: 0.1kPa/60°C  
Vapor density: No data available  
Dynamic Viscosity: No data available  
Evaporation rate: No data available  
(Butyl Acetate = 1)  
Autoignition temperature: No data available  
Flammability or explosive limits: No data available  
Lower: No data available  
Upper: No data available

Solubility(ies):  
Soluble: Toluene, Hexane, Isopropanol

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity: Not Available.  
Chemical Stability: Moisture sensitive.  
Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture.  
Conditions to avoid: Exposure to moisture. Moisture sensitive.  
Incompatible materials: Moisture, Oxidizing agents  
Hazardous Decomposition Products: No data available

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute Toxicity:  
No data available  
Skin corrosion/irritation:  
No data available  
Serious eye damage/irritation:  
No data available  
Respiratory or skin sensitization:  
No data available  
Germ cell mutagenicity:  
No data available  
Carcinogenicity:  
No data available  
IARC: No data available NTP: No data available OSHA: No data available  
Reproductive toxicity:  
No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Eye contact may result in redness or pain.

Potential Health Effects:

Skin and eye contact may result in irritation.

Target organ(s): No data available

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity

Fish: No data available

Crustacea: No data available

Algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential (BCF): No data available

Mobility in soil: No data available

Partition coefficient:

n-octanol/water (log Pow)

No data available

Soil adsorption (Koc): No data available

Henry's Law:

constant (PaM<sup>3</sup>/mol)

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a

chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide

assistance but does not replace these laws, nor does compliance in accordance with this section ensure

regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous

Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number:

UN1993

Proper Shipping Name:  
Flammable liquids, n.o.s.  
Class or Division:  
3 Flammable liquid  
Packing Group:  
III  
IATA  
UN number:  
UN1993  
Proper Shipping Name:  
Flammable liquids, n.o.s.  
Class or Division:  
3 Flammable liquid  
Packing Group:  
III  
IMDG  
UN number:  
UN1993  
Proper Shipping Name:  
Flammable liquids, n.o.s.  
Class or Division:  
3 Flammable liquid  
Packing Group:  
III  
EmS number: F-E, S-E

---

## **SECTION 15. REGULATORY INFORMATION**

Toxic Substance Control Act (TSCA 8b.):  
This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.  
US Federal Regulations  
CERCLA Hazardous substance and Reportable Quantity:  
SARA 313: Not Listed  
SARA 302: Not Listed  
State Regulations  
State Right-to-Know  
Massachusetts Not Listed  
New Jersey Not Listed  
Pennsylvania Not Listed  
California Proposition 65: Not Listed  
Other Information  
NFPA Rating:  
Health: 2  
Flammability: 2  
Instability: 0  
HMIS Classification:  
Health: 2  
Flammability: 2  
Physical: 0  
International Inventories  
WHMIS hazard class: B2: Flammable Liquid.  
D2B: Materials causing other toxic effects. (Toxic)  
Canada: NDSL On NDSL

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.