

# SAFETY DATA SHEET

Date Printed: 09/25/2024 Date Revised: 01/15/2022

### **SECTION 1. IDENTIFICATION**

Product Identifier: Cu-85% Sn-15%

Product Code: CU-SN-01-P.15SN

CAS Number: 158113-12-3

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

### **SECTION 2. HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Combustible dust, Acute aquatic toxicity (Category 1), H400

2.2 GHS Label elements, including precautionary statements Pictogram



Signal word Warning Hazard statement(s) May form combustible dust concentrations in air H400 Very toxic to aquatic life. Precautionary statement(s) P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/ container to an approved waste disposal plant. 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures Synonyms : Bronze Sn5Cu84 Molecular weight : 182.26 g/mol Hazardous components **Component Classification Concentration** Copper CAS-No. EC-No. 7440-50-8 231-159-6 Aquatic Acute 1; H400 >= 90 - <= 100 % Tin CAS-No. EC-No. 7440-31-5 231-141-8 >= 10 - < 20 %

## **SECTION 4. FIRST AID MEASURES**

4.1 Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Consult a physician. In case of eye contact Flush eyes with water as a precaution. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5. FIREFIGHTING MEASURES**

5.1 Extinguishing mediaSuitable extinguishing mediaUse water spray, alcohol-resistant foam, dry chemical or carbon dioxide.5.2 Special hazards arising from the substance or mixture

Tin/tin oxides, Copper oxides 5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary. 5.4 Further information No data available

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures
Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
For personal protection see section 8.
6.2 Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
6.3 Methods and materials for containment and cleaning up
Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections

### SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible

dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters Components with workplace control parameters Component CAS-No. Value Control parameters Basis Copper 7440-50-8 TWA 1.000000 mg/m3 USA. ACGIH Threshold Limit Values (TLV)

**Remarks** Irritation Gastrointestinal metal fume fever TWA 1.000000 ma/m3 USA. NIOSH Recommended **Exposure Limits** TWA 1.000000 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants TWA 0.200000 mg/m3 USA. ACGIH Threshold Limit Values (TLV) Irritation Gastrointestinal metal fume fever TWA 0.100000 mg/m3 **USA.** Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants TWA 1.000000 ma/m3 USA. ACGIH Threshold Limit Values (TLV) Irritation Gastrointestinal metal fume fever TWA 0.200000 mg/m3 USA. ACGIH Threshold Limit Values (TLV) Irritation Gastrointestinal metal fume fever TWA 1.000000 mg/m3 USA. NIOSH Recommended **Exposure Limits** TWA 1.000000 mg/m3 USA. NIOSH Recommended **Exposure Limits** TWA 1.000000 ma/m3 USA. NIOSH Recommended **Exposure Limits** TWA 1.000000 ma/m3 **USA.** Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air **Contaminants** 

ma/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants TWA 1 mg/m3 USA. ACGIH Threshold Limit Values (TLV) Irritation Gastrointestinal metal fume fever TWA 0.2 mg/m3 USA. ACGIH Threshold Limit Values (TLV) Irritation Gastrointestinal metal fume fever TWA 1 mg/m3 USA. NIOSH Recommended **Exposure Limits** TWA 1 mg/m3 USA. NIOSH Recommended **Exposure Limits** TWA 1 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air **Contaminants** TWA 0.1 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air **Contaminants** Tin 7440-31-5 TWA 2.000000 ma/m3 USA. ACGIH Threshold Limit Values (TLV) Pneumoconiosis (or Stannosis) TWA 2.000000 mg/m3 USA. NIOSH Recommended **Exposure Limits** TWA 2.000000 ma/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants TWA 2 mg/m3 USA. ACGIH Threshold Limit Values (TLV) Pneumoconiosis (or Stannosis) TWA 2 mg/m3 USA. NIOSH Recommended **Exposure Limits** TWA 2 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants 8.2 Exposure controls Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Personal protective equipment Eye/face protection Use equipment for eye protection tested and approved under appropriate government standards such

TWA 0.100000

as

NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without

touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after

use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and

to the specific work-place., The type of protective equipment must be selected according to the concentration

and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type

N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under

appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties a) Appearance Form: powder b) Odor No data available c) Odor Threshold No data available d) pH No data available e) Melting point/freezing point No data available f) Initial boiling point and boiling range No data available g) Flash point N/A h) Evaporation rate No data available i) Flammability (solid, gas) May form combustible dust concentrations in air j) Upper/lower flammability or explosive limits No data available k) Vapor pressure No data available I) Vapor density No data available m) Relative density No data available n) Water solubility No data available o) Partition coefficient: noctanol/ water No data available p) Auto-ignition temperature

No data available q) Decomposition temperature No data available r) Viscosity No data available s) Explosive properties No data available t) Oxidizing properties No data available 9.2 Other safety information No data available

### SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity
No data available
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
No data available
10.5 Incompatible materials
Strong bases, Strong oxidizing agents, Strong acids, Acid chlorides, Sulphur compounds, Halogens
10.6 Hazardous decomposition products
Other decomposition products - No data available
In the event of fire: see section 5

### SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity No data available No data available Specific target organ toxicity - single exposure

No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information **RTECS:** Not available sneezing, Nausea, Weakness, Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis.

### **SECTION 12. ECOLOGICAL INFORMATION**

12.1 Toxicity
No data available
12.2 Persistence and degradability
No data available
12.3 Bioaccumulative potential
No data available
12.4 Mobility in soil
No data available
12.5 Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
12.6 Other adverse effects
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.

#### SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methodsProductOffer surplus and non-recyclable solutions to a licensed disposal company.Contaminated packagingDispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

DOT (US) Not dangerous goods IMDG UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper) Marine pollutant:yes IATA UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper) Further information EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

### **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: Copper CAS-No. 7440-50-8 **Revision Date** 2007-07-01 No SARA Hazards Massachusetts Right To Know Components Copper CAS-No. 7440-50-8 **Revision Date** 2007-07-01 Tin 7440-31-5 1994-04-01 Pennsylvania Right To Know Components Copper CAS-No. 7440-50-8 **Revision Date** 2007-07-01 Tin 7440-31-5 1994-04-01 New Jersey Right To Know Components Copper CAS-No. 7440-50-8 **Revision Date** 2007-07-01 Tin 7440-31-5 1994-04-01 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The

information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.