

# SAFETY DATA SHEET

Date Printed: 04/25/2024 Date Revised: 01/15/2022

## **SECTION 1. IDENTIFICATION**

Product Identifier: (3N) 99.9% Lead Nitrate

Product Code: PB-NAT-03

CAS Number: 10099-74-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**

,Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS08 Health hazard Repr. 1A H360 May damage fertility or the unborn child. STOT RE 2 H373 May cause damage to the kidneys, the liver, the blood and the brain through prolonged or repeated exposure. Route of exposure: Oral. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled. Hazards not otherwise classified No data available GHS label elements GHS label elements, including precautionary statements Hazard pictograms,



,GHS07 GHS08 Signal word Danger Hazard statements H302+H332 Harmful if swallowed or if inhaled. H360 May damage fertility or the unborn child. H373 May cause damage to the kidneys, the liver, the blood and the brain through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P281 Use personal protective equipment as required. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification C - Oxidizing materials D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH FIRE REACTIVITY 2 0 2 Health (acute effects) = 2Flammability = 0Physical Hazard = 2 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

,Substances CAS No. / Substance Name: 10099-74-8 Lead(II) nitrate Identification number(s): EC number: 233-245-9 Index number: 082-001-00-6,

# **SECTION 4. FIRST AID MEASURES**

,Description of first aid measures If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No data available Indication of any immediate medical attention and special treatment needed No data available,

# **SECTION 5. FIREFIGHTING MEASURES**

,Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Nitrogen oxides (NOx) Lead oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.,

# SECTION 6. ACCIDENTAL RELEASE MEASURES

,Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.,

# **SECTION 7. HANDLING AND STORAGE**

,Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Substance/product can reduce the ignition temperature of flammable substances. This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Do not store with organic materials. Store away from metal powders. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Protect from humidity and water. Specific end use(s) No data available,

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

,Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters** 

Components with limit values that require monitoring at the workplace:

10099-74-8 Lead(II) nitrate (100.0%)

PEL (USA) Long-term value: 0.05 mg/m<sup>3</sup> as Pb; See 29 CFR 1910.1025

REL (USA) Long-term value: 0.05\* mg/m<sup>3</sup> as Pb;\*8-hr TWA; See Pocket Guide App. C

TLV (USA) Long-term value: 0.05 mg/m<sup>3</sup> as Pb; BEI

EL (Canada) Long-term value: 0.05 mg/m<sup>3</sup> as Pb; IARC 2A, R

EV (Canada) Long-term value: 0.05 mg/m<sup>3</sup> as Pb, Skin (organic compounds)

Ingredients with biological limit values: 10099-74-8 Lead(II) nitrate (100.0%) BEI (USA) 30 µg/100 ml Medium: blood Time: not critical Parameter: Lead Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and guality, the latter of which may vary by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) No data available Eye protection: Safety glasses Body protection: Protective work clothing,

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

,Information on basic physical and chemical properties Appearance: Form: Various forms (powder/flake/crystalline/beads, etc.) Color: White Odor: Odorless Odor threshold: No data available. pH: N/A Melting point/Melting range: 470 °C (878 °F) (dec) Boiling point/Boiling range: No data available Sublimation temperature / start: No data available Flammability (solid, gas) Contact with combustible material may cause fire. Ignition temperature: No data available Decomposition temperature: No data available Autoignition: No data available.

Danger of explosion: No data available. **Explosion limits:** Lower: No data available Upper: No data available Vapor pressure: N/A Density at 20 °C (68 °F): 4.53 g/cm<sup>3</sup> (37.803 lbs/gal) Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in / Miscibility with Water at 0 °C (32 °F): 376 g/l Soluble Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information No data available,

### SECTION 10. STABILITY AND REACTIVITY

,Reactivity May intensify fire; oxidizer. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with reducing agents Reacts with flammable substances Conditions to avoid No data available Incompatible materials: Flammable substances **Reducing agents** Water/moisture Organic materials Metal powders Hazardous decomposition products: Nitrogen oxides Lead oxide fume,

#### SECTION 11. TOXICOLOGICAL INFORMATION

,Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

May cause irritation

Eye irritation or corrosion:

May cause irritation

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. IARC-2A: Probably carcinogenic to humans: limited human evidence; sufficient evidence in experimental animals

Reproductive toxicity:

May damage fertility or the unborn child.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:

May cause damage to the kidneys, the liver, the blood and the brain through prolonged or repeated exposure. Route of exposure: Oral.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.,

# SECTION 12. ECOLOGICAL INFORMATION

,Toxicity Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: Do not allow material to be released to the environment without official permits. Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: N/A vPvB: N/A Other adverse effects

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

No data available,

,Waste treatment methods Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.,

#### **SECTION 14. TRANSPORT INFORMATION**

.UN-Number DOT, IMDG, IATA UN1469 UN proper shipping name DOT Lead nitrate IMDG LEAD NITRATE, MARINE POLLUTANT IATA LEAD NITRATE Transport hazard class(es) DOT Class 5.1 Oxidising substances. Label 5.1+6.1 Class 5.1 (OT2) Oxidizing substances Label 5.1 + 6.1

IMDG Class 5.1 Oxidising substances. Label 5.1 + 6.1IATA Class 5.1 Oxidising substances Label 5.1 + 6.1Packing group DOT, IMDG, IATA Ш Environmental hazards: Environmentally hazardous substance, solid; Marine Pollutant Marine pollutant (IMDG): Symbol (fish and tree) Special precautions for user Warning: Oxidizing substances EMS Number: F-A,S-Q Segregation groups Heavy metals and their salts (including their organometallic compounds), lead and its compounds Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT Marine Pollutant (DOT): No Remarks: Special marking with the symbol (fish and tree). UN "Model Regulation": UN1469, Lead nitrate, 5.1 (6.1), II,

# SECTION 15. REGULATORY INFORMATION

,Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements Hazard pictograms GHS07 GHS08 Signal word Danger Hazard statements H302+H332 Harmful if swallowed or if inhaled. H360 May damage fertility or the unborn child. H373 May cause damage to the kidneys, the liver, the blood and the brain through prolonged or repeated exposure. Route of exposure: Oral. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P281 Use personal protective equipment as required. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 10099-74-8 Lead(II) nitrate California Proposition 65 Prop 65 - Chemicals known to cause cancer 10099-74-8 Lead(II) nitrate Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. This substance is included in the Candidate List of Substances of Very High Concern ( SVHC) according to Regulation (EC) No. 1907/2006 (REACH). The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.