

# SAFETY DATA SHEET

**Date Printed:** 04/24/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

**Product Identifier:** (5N) 99.999% Sodium Selenate, Anhydrous

Product Code: NA-SEAT-05-C.AHYD

**CAS Number:** 13410-01-0

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 3: H331; Acute Tox. 4: H302; Aquatic Chronic 2: H411; STOT

RE 2: H373

Most important adverse effects: Harmful if swallowed. Toxic if inhaled. May cause damage to organs through prolonged

or repeated exposure. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

H331: Toxic if inhaled.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS06: Skull and crossbones

GHS08: Health hazard GHS09: Environmental

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapors/spray.

P271: Use only outdoors or in a well-ventilated area.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.

P311: Call a POISON CENTER/doctor/.

P314: Get medical advice/attention if you feel unwell.

P321: Specific treatment (see on this label).

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous ingredients:

SODIUM SELENATE

EINECS CAS PBT / WEL CLP Classification Percent

236-501-8 13410-01-0 - Acute Tox. 3: H301; Aquatic Chronic 1:

H410; STOT RE 2: H373; Aquatic Acute 1: H400; Acute Tox. 3: H331

1-10%

#### **SECTION 4. FIRST AID MEASURES**

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Ingestion of (excessive amounts) may cause vomiting, nausea, convulsions. There may be loss of consciousness.

Inhalation: There may be respiratory irritation. Harmful by inhalation

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

## **SECTION 5. FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Non combustible. In ambient fire the product will release toxic fumes and oxides of Selenium.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### **SECTION 7. HANDLING AND STORAGE**

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area.

Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients:

**SODIUM SELENATE** 

Workplace exposure limits: Respirable dust

State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL

UK 0.1 mg/m3 - - -

**DNEL/PNEC Values** 

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is exhaust ventilation of the area. The floor of the storage room

must be

impermeable to prevent the escape of liquids.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Particle

filter class P1 (EN143).

Hand protection: Protective gloves.

Eye protection: Safety glasses with side-shields. Ensure eye bath is to hand.

Skin protection: Protective clothing. Environmental: No special requirement.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

State: Powder Colour: White Odor: Odorless

Evaporation rate: No data available. Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble Viscosity: No data available.

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: No data available. Part.coeff. n-octanol/water: No data available. Autoflammability°C: No data available. Vapor pressure: No data available.

Relative density: No data available. pH: No data available.

VOC g/l: No data available. 9.2. Other information

Other information: No data available.

### **SECTION 10. STABILITY AND REACTIVITY**

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoidConditions to avoid: Heat.10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Hazardous ingredients:

SODIUM SELENATE

ORAL RAT LD50 1.6 mg/kg

Relevant hazards for substance:

**Hazard Route Basis** 

Acute toxicity (ac. tox. 4) ING Hazardous: calculated Acute toxicity (ac. tox. 3) INH Hazardous: calculated STOT-repeated exposure - Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Ingestion of (excessive

amounts) may cause vomiting, nausea, convulsions. There may be loss of

consciousness.

Inhalation: There may be respiratory irritation. Harmful by inhalation

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## **SECTION 12. ECOLOGICAL INFORMATION**

12.1. Toxicity

Hazardous ingredients:

SODIUM SELENATE

ALGAE 72H ErC50 96.6 mg/l

Daphnia magna 48H EC50 7.9 mg/l

ZEBRAFISH (Brachydanio rerio) 96H LC50 24 mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

14.1. UN number UN number: UN3288

14.2. UN proper shipping name

Shipping name: TOXIC SOLID, INORGANIC, N.O.S.

(SODIUM SELENATE)

14.3. Transport hazard class(es)

Transport class: 6.1 14.4. Packing group Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

## **SECTION 15. REGULATORY INFORMATION**

REACH No.: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Sodium selenate CAS-No. 13410-01-0

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sodium selenate CAS-No. 13410-01-0

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Sodium selenate CAS-No. 13410-01-0

Pennsylvania Right To Know Components

Sodium selenate CAS-No. 13410-01-0

New Jersey Right To Know Components

Sodium selenate CAS-No. 13410-01-0

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects.

or any other reproductive harm.

#### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.