

# SAFETY DATA SHEET

Date Printed: 09/24/2019

Date Revised: 05/15/2015

## SECTION 1. IDENTIFICATION

**Product Identifier:** (5N) 99.999% Xenon Difluoride

**Product Code:** XE-F-05-C

**CAS Number:** 13709-36-9

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H330 Fatal if inhaled.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).



Hazard pictograms

GHS05d GHS06

Signal word Danger

Hazard-determining components of labeling:

Hazard-determining components of labeling:

xenon difluoride

Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage

Precautionary statements

P231 Handle under inert gas.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P221 Take any precaution to avoid mixing with combustibles.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

4

3

0

OX

Health = 4

Fire = 3

Reactivity = 0

The substance possesses oxidizing properties.

HMIS-ratings (scale 0 - 4)

HEALTH

FIRE

REACTIVITY

3

3

0

Health = 3

Fire = 3

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS # / Substance Name

13709-36-9 xenon difluoride

Identification number(s)

EC number: 237-251-2

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Use personal protective equipment. Keep unprotected persons away.

Environmental precautions: No special measures required.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling:

Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities: Keep cool.

Requirements to be met by storerooms and receptacles: No special requirements.  
Information about storage in one common storage facility: Not required.  
Further information about storage conditions:  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Recommended storage temperature: Store at temperatures not exceeding -18 °C.  
Specific end use(s) No data available

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

13709-36-9 xenon difluoride

PEL Long-term value: 2.5 mg/m<sup>3</sup>  
as F

REL Long-term value: 2.5 mg/m<sup>3</sup>  
as F

TLV Long-term value: 2.5 mg/m<sup>3</sup>  
as F, BEI

Ingredients with biological limit values:

13709-36-9 xenon difluoride

BEI 2 mg/L

Medium: urine

Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L

Medium: urine

Time: end of shift

Parameter: Fluoride (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use

respiratory protective device that is independent of circulating air.

Protection of hands:

SProtective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and

varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

RTightly sealed goggles

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: White

Odor: undistinguishable

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 128-130 °C (262-266 °F)

Boiling point/Boiling range: no data °C

Flash point: N/A

Flammability (solid, gas): Product is not flammable.

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: no data hPa

Density at 20 °C (68 °F): 4.32 g/cm<sup>3</sup> (36.05 lbs/gal)

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water at 0 °C (32 °F): 25 g/l

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Solvent content:

Organic solvents: 0.0 %

VOC content: 0.0 g/l / 0.00 lb/gl

Solids content: 100.0 %

Other information No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No data available

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No data available

Incompatible materials: No data available

Hazardous decomposition products: No dangerous decomposition products known.

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Sensitization: No sensitizing effects known.

Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

13709-36-9 xenon difluoride 3

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Behavior in environmental systems:

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

---

## SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN3085

UN proper shipping name

DOT, IATA Oxidizing solid, corrosive, n.o.s.

IMDG OXIDIZING SOLID, CORROSIVE, N.O.S.

Transport hazard class(es)

DOT

Class 5.1 Oxidizing substances

Label 5.1, 8

IMDG

Class 5.1 Oxidizing substances

Label 5.1/8

IATA

Class 5.1 Oxidizing substances

Label 5.1 (8)

Packing group

DOT, IMDG, IATA III

Environmental hazards:

Marine pollutant: No

Special precautions for user N/A

EMS Number: F-A,S-Q

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: 25 kg

On cargo aircraft only: 100 kg

IMDG

Limited quantities (LQ) 5 kg

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN 3085 OXIDIZING SOLID, CORROSIVE, N.O.S., 5.1 (8), III

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.  
TSCA (Toxic Substances Control Act):  
Substance is listed.  
Proposition 65  
Chemicals known to cause cancer:  
Substance is not listed.  
Chemicals known to cause reproductive toxicity for females:  
Substance is not listed.  
Chemicals known to cause reproductive toxicity for males:  
Substance is not listed.  
Chemicals known to cause developmental toxicity:  
Substance is not listed.  
Carcinogenic categories  
EPA (Environmental Protection Agency)  
Substance is not listed.  
TLV (Threshold Limit Value established by ACGIH)  
13709-36-9 xenon difluoride A4  
NIOSH-Ca (National Institute for Occupational Safety and Health)  
Substance is not listed.  
GHS label elements  
The substance is classified and labeled according to the Globally Harmonized System (GHS).  
Hazard pictograms  
GHS05 GHS06  
Signal word Danger  
Hazard-determining components of labeling:  
xenon difluoride  
Hazard statements  
H300+H330 Fatal if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.  
Precautionary statements  
P231 Handle under inert gas.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P221 Take any precaution to avoid mixing with combustibles.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present  
and easy to do. Continue rinsing.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2019 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

**AMERICAN ELEMENTS** | 10884 WEYBURN AVE. | LOS ANGELES, CALIFORNIA 90024  
TEL. 310-208-0551 | FAX 310-208-0351 | customerservice@americanelements.com