

# SAFETY DATA SHEET

Date Printed: 04/17/2024 Date Revised: 01/15/2022

# **SECTION 1. IDENTIFICATION**

Product Identifier: (3N) 99.9% Cerium(III) Oxalate Anhydrous

Product Code: CE3-OXL-03-C.AHYD

CAS Number: 139-42-4

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**

Statement of Hazard: Corrosive, Irritant, Respiratory irritant, Toxic Acute Health Hazard: Irritant to eyes, skin, mucous membranes and respiratory system. May be toxic by ingestion, skin absorption and inhalation. Chronic Health Hazard: Target organ effect HMIS Rating: H: 3 F: 0 P: 1 NFPA Rating: H: 3 F: 0 P: 1 To the best of our knowledge, the toxicological properties of this chemical have not been thoroughly investigated. Use appropriate procedures and precautions to prevent or minimize exposure.

Pictogram:



Signal Word: Danger

Hazard Statement(s):

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H370 Causes damage to organs.

Precautionary Statement(s):

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name: Cerium oxalate Synonyms: Synonum: Cerium(III) oxalate CAS Number: 139-42-4 MDL Number: MFCD00013082 EINECS Number: 205-362-5 Beilstein Registry Number: Not Available Molecular Formula: C6Ce2O12 Molecular Weight: 544.29 Content: As specified in product name.

#### **SECTION 4. FIRST AID MEASURES**

Eye Contact: Flush eyes with large amounts of water for fifteen minutes. Separate eyelids with fingers. If irritation persists, seek medical attention.

Skin Contact: Wash skin with soap and water. If irritation persists, seek medical attention.

Ingestion: Do not induce vomiting. Seek medical attention.

Inhalation: Move to a fresh air environment. Contact a physician if breathing becomes difficult.

#### **SECTION 5. FIREFIGHTING MEASURES**

Flash Point (°C): 188.8 Explosion Limits: Not Available Auto Ignition Temperature (°C): Not Available Extinguishing Media: Carbon dioxide, dry chemical powder, alcohol-resistant foam, or water spray Protective Equipment: Wear self-contained respirator and fully protective impervious suit. Specific Hazards: May emit hazardous fumes under fire conditions.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection: Wear a self-contained breathing apparatus, rubber boots and gloves, and disposable coveralls. Dispose of coveralls after use. Remove from ignition sources if safe to do so. Follow emergency response plan and contact proper authorities if needed. Keep unprotected persons away.

Environmental Protection: Keep spills out of sewers and bodies of water. Dike and contain the spill with inert material. Absorb on sand, vermiculite or diatomite. Transfer material to a container for disposal or recovery. Ventilate area and wash spill site after material pickup is complete.

#### **SECTION 7. HANDLING AND STORAGE**

Handling and Storage: Avoid breathing dust, vapor, mist or gas. Avoid contact with skin and eyes. Avoid prolonged or repeated exposure. Use only in a chemical fume hood. Open and handle container with care. Keep ignition sources away. Store in a tightly closed container in a dry, well-ventilated place.

Sensitivities: Not Available Storage Temperature (°C): 15 to 30

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls: Use product in a well ventilated area or under a fume hood. Use proper lab equipment while handling this product. Keep away from incompatible materials for possible risk of hazardous reaction.

Eye Protection: Wear appropriate protective eyeglass or chemical safety goggles. Make sure that there is an eyewash station in your vicinity.

Skin Protection: Wear impervious gloves and protective clothing.

Respiratory Protection: Use a NIOSH approved respirator when exposure limits are exceeded or if irritation or other symptoms are experienced.

Exposure Limits: Not Available

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: White crystalline powder Odor: Not Available Odor Threshold: Not Available Flash Point (°C): 188.8 Auto Ignition Temperature (°C): Not Available UEL % by Volume: Not Available LEL % by Volume: Not Available Melting Point (°C): Not Available Boiling Point (°C): 365.1 Evaporation Rate: Not Available pH Value: Not Available Density (g/cm<sup>3</sup>): Not Available Refractive Index (n<sup>20</sup>D): Not Available Viscosity: Not Available Solubility in Water: Slightly soluble Solubility in Other: Not Available Vapor Pressure (mmHg): Not Available Vapor Density (Air=1): Not Available

## SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under normal temperatures and pressures. Incompatibility: Not Available Reactivity: Product may react with incompatible materials to release other hazardous substances. Conditions to Avoid: Heat, flame, sparks, other ignition sources. Hazardous Decomposition Products: Carbon oxides, Cerium oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

RTECS Reference: Not Available Target Organs: Not Available Toxicity Data: Not Available Carcinogenicity: National Toxicology Program (NTP) listed: Not Available International Agency for Research on Cancer (IARC) listed: Not Available Potential Symptoms: Not Available

#### **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity: Not Available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Contact a licensed professional waste disposal service. Dispose in a manner consistent with federal, state and local environmental regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

DOT Shipping Name: Toxic Solids, Inorganic, N.O.S. DOT UN Number: UN3288 DOT Hazard Class: Class 6.1 DOT Packing Group: PG III IMDG Shipping Name: Toxic Solids, Inorganic, N.O.S. IMDG UN Number: UN3288 IMDG Hazard Class: Class 6.1 IMDG Packing Group: PG III Marine Pollutant: No IATA: Toxic Solids, Inorganic, N.O.S.

## **SECTION 15. REGULATORY INFORMATION**

United States Toxic Substance Control Act (TSCA) listed: Yes Superfund Amendments and Reauthorization Act (SARA 302) listed: No Superfund Amendments and Reauthorization Act (SARA 311/312) listed: No Superfund Amendments and Reauthorization Act (SARA 313) listed: No European Union European Inventory of Existing Chemical Substances (EINECS): 205-362-5 Canada Canadian Domestic Substances List (DSL) listed: No Canadian Non-Domestic Substances List (NDSL) listed: Yes

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.