

SAFETY DATA SHEET

Date Printed: 04/19/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifier: (5N) 99.999% Copper Manganese Nickel Alloy Sputtering Target

Product Code: CU-MNNI-05-ST

CAS Number: 12606-19-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) The substance is not classified according to the Globally Harmonized System (GHS). Hazards not otherwise classified No data available GHS label elements N/A Hazard pictograms N/A Signal word N/A Hazard statements N/A WHMIS classification D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 0Flammability = 0Physical Hazard = 0 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 12606-19-8 Copper Manganese Nickel Alloy

SECTION 4. FIRST AID MEASURES

Description of first aid measures General information No special measures required. If inhaled: Seek medical treatment in case of complaints. In case of skin contact: Generally the product does not irritate the skin. In case of eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. If swallowed: If symptoms persist consult doctor. Information for doctor Most important symptoms and effects, both acute and delayed: No data available Indication of any immediate medical attention and special treatment needed: No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Advice for firefighters

Protective equipment: No special measures required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup: Pick up mechanically.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Information about protection against explosions and fires: No special measures required. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see section 7. **Control parameters** Components with limit values that require monitoring at the workplace: Copper mg/m3 ACGIH TLV 1 (dust, mist) 0.2 (fume) Austria MAK 1 0.1 (fume) Belgium TWA 0.2 (fume) 1 (dust) Denmark TWA 0.1 Finland TWA 0.2 (fume) 1 (dust) France VME 0.1 (fume) 1 (dust) 1; 2-STEL (dust) Germany MAK 0.1 (fume) 1 (dust) Hungary TWA 0.2; 0.4-STEL (dust) Korea TLV 1 (dust, mist) 0.2 (fume) Netherlands MAC-TGG 1 (dust) Norway TWA 0.05 0.1 (fume) Poland TWA 0.1; 0.3-STEL (fume) 1; 2-STEL (dust) Russia 1-STEL (dust) Sweden NGV 0.2 (resp. dust) 1 (total dust) Switzerland MAK-W 0.1; 0.2-KZG-W (fume) 1: 1-KZG-W United Kingdom TWA 0.2 (fume) 1; 2-STEL (dust, mist) 1; 3-STEL USA PEL TWA 0.1 (fume)

1 (dust, mist) Manganese, elemental & inorganic compounds (as Mn) mg/m3 ACGIH TLV 0.2 Austria MAK 5 Belgium TWA 5 Denmark TWA 2.5 Finland TWA 0.5 Hungary TWA 0.3; 0.6-STEL Germany MAK 0.55 Japan OEL 0.3 (respirable dust) Korea TLV 0.2 Netherlands MAC-TGG 1; 3-MAC-K Norway TWA 2.5 Poland TWA 0.3; 5-MAC Russia 0.2-STEL (fume) Sweden NGV 1; 2.5-TGV (respirable dust) 2.5; 5-TGV (total dust) United Kingdom TWA 5 **USA PEL 5-Ceiling** Copper ma/m3 ACGIH TLV 1 (dust, mist); 0.2 (fume) Austria MAK 1 0.1 (fume) Belgium TWA 0.2 (fume); 1 (dust) Denmark TWA 0.1 Finland TWA 0.2 (fume); 1 (dust) France VME 0.2 (fume); 1 (dust) 1: 2-STEL (dust) Germany MAK 0.1 (fume); 1 (dust) Hungary TWA 0.2; 0.4-STEL (dust) Netherlands MAC-TGG 1 (dust) Norway TWA 0.05 0.1 (fume) Poland TWA 0.1; 0.3-STEL (fume) 1; 2-STEL (dust) Russia 1-STEL (dust) Sweden NGV 0.2 (resp. dust); 1 (total dust) Switzerland MAK-W 0.1; 0.2-KZG-W (fume) 1: 1-KZG-W United Kingdom TWA 0.2 (fume) 1; 2-STEL (dusts and mists as Cu) 1; 3-STEL USA PEL 0.1 (fume, dusts & mists) Nickel and inorganic compounds, as Ni mg/m3 ACGIH TLV 1.5, A5-inhalable particulate (metal) 0.2, A1-inhalable particulate (insoluble compounds) 0.1, A4-inhalable particulate (soluble compounds) Austria Carcinogen Denmark TWA 0.5 Finland TWA 0.1 (skin) Carcinogen France VME 1; C3-Carcinogen Germany Carcinogen

Hungary 0.005-STEL; Carcinogen (insoluble compounds) Japan 1; 2B-Carcinogen Korea TLV 1.5 Netherlands MAC-TGG 1; Carcinogen 1 (insoluble compounds) Norway TWA 0.05 Poland TWA 0.25 Russia 0.05-STEL Sweden NGV 0.5 (dust) Switzerland MAK-W 0.5; Carcinogen United Kingdom TWA 0.1 USA PEL 1 Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Maintain an ergonomically appropriate working environment. Breathing equipment: Not required. Protection of hands: Not required. Eye protection: Safety glasses Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance: Form: Solid in various forms (wire, foil, rod) Color: Silver-colored Odor: Odorless Odor threshold: No data available. pH: N/A Melting point/Melting range: No data available Boiling point/Boiling range: No data available Sublimation temperature / start: No data available Flash point: N/A Flammability (solid, gas) Fine powder: highly flammable Ignition temperature: No data available Decomposition temperature: No data available Autoignition: No data available. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: No data available Upper: No data available Vapor pressure: N/A Density: No data available Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H₂O): Insoluble Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Very fine powder: spontaneously flammable in air. Conditions to avoid No data available Incompatible materials: Oxidizing agents Interhalogens Halogens Sulfur Ammonia Hazardous decomposition products: Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Generally the product does not irritate the skin.

Eye irritation or corrosion: No irritant effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.

IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

ACGIH A5: Not suspected as a human carcinogen: Not suspected as a human carcinogen on the basis of properly conducted epidemiologic studies in humans.

Studies have sufficiently long follow-up, reliable exposure histories, sufficiently high dose, and adequate statistical power to conclude that exposure to the agent

does not convey a significant risk of cancer to humans. Evidence suggesting a lack of carcinogenicity in experimental animals will be considered if it is supported by

other relevant data.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne

nickel contaminated dusts are regarded as carcinogenic to the respiratory tract.

Chronic exposure to manganese may cause impairment to the central nervous system. Symptoms include sluggishness, sleepiness, muscle weakness, loss of

facial muscle control, edema, emotional disturbances, spastic gait and falling.

Copper compounds may be irritating to the skin, eyes and respiratory tract. They may cause metal fume fever, hemolysis of the red blood cells and injury to the

liver, lungs, kidneys and pancreas. Ingestion may also cause vomiting, gastric pain, dizziness, anemia, cramps, convulsions, shock, coma and death.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Additional ecological information: Do not allow material to be released to the environment without official permits. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: N/A vPvB: N/A Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

Not a hazardous material for transportation. UN-Number DOT, IMDG, IATA None UN proper shipping name DOT, IMDG, IATA None Transport hazard class(es) DOT, ADR, IMDG, IATA Class None Packing group DOT, IMDG, IATA None Environmental hazards: N/A Special precautions for user N/A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: Not dangerous according to the above specifications. DOT

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements N/A

Hazard pictograms N/A

Signal word N/A

Hazard statements N/A

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings)

Copper Manganese Nickel Alloy

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Copper Manganese Nickel wire

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

This product contains copper and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains manganese and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED **GRENCED ELEMENTS**. LICENSED **GRENCED ELEMENTS** (IN SEMIWERDED ARE CODE SAFERED ELEMENTS). LICENSED TEL. 310-208-0551 | FAX 310-208-0351 | customerservice@americanelements.com