

SAFETY DATA SHEET

Date Accessed: 04/19/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Name: Sodium Mercury Amalgam

Product Number: All applicable American Elements product codes, e.g. NA-HG-03-PE

CAS #: 11110-52-4

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS02 Flame

Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.

GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).



Hazard pictograms

GHS02 GHS05 GHS06 GHS08

Signal word Danger

Hazard-determining components of labeling:

Sodium-Mercury Amalgam, 4-5% Na (99.9+%)

Hazard statements

H260 In contact with water releases flammable gases, which may ignite spontaneously.

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

4

0

2

W-

Health = 4

Fire = 0

Reactivity = 2

The substance demonstrates unusual reactivity with water.

HMIS-ratings (scale 0 - 4)

HEALTH

FIRE

REACTIVITY

*3

0

2

Health = *3

Fire = 0

Reactivity = 2

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS # / Substance Name

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours

after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed:

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents:

Sand. Do not use water.

CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture No data available

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Inform respective authorities in case of seepage into water courses, or sewage systems.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents
Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling: Handle under inert gas.
Precautions for safe handling
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Information about protection against explosions and fires:
Keep ignition sources away - Do not smoke.
Keep respiratory protective device available.
Conditions for safe storage, including any incompatibilities: Store contents under inert gas.
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Not required.
Further information about storage conditions:
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Specific end use(s) No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.
Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: The lists that were valid during the creation were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
respiratory protective device that is independent of circulating air.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:
Tightly sealed goggles

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Pellets

Color: Silver grey

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: no data °C

Boiling point/Boiling range: no data °C

Flash point: N/A

Flammability (solid, gas): Contact with water liberates extremely flammable gases.

Ignition temperature:

Decomposition temperature: No data available.

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: 1mm (126 hPa (1mm (95 mm Hg)

Density: No data available.

Relative density No data available.

Vapor density N/A

Evaporation rate N/A

Solubility in / Miscibility with

Water: Insoluble.

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Solvent content:

Organic solvents: 0.0 %

VOC content: 0.0 g/l / 0.00 lb/gl

Solids content: 100.0 %

Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Contact with water releases flammable gases.

Conditions to avoid No data available

Incompatible materials: No data available

Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus

and stomach.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No data available

Persistence and degradability No data available

Behavior in environmental systems:

Bioaccumulative potential No data available

Mobility in soil No data available

Additional ecological information: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drains, sewage systems, or other water courses system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN3401

UN proper shipping name

DOT, IATA Alkali metal amalgam, solid

IMDG ALKALI METAL AMALGAM, SOLID

Transport hazard class(es)

DOT

Class 4.3 Substances which, in contact with water, emit flammable gases

Label 4.3

IMDG, IATA

Class 4.3 Substances which, in contact with water, emit flammable gases

Label 4.3

Packing group

DOT, IMDG, IATA I

Environmental hazards:

Marine pollutant: No

Special precautions for user N/A

EMS Number: F-G,S-N

Segregation groups Heavy metals and their salts (including their organometallic compounds), mercury and mercury compounds

Stowage Category D

Handling Code H1 Keep as dry as reasonably practicable

Segregation Code SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.

SG35 Stow "separated from" acids.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code N/A

Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: Forbidden

On cargo aircraft only: 15 kg

IMDG

Limited quantities (LQ) 0

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation": UN 3401 ALKALI METAL AMALGAM, SOLID, 4.3, I

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS02 GHS05 GHS06 GHS08

Signal word Danger

Hazard-determining components of labeling:

Sodium-Mercury Amalgam, 4-5% Na (99.9+%)

Hazard statements

H260 In contact with water releases flammable gases, which may ignite spontaneously.

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is

believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.