

# SAFETY DATA SHEET

Date Printed: 09/22/2020

Date Revised: 05/15/2015

## SECTION 1. IDENTIFICATION

**Product Name:** Sodium (meta)arsenite

**Product Number:** All applicable American Elements product codes, e.g. NA-MASIT-02 , NA-MASIT-03 , NA-MASIT-04 , NA-MASIT-05

**CAS #:** 7784-46-5

**Relevant identified uses of the substance:** Scientific research and development

**Supplier details:**

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351

**Emergency telephone number:**

+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral(Category 2), H300

Acute toxicity, Inhalation(Category 3), H331

Acute toxicity, Dermal(Category 2), H310

Carcinogenicity(Category 1A), H350

Acute aquatic toxicity(Category 1), H400

Chronic aquatic toxicity(Category 1), H410

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H300 + H310

Fatal if swallowed or in contact with skin

H331

Toxic if inhaled.  
H350  
May cause cancer.  
H410  
Very toxic to aquatic life with long lasting effects.  
Precautionary statement(s)  
P201  
Obtain special instructions before use.  
P202  
Do not handle until all safety precautions have been read and understood.  
P261  
Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.  
P262  
Do not get in eyes, on skin, or on clothing.  
P264  
Wash skin thoroughly after handling.  
P270  
Do not eat, drink or smoke when using this product.  
P271  
Use only outdoors or in a well-ventilated area.  
P273  
Avoid release to the environment.  
P280  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P310 + P330  
IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.  
P302 + P350 + P310  
IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician.  
P304 + P340 + P311  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.  
P308 + P313  
IF exposed or concerned: Get medical advice/ attention.  
P362  
Take off contaminated clothing and wash before reuse.  
P391  
Collect spillage.  
P403 + P233  
Store in a well-ventilated place. Keep container tightly closed.  
P405  
Store locked up.  
P501  
Dispose of contents/ container to an approved waste disposal plant.  
Hazards not otherwise classified (HNOC) or not covered by GHS-none

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Synonyms: Sodium dioxoarsenate

Formula: AsNaO2

Molecular weight: 129.91 g/mol

CAS-No.: 7784-46-5

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Air sensitive.

Store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance

Form: solid

Odor

No data available

Odor Threshold  
No data available  
pH  
No data available  
Melting point/freezing point  
No data available  
Initial boiling point and boiling range  
No data available  
Flash point  
N/A  
Evaporation rate  
No data available  
Flammability (solid, gas)  
No data available  
Upper/lower flammability or explosive limits  
No data available  
Vapor pressure  
No data available  
Vapor density  
No data available  
Relative density  
1.870 g/cm<sup>3</sup>  
Water solubility  
No data available  
Partition coefficient: n-octanol/water  
No data available  
Auto-ignition temperature  
No data available  
Decomposition temperature  
No data available  
Viscosity  
No data available  
Explosive properties  
No data available  
Oxidizing properties  
No data available  
Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
Avoid moisture.  
Incompatible materials  
Strong oxidizing agents, Strong acids  
Hazardous decomposition products  
Hazardous decomposition products formed under fire conditions.-

Sodium oxides, Arsenic oxides  
Other decomposition products-  
No data available  
In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD50 Oral-Rat-41 mg/kg

Inhalation: No data available

LD50 Dermal-Rat-150 mg/kg

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Human carcinogen.

IARC:

1-Group 1: Carcinogenic to humans(Sodium dioxoarsenate)

IARC:

1-Group 1: Carcinogenic to humans(Sodium dioxoarsenate)

NTP:

Known to be human carcinogen(Sodium dioxoarsenate)

NTP:

Known to be human carcinogen(Sodium dioxoarsenate)

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity -single exposure

No data available

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Exposure to arsenic compounds can cause:, Gastrointestinal disturbance, Cardiovascular effects., Neurological disorders

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Toxicity to daphnia and other aquatic invertebrates

EC50-Daphnia magna (Water flea)-1.54 mg/l-48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 2027

Class: 6.1

Packing group: II

Proper shipping name: Sodium arsenite, solid

Reportable Quantity(RQ): 1 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 2027

Class: 6.1

Packing group: II

EMS-No: F-A, S-A

Proper shipping name: SODIUM ARSENITE, SOLID

Marine pollutant: yes

IATA

UN number: 2027

Class: 6.1

Packing group: II

Proper shipping name: Sodium arsenite, solid

---

## SECTION 15. REGULATORY INFORMATION

### SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-07-01

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-07-01

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-07-01

Pennsylvania Right To Know Components

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-07-01

New Jersey Right To Know Components

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-07-01

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-09-28

WARNING! This product contains a chemical known to the State of California to cause cancer.

Sodium dioxoarsenate

CAS-No.

7784-46-5

Revision Date

2007-09-28

---



## **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2019 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.