

SAFETY DATA SHEET

Date Accessed: 04/25/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Name: Triisopropylgallium

Product Number: All applicable American Elements product codes, e.g. TIP-GA-02, TIP-GA-03, TIP-GA-04, TIP-GA-05

CAS #: 54514-59-9

Relevant identified uses of the substance: Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Pyrophoric (USA) Highly Flammable (EU). Reacts violently with water, liberating extremely flammable gases. Spontaneously flammable in air. HMIS RATING HEALTH: 0 FLAMMABILITY: 4 REACTIVITY: 4 SPECIAL HAZARD(S): Water reactive NFPA RATING HEALTH: 0 FLAMMABILITY: 4 REACTIVITY: 4 SPECIAL HAZARD(S): Water reactive For additional information on toxicity, please refer to Section 11.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Name CAS # SARA 313 TRIISOPROPYLGALLIUM, ELECTRONIC 54514-59-9 No GRADE Formula C9H21Ga1

SECTION 4. FIRST AID MEASURES

ORAL EXPOSURE If swallowed, wash out mouth with water provided person is conscious. Call a physician. INHALATION EXPOSURE If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. DERMAL EXPOSURE In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician. EYE EXPOSURE In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

SECTION 5. FIREFIGHTING MEASURES

FLAMMABLE HAZARDS Flammable Hazards: Yes Pyrophoric/Autoignition: Yes CONDITIONS OF FLAMMABILITY Catches fire if exposed to air. FLASH POINT N/A AUTOIGNITION TEMP N/A FLAMMABILITY N/A EXTINGUISHING MEDIA Suitable: Carbon dioxide, dry chemical powder, or appropriate foam. Unsuitable: Do not use water. FIREFIGHTING Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Pyrophoric material. Emits toxic fumes under fire conditions. Water reactive material.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area. Shut off all sources of ignition. Use nonsparking tools. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. METHODS FOR CLEANING UP Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

SECTION 7. HANDLING AND STORAGE

User Exposure: Avoid contact with eyes, skin, and clothing. Avoid breathing vapor. Avoid prolonged or repeated exposure. STORAGE Suitable: Keep tightly closed. Handle and store under argon. Incompatible Materials: Do not allow contact with water SPECIAL REQUIREMENTS Handle and store under inert gas.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Safety shower and eye bath. Use nonsparking tools. Mechanical exhaust required. PERSONAL PROTECTIVE EQUIPMENT Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves. Eye: Chemical safety goggles. GENERAL HYGIENE MEASURES Wash thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State: Liquid Property Value At Temperature or Pressure Molecular Weight 198,9900 AMU pH N/A BP/BP Range N/A MP/MP Range N/A Freezing Point N/A Vapor Pressure N/A Vapor Density N/A

Saturated Vapor Conc. N/A Bulk Density N/A Odor Threshold N/A Volatile% N/A VOC Content N/A Water Content N/A Solvent Content N/A Evaporation Rate N/A Viscosity N/A Surface Tension N/A Partition Coefficient N/A Decomposition Temp. N/A Flash Point N/A Explosion Limits N/A Flammability N/A Autoignition Temp N/A Refractive Index N/A **Optical Rotation N/A** Miscellaneous Data N/A Solubility N/A N/A = not available

SECTION 10. STABILITY AND REACTIVITY

STABILITY Stable: Stable. Conditions to Avoid: Catches fire if exposed to air. Do not allow water to enter container because of violent reaction. Materials to Avoid: Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide. HAZARDOUS POLYMERIZATION Hazardous Polymerization: Will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation. Skin Absorption: May be harmful if absorbed through the skin. Eye Contact: May cause eye irritation. Inhalation: Material may be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled. Ingestion: May be harmful if swallowed. SIGNS AND SYMPTOMS OF EXPOSURE To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Proper Shipping Name: Organometallic substance, liquid, pyrophoric, water-reactive UN#: 3394 Class: 4.2 Packing Group: Packing Group I Hazard Label: Spontaneously combustible Hazard Label: Dangerous when wet. PIH: Not PIH ΙΑΤΑ Proper Shipping Name: Organometallic substance, liquid, pyrophoric, water-reactive IATA UN Number: 3394 Hazard Class: 4.2 Packing Group: I Not Allowed - Aircraft: FORBIDDEN Not Allowed - Aircraft: FORBIDDEN

SECTION 15. REGULATORY INFORMATION

EU ADDITIONAL CLASSIFICATION Symbol of Danger: F Indication of Danger: Highly Flammable. R: 14/15-17 Risk Statements: Reacts violently with water, liberating extremely flammable gases. Spontaneously flammable in air. S: 16-36/37/39-43 Safety Statements: Keep away from sources of ignition - no smoking. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water. US CLASSIFICATION AND LABEL TEXT Indication of Danger: Pyrophoric (USA) Highly Flammable (EU). Risk Statements: Reacts violently with water, liberating extremely flammable gases. Spontaneously flammable in air. Safety Statements: Keep away from sources of ignition - no smoking. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water. UNITED STATES REGULATORY INFORMATION SARA LISTED: No CANADA REGULATORY INFORMATION WHMIS Classification: This product has been classified in

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.