

SAFETY DATA SHEET

Date Accessed: 04/23/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Name: Tris(diethylamido)(tert-butylimido)tantalum(V)

Product Number: All applicable American Elements product codes, e.g. TA-OMX-02 , TA-OMX-025 , TA-OMX-03 , TA-OMX-035 , TA-OMX-04 , TA-OMX-05

CAS #: 169896-41-7

Relevant identified uses of the substance: Scientific research and development

Supplier details: American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351

Emergency telephone number: +1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE OSHA HAZARDS: Combustible Liquid, Water Reactive, Corrosive GHS CLASSIFICATION: Flammable liquids (category 3) Substances which, in contact with water, emit flammable gases (category 2) Skin corrosion (category 1B) Serious eye damage (category 1)



Pictogram Signal Word Danger Hazard Statements H226 Flammable liquid and vapor H261 In contact with water releases flammable gas H314 Causes severe skin burns and eye damage Precautionary Phrases

P231 + P232 Handle under inert gas, protect from moisture P280 Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 Immediately call a POISON CENTER or a doctor/physician P422 Store contents under inert gas **OTHER HAZARDS** Reacts violently with water. POTENTIAL HEALTH EFFECTS Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissues of the mucous membranes and upper respiratory tract. Skin: May be harmful if absorbed through skin. Causes skin burns. Eyes: Causes eye burns. Ingestion: May be harmful if swallowed. NFPA 704 RATINGS (SCALE 0-4): Health: 3 Flammability: 2 Reactivity: 1 SPECIAL: WATER REACTIVE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula: C16H39N4Ta Molecular Weight: 468.47 g/mol Synonyms: TBTDET, Tris(diethylamido) tert-butylimido tantalum CHEMICAL NAME CAS# PURITY Tert-butylimido tris(diethylamido) tantalum 169896-41-7 98+%

SECTION 4. FIRST AID MEASURES

GENERAL ADVICE: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

EYE EXPOSURE: Rinse thoroughly with plenty of water for at least 15 minutes. A victim may need help keeping their eyelids open. Seek immediate medical attention. Continue rinsing during transport to hospital.

SKIN EXPOSURE: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Seek medical attention.

INHALATION: Move victim into fresh air. If not breathing, give artificial respiration. Seek medical attention.

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek medical attention.

SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: Suitable Use dry chemical. Unsuitable DO NOT USE WATER! CONDITIONS OF FLAMMABILITY: Flammable in the presence of a source of ignition when the temperature is above the flash point. May burn in presence of air, or emit a flammable gas in the presence of water or water vapor. Keep away from heat/sparks/open flame/hot surface/air/water. No smoking. HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Carbon oxides, nitrogen oxides (NOx), and Tantalum oxides ADVICE FOR FIRE FIGHTERS

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

ENVIRONMENTAL PRECAUTIONS

Prevent further leakage or spillage if safe to do so. Do not allow material to enter drains or streams. METHODS AND MATERIALS

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

SECTION 7. HANDLING AND STORAGE

PERSONAL PRECAUTIONS

Avoid inhalation of vapor or mist.

Keep away from sources of ignition – No smoking. Take measures to prevent the buildup of electrostatic charge.

CONDITIONS FOR SAFE STORAGE

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Never allow product to get in contact with water during storage.

Handle and store under inert gas. Air sensitive. INCOMPATIBILITIES: Exposure to air, moisture.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

Contains no substances with occupational exposure limit values.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: Use a full-face air-purifying respirator with multi-purpose combination or type ABEK respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards.

EYE/FACE PROTECTION: Wear chemical safety goggles, faceshield. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH or EN. SKIN PROTECTION: Compatible chemical-resistant gloves. Inspect gloves before each use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

BODY PROTECTION: Complete suit protecting against chemicals, flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: Pale yellow liquid FORMULA MASS: 468,47a/mol **ODOR:** Pungent smell ODOR THRESHOLD: No data available pH: Not available MELTING POINT/ FREEZING POINT: not available BOILING POINT: 95 °C @ 0.5 mmHg FLASH POINT: 46 °C - closed cup EVAPORATION RATE: No data available UPPER/LOWER FLAMMABILITY/EXPLOSION LIMITS: no data available VAPOR PRESSURE: no data available VAPOR DENSITY: no data available SPECIFIC GRAVITY: 1.252 g/ml at 25 °C SOLUBILITY IN WATER: Reacts violently PARTITION COEFFICIENT: N-OCTANOL/WATER: no data available AUTO-IGNITION TEMPERATURE: no data available **DECOMPOSITION:** No data available VISCOSITY: No data available

SECTION 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under recommended storage conditions. POSSIBILITY OF HAZARDOUS REACTION: Will not polymerize. Reacts violently with water. CONDITIONS TO AVOID: Heat, flame, and sparks. Exposure to moisture. INCOMPATIBILE MATERIALS: Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: (formed under fire conditions) Carbon oxides, nitrogen oxides (NOx), and Tantalum oxides

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: No data available.

SKIN CORROSIVE/IRRITANT: No data available

SEROUS EYE DAMAGE/IRRITATION: No data available

RESPIRATORY OR SKIN SENSITIZATION: No data available

GERM CELL MUTAGENICITY: No data available

CARCINOGENICITY:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

REPRODUCTIVE TOXICITY: No data available STOT-Single Exposure: No data available STOT-Repeated Exposure: No data available ASPIRATION HAZARD: No data available ADDITIONAL INFORMATION: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY: No data available PERSISTENCE AND DEGRADABILITY: No data available BIOACCUMULATIVE POTENTIAL: No data available MOBILITY IN SOIL: No data available OTHER ADVERSE EFFECTS: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed waste disposal service to dispose of this material. Dispose of contaminated packaging as unused product.

SECTION 14. TRANSPORT INFORMATION

DOT, IATA, IMDG regulated. Organometallic substance, liquid, water-reactive, flammable (tert-butylimido tris(diethylamido) tantalum) UN3399 Class 4.3(3) PG: II Marine pollutant: No data available.

SECTION 15. REGULATORY INFORMATION

OSHA Hazards: Combustible liquid, water reactive, corrosive. SARA 302/313 Components: No chemicals in this material are subject to reporting requirements of SARA Title III, Section 302 or 313. SARA 311/312 Hazards Fire Hazard, Reactivity Hazard, Acute Health Hazard Massachusetts Right to Know Components No components are subject to the Massachusetts Right to Know Act. Pennsylvania Right to Know/New Jersey Right to Know Components Tert-butylimido tris(diethylamido)tantalum CAS# 169896-41-7 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.