

PZT (Lead Zirconate Titanate)	Pricing >
PZT Lead Zirconium Titanate Sputtering Target	Pricing >
Linear Formula	O ₅ PbTiZr
Pubchem CID	159452
MDL Number	N/A
EC No.	235-727-4
IUPAC Name	lead(2+); oxygen(2-); titanium(4+); zirconium(4+)
Beilstein/Reaxys No.	N/A
SMILES	[O-2].[O-2].[O-2].[O-2].[O-2].[Ti+4].[Zr+4].[Pb+2]
Inchi Identifier	InChI=1S/5O.Pb.Ti.Zr/q5*-2;+2;2*+4
Inchi Key	HFGPZNIAWCZYJU-UHFFFAOYSA-N
Signal Word	N/A
Hazard Statements	N/A
Hazard Codes	N/A
Risk Codes	N/A
Safety Statements	N/A
Transport Information	N/A

[Create Printable PDF](#)

SAFETY DATA SHEET

Date Accessed: 05/03/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifiers: All applicable American Elements product codes for CAS #12626-81-2

Relevant identified uses of the substance:
Scientific research and development

Supplier details:
American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:
Domestic, North America +1 800-424-9300
International +1 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS07

GHS08

Signal word

Danger

Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H360 May damage fertility or the unborn child.

H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P281 Use personal protective equipment as required.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.
WHMIS classification
D2A - Very toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH
FIRE
REACTIVITY
1
0
0
Health (acute effects) = 1
Flammability = 0
Physical Hazard = 0
Other hazards
Results of PBT and vPvB assessment
PBT:
N/A
vPvB:
N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances
CAS No. / Substance Name:
12626-81-2 Lead Zirconate titanate
Identification number(s):
EC number:
235-727-4
Index number:
082-001-00-6

SECTION 4. FIRST AID MEASURES

Description of first aid measures
If inhaled:
Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
In case of skin contact:
Immediately wash with soap and water; rinse thoroughly.
Seek immediate medical advice.
In case of eye contact:
Rinse opened eye for several minutes under running water. Consult a physician.
If swallowed:
Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed
No data available
Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media
Suitable extinguishing agents
Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Lead oxide fume
Zirconium oxide
Titanium oxides
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions:
Do not allow product to enter drains, sewage systems, or other water courses.
Methods and materials for containment and cleanup:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards:
No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
The product is not flammable
Conditions for safe storage, including any incompatibilities
Requirements to be met by storerooms and receptacles:
No special requirements.
Information about storage in one common storage facility:
No data available
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well-sealed containers.
Specific end use(s)
No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:
12626-81-2 Lead Zirconate titanate (100.0%)
PEL (USA) Long-term value: 0.05 mg/m³
as Pb; See 29CFR 1910.1025
TLV (USA) Long-term value: 0.05 mg/m³
as Pb; BEI
Ingredients with biological limit values:
12626-81-2 Lead Zirconate titanate (100.0%)
BEI (USA) 30 µg/100 ml
Medium: blood
Time: not critical
Parameter: Lead
Additional information:
No data
Exposure controls
Personal protective equipment
Follow typical protective and hygienic practices for handling chemicals.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing

immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment:
Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Inspect gloves prior to use.
Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.
Penetration time of glove material (in minutes)
No data available
Eye protection:
Safety glasses
Body protection:
Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties
Appearance:
Form: Solid in various forms
Color: Silvery-white
Odor: Odorless
Odor threshold: No data available.
pH: N/A
Melting point/Melting range: No data available
Boiling point/Boiling range: No data available
Sublimation temperature / start: No data available
Flammability (solid, gas)
No data available.
Ignition temperature: No data available
Decomposition temperature: No data available
Autoignition: No data available.
Danger of explosion: No data available.
Explosion limits:
Lower: No data available
Upper: No data available
Vapor pressure: N/A
Density: No data available
Relative density
No data available.
Vapor density
N/A
Evaporation rate
N/A
Solubility in Water (H₂O): Insoluble
Partition coefficient (n-octanol/water): No data

available.
Viscosity:
Dynamic: N/A
Kinematic: N/A
Other information
No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity
No data available
Chemical stability
Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
No dangerous reactions known
Conditions to avoid
No data available
Incompatible materials:
No data available
Hazardous decomposition products:
Lead oxide fume
Zirconium oxide
Titanium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification:
No data
Skin irritation or corrosion:
Generally the product does not irritate the skin.
Eye irritation or corrosion:
No irritant effect.
Sensitization:
No sensitizing effects known.
Germ cell mutagenicity:
No effects known.
Carcinogenicity:
EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

IARC-2A: Probably carcinogenic to humans: limited human evidence; sufficient evidence in experimental animals

Reproductive toxicity:
May damage fertility or the unborn child.
Specific target organ system toxicity - repeated exposure:
May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.
Specific target organ system toxicity - single exposure:
No effects known.

Aspiration hazard:
No effects known.

Subacute to chronic toxicity:
The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration)
Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity
Aquatic toxicity:
No data available
Persistence and degradability
No data available
Bioaccumulative potential
No data available
Mobility in soil
No data available
Ecotoxicological effects:

Remark:

Very toxic for aquatic organisms

Additional ecological information:

Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADN, IMDG, IATA

N/A

UN proper shipping name

DOT, ADN, IMDG, IATA

N/A

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class

N/A

Packing group

DOT, IMDG, IATA

N/A

Environmental hazards:

Environmentally hazardous substance, solid

Special precautions for user

N/A

Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code

N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings)
12626-81-2 Lead Zirconate titanate
California Proposition 65
Prop 65 - Chemicals known to cause cancer
12626-81-2 Lead Zirconate titanate
Prop 65 - Developmental toxicity
Substance is not listed.
Prop 65 - Developmental toxicity, female
Substance is not listed.
Prop 65 - Developmental toxicity, male
Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
This substance is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH).
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use)
Substance is not listed.
Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

Research

- Ferroelectric devices using lead zirconate titanate (PZT) nanoparticles. Paik YH, Kojori HS, Kim SJ. Nanotechnology. 2016 Feb 19;27(7):075204.
- Effect of Pt3Pb on the permittivity and conductivity of lead zirconate titanate thin films. Hiraku Maruyama, George Baure, Tarielle Jones, Jason Nikkel, Juan C. Nino. Thin Solid Films, Volume 685, 1 September 2019, Pages 420-427.
- Engineering spherical lead zirconate titanate to explore the essence of piezo-catalysis. Feng Y, Ling L, Wang Y, Xu Z, Cao F, Li H, Bian Z. Nano Energy. 2017 Oct 1;40:481-6.
- First principles study of hydrogen in lead zirconate titanate. Liyanage M, Miller R, Rajapakse RK. Smart Materials and Structures. 2019 Feb 1;28(3):034002.
- Flash sintering of lead zirconate titanate ceramics under an alternating current electrical field. Xinghua Su, Yongjie Jia, Chenxi Han, Yuwei Hu, Yan Wang. Ceramics International, Volume 45, Issue 4, March 2019, Pages 5168-5173.
- Tuning the morphology of lead zirconate titanate (PZT) nanostructures. Christian Glass, Waqqar Ahmed, Jan van Ruitenbeek. Materials Letters, Volume 125, 15 June 2014, Pages 71-74.
- Generation of electrical energy using lead zirconate titanate (PZT-5A) piezoelectric material: Analytical, numerical and experimental verifications. Butt Z, Pasha RA, Qayyum F, Anjum Z, Ahmad N, Elahi H. Journal of Mechanical Science and Technology. 2016 Aug 1;30(8):3553-8.
- Stress-optic modulator in TriPleX platform using a piezoelectric lead zirconate titanate (PZT) thin film. Hosseini N, Dekker R, Hoekman M, Dekkers M, Bos J, Leinse A, Heideman R. Optics Express. 2015 Jun 1;23(11):14018-26.

- Influence of PbO stoichiometry on the properties of PZT ceramics and multilayer actuators. Oldenkotte M, Kungl H, Eichel RA, Schönauf KA, Kühlein M, Bernard T, Hoffmann MJ, Hinterstein M. Journal of the American Ceramic Society. 2019.
- Lead zirconate titanate-based thick films for high-frequency focused ultrasound transducers prepared by electrophoretic deposition. Abellard AP, Kuscer D, Grégoire JM, Lethiecq M, Malic B, Levassort F. IEEE Trans Ultrason Ferroelectr Freq Control. 2014 Mar;61(3):547-56.